1000 Islands SAFETY

**Phone: 613-246-5519**
**Email: office@1000islandssafety.com**
**Website: www.1000islandssafety.com**

# REFERENCE GUIDE **RG18**

## CATALOGUE PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of June 2018, and should be used exclusively as a guideline.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice. We also reserve the right to modify prices based on changing manufacturer and economic conditions.

All images used are for illustrative purposes only, products may vary.

## SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!

# PROVIDES MAXIMUM GRIP, WET AND DRY

## HEAVYWEIGHT ULTRA GRIPPER NITRILE GLOVES

+ Fully textured ultra gripper tire pattern provides maximum wet and dry grip
+ Exceptional tactile sensitivity
+ Beaded cuff for added strength
+ Protects against oil, grease and organic solvents
+ Latex and power-free

NEW

## Model Numbers: SGC404-SGC407

Select from four available sizes

See page 596

ZENITH® Safety Products

# MAKE YOUR LOADING JOB EASIER

KLETON

## Spring-Operated Pallet Lifter

Model Number MO787

NEW

- Keeps the top of the load at a convenient working height by raising and lowering the pallet as its weight changes
- Equipped with forklift pockets for easy relocation
- Rotating top minimizes worker movement
- Ergonomic design helps prevent workplace injuries

Turn to page 191 for more information

# TABLE OF CONTENTS


MATERIAL HANDLING & STORAGE ..... 2-266

JANITORIAL & MAINTENANCE ..... 267-391

SAFETY EQUIPMENT & SUPPLIES ..... 392-903

WELDING & METALWORKING ..... 904-1159

TOOLS & EQUIPMENT ..... 1160-1415

SHIPPING & PACKAGING ..... 1416-1463

ELECTRICAL PRODUCTS & INSTRUMENTS ..... 1464-1561

OFFICE PRODUCTS ..... 1562-1613

INDEX ..... 1614-1648

WESCO®

Rubbermaid® Commercial Products

KLETON

StrongHold®

METALWARE STEEL SHELVING corporation

LISTA making workspace work®

# MATERIAL HANDLING & STORAGE

Containers.....4 - 18
Small Parts & Bulk Storage ..... 19 - 46
Pallets ..... 47 - 51
Racking & Shelving..... 52 - 82
Barriers, Partitions & Portable Structures.....83 - 97
Storage Cabinets & Lockers ..... 98 - 113
Workbenches & Cabinets ..... 114 - 128
Ladders, Stools & Scaffolding..... 129 - 147
Hand Trucks & Platform Trucks ..... 148 - 165
Shelf, Utility & Specialized Carts..... 166 - 175
Box Trucks, Hoppers, Tilt Trucks, Dollies & Rollers... 176 - 183
Pallet Trucks, Lift Tables, Stackers & Accessories..... 184 - 192
Lifting and Positioning Equipment..... 193 - 206
Automotive Equipment & Wheel Chocks..... 207 - 215
Dock Equipment & Cable Protectors ..... 216 - 219
Dock Lighting & Warning Systems..... 220 - 225
Conveyors..... 226 - 227
Casters & Wheels ..... 228 - 236
Drums & Drum Equipment ..... 237 - 254
Pumps..... 255 - 266

FEATHERLITE INDUSTRIAL LADDERS

ACM

TECHSTAR PLASTICS INC.

MORSE

DURHAM MFG® Est. 1922

Vestil We've Got It!

## HI-STAK PLASTIC BINS

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Ideal in production or for store display
- Included with each bin: I.D. card with clear plastic shield, four riser legs and connector clip

Inclined faceplate with removable label and protector

1" riser legs increase loading capacity and stability

Stackable using built-in feet

Connector clip allows for back-to-back mounting



Built-in extrusions allow side-by-side interlock

| Model No. Blue | Yellow | Green | Red | Outside Dimensions W" x D" x H" | Wt. lbs. | Price /Each | Faceplate & Label Model No. | Price /Each | Replacement Legs Model No. | Price /Package |
|---|---|---|---|---|---|---|---|---|---|---|
| CB260 | CB261 | CC234 | CC242 | 4 13/16 x 7 1/8 x 3 3/16 | 0.10 | | CC441 | | CC263 | |
| CB262 | CB263 | CC235 | CC243 | 5 7/8 x 9 13/16 x 4 11/16 | 0.15 | | CC441 | | CC263 | |
| CB264 | CB265 | CC236 | CC244 | 8 3/16 x 14 x 6 3/16 | 0.35 | | CC443 | | CC437 | |
| CC239 | CC240 | CC237 | CC245 | 7 7/8 x 17 11/16 x 7 | 0.55 | | CC443 | | CC437 | |
| CB266 | CB267 | CC238 | CC246 | 11 13/16 x 17 11/16 x 7 | 0.60 | | CC443 | | CC437 | |

**Note:** Add 1 inch to overall height when stacking on legs.

## WIRE MESH STACK & HANG BINS

- Innovative mesh design offers nickel-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of bin contents
- This unique mesh pattern provides a dust and dirt free storage environment
- Mesh Bins feature a rear hanger that allows them to hang from any louvered wall panel or rail system
- Optional side hangers allow bin to stack one on top of the other
- The open hopper design allows for easy picking while allowing visual access to stored contents
- Material: Wire mesh
- Colour: Nickel-chrome
- Capacity: 100 lbs. Hang/175 lbs. Stack

QUANTUM™ STORAGE SYSTEMS




CF751

See page 7 for louvered panels

CF755

### BINS

| Model No. | Mfg. No. | Outside Dimensions W" x D" x H" | Inside Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|---|
| CF751 | QMB510C | 4 1/4 x 5 1/4 x 3 | 4 x 4 3/4 x 2 7/8 | |
| CF752 | QMB520C | 4 1/4 x 7 1/4 x 3 | 4 x 6 3/4 x 2 7/8 | |
| CF753 | QMB530C | 5 1/2 x 10 3/4 x 5 | 5 1/2 x 10 1/4 x 4 3/4 | |
| CF754 | QMB535C | 11 x 10 3/4 x 5 | 10 3/4 x 10 1/4 x 4 3/4 | |
| CF755 | QMB539C | 8 x 10 1/2 x 7 | 7 1/2 x 10 x 6 3/4 | |
| CF756 | QMB540C | 8 x 14 1/2 x 7 | 7 2/5 x 14 x 6 3/4 | |
| CF757 | QMB550C | 16 1/4 x 14 1/2 x 7 | 15 3/4 x 14 x 6 3/4 | |
| CF758 | QMB560C | 11 x 18 1/2 x 10 1/8 | 10 5/8 x 18 1/16 x 10 | |
| CF759 | QMB570C | 17 1/8 x 18 1/2 x 11 1/8 | 16 5/8 x 18 1/8 x 11 | |

### DIVIDERS

| Model No. | Mfg. No. | Price /Each |
|---|---|---|
| CF766 | DMB510C | |
| CF767 | DMB520C | |
| CF768 | DMB530/535C | |
| CF768 | DMB530/535C | |
| CF769 | DMB539C | |
| CF770 | DMB540/550C | |
| CF770 | DMB540/550C | |
| CF771 | DMB560/570C | |
| CF771 | DMB560/570C | |

### SIDE HANGERS*

| Model No. | Mfg. No. | Description | Price /Each |
|---|---|---|---|
| CF760 | HMB510C | For Bin **CF751** | |
| CF761 | HMB520C | For Bin **CF752** | |
| CF762 | HMB530/535C | For Bin **CF753/CF754** | |
| CF763 | HMB539C | For Bin **CF755** | |
| CF764 | HMB540/550C | For Bin **CF756/CF757** | |
| CF765 | HMB560/570C | For Bin **CF758/CF759** | |

*Hangers sold per pair

CF760

# KLETON STACK & HANG BINS

- Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Front, back and side grips for easy handling
- Stackable










1. Full width hanger supports bins when suspended from louvered panels or rails
2. Reinforced rib design adds strength and prevents spreading when stacked
3. Extra-wide ledges for secure stacking and stability
4. Large front label slots ideal for larger bar code scanning and content identification
5. Anti-slide stop prevents stacked bins from shifting forward
6. Optional dividers increase storage options
7. Optional windows maximize storage capacity, prevent spillage and protect parts from dust and dirt

| Blue | Red | Yellow | Green | Black | Series | Outside Dimensions W" x D" x H" | Inside Dimensions W" x D" x H" | Bottom Depth X" | Load Cap. lbs. | Price /Each | Uses Divider | Price /Each | Uses Clear Window | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CF820 | CF822 | CF823 | CF821 | CF824 | 30210 | 4-1/8 x 5-3/8 x 3 | 3-7/16 x 4-3/4 x 2-13/16 | 4 | 10 | | CB825 | | - | |
| CF825 | CF827 | CF828 | CF826 | CF829 | 30220 | 4-1/8 x 7-3/8 x 3 | 3-7/16 x 6-3/4 x 2-13/16 | 6 | 10 | | CB826 | | - | |
| CF830 | CF832 | CF833 | CF831 | CF834 | 30230 | 5-1/2 x 10-7/8 x 5 | 4-3/8 x 10-1/4 x 4-3/4 | 9 | 30 | | CB829 | | CB814 | |
| CF835 | CF837 | CF838 | CF836 | CF839 | 30235 | 11 x 10-7/8 x 5 | 10 x 10-1/4 x 4-3/4 | 9 | 50 | | CB829 | | CB815 | |
| CF840 | CF842 | CF843 | CF841 | CF844 | 30239 | 8-1/4 x 10-3/4 x 7 | 6-9/16 x 10 x 6-3/4 | 8 | 50 | | CB830 | | CB818 | |
| CF845 | CF847 | CF848 | CF846 | CF849 | 30240 | 8-1/4 x 14-3/4 x 7 | 6-9/16 x 14 x 6-3/4 | 12 | 60 | | CB831 | | CB818 | |
| CF850 | CF852 | CF853 | CF851 | CF854 | 30250 | 16-1/2 x 14-3/4 x 7 | 14-3/4 x 14 x 6-3/4 | 12 | 75 | | CB831 | | CB819 | |

# DIVIDERS

- Maximizes flexibility, keeps contents organized
- Allows for the separation of contents in bins
- Installed in a back to front position

| Model No. | Description | Dividers per Case | Price/Each |
|---|---|---|---|
| CB825 | For 5-3/8" D x 3" H Bin | 6 | |
| CB826 | For 7-3/8" D x 3" H Bin | 6 | |
| CB829 | For 10-7/8" D x 5" H Bin | 6 | |
| CB830 | For 10-3/4" D x 7" H Bin | 6 | |
| CB831 | For 14-3/4" D x 7" H Bin | 6 | |

# CLEAR WINDOWS

- Crystal styrene window front increases bin capacity
- Provides quick view on bin contents
- Snaps quickly into place



| Model No. | Description | Windows per Case | Price/Each |
|---|---|---|---|
| CB814 | 5-1/2" W x 5" H | 12 | |
| CB815 | 11" W x 5" H | 6 | |
| CB818 | 8-1/4" W x 7" H | 6 | |
| CB819 | 16-1/2" W x 7" H | 6 | |

# CLEAR COVER

- Provides high visibility and accessibility to bin contents
- Easy snap-in installation due to integrated hinge pins
- Clear covers protects from dust, dirt, and debris
- Can be used with dividers

QUANTUM™ STORAGE SYSTEMS

| Model No. | Description | Covers per Case | Price/Each |
|---|---|---|---|
| CF855 | For 5-3/8" D x 4-1/8" W x 3" H Bin | 24 | |
| CF856 | For 7-3/8" D x 4-1/8" W x 3" H Bin | 24 | |
| CF857 | For 10-7/8" D x 5-1/2" W x 5" H Bin | 12 | |
| CF858 | For 10-7/8" D x 11" W x 5" H Bin | 6 | |
| CF859 | For 10-3/4" D x 8-1/4" W x 7" H Bin | 6 | |
| CF860 | For 14-3/4" D x 8-1/4" W x 7" H Bin | 12 | |

# BIN BUDDY™ & TRI-DEX™ LABEL HOLDERS

- Clear self-adhesive backing adheres to any plastic or metal container
- Clear bar code compatible window protects label from dirt and moisture
- Tri-Dex™ label holders snap into bin slots protecting label or barcode
- Includes a set of laser/ink jet compatible labels, 25/pack
- Extra refill labels are also available, sold 50/pack

OK113

Bin not included

ALH AIGNER LABEL HOLDER

| Model No. | Mfg. No. | Dimensions" | Description | Price /Each | Refill Labels | Price /Each |
|---|---|---|---|---|---|---|
| OF212 | BB-13 | 1 x 3 | Bin Buddy™, Top/Bottom load, Self Adhesive | | OF216 | |
| OF210 | BB-35 | 3 x 5 | Bin Buddy™, Side Load, Self Adhesive | | OF214 | |
| OK113 | TR-0813 | 13/16 x 3 | Tri-Dex™, Ideal for Shelf Bins | | OK118 | |
| OK114 | TR-1300 | 1 x 3 | Tri-Dex™, Ideal for Bin Series 30-210,30-220 | | OK119 | |
| OK116 | TR-1754 | 1 3/4 x 4 | Tri-Dex™, Ideal for Bin Series 30-230, 30-250 | | OK121 | |

# RECYCLED PLASTIC BINS

- Manufactured from recycled 100% post consumer, high density polyethylene
- Available in black only

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg. No. | Outside Dimensions W" x D" x H" | Price /Each | Dividers | Price /Each |
|---|---|---|---|---|---|
| CC553 | QUS210BR | 4/18 x 5 3/8 x 3 | | CB825 | |
| CC554 | QUS220BR | 4/18 x 7 3/8 x 3 | | CB826 | |
| CC555 | QUS230BR | 5 1/2 x 10 7/8 x 5 | | CB829 | |
| CC558 | QUS235BR | 11 x 10 7/8 x 5 | | CB829 | |
| CC559 | QUS239BR | 8 1/4 x 10 3/4 x 7 | | CB830 | |
| CC560 | QUS240BR | 8 1/4 x 14 3/4 x 7 | | CB831 | |
| CC562 | QUS250BR | 16 1/2 x 14 3/4 x 7 | | CB831 | |

## QUANTUM™ BINS

- Heavy-duty, virgin, high density polypropylene/polyethylene
- Autoclavable up to 250° F
- Large multiple label slots
- Stackable
- Optional dividers and clear windows available for most units
- Hangs on louvered panels, rails and carts

QUANTUM™ STORAGE SYSTEMS

| Black | Blue | Yellow | Model No. Red | Ivory | Green | Mfg. No. | Outside Dim. W" | x | D" | x | H" | Qty /Case | Bin load Cap. lbs. | Price /Each | DIVIDERS ONLY Depth Divider Model No. | Price /Each | Clear Window Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CC975 | CB739 | CB741 | CB744 | CB745 | CC264 | QUS 200 | 4 1/8 | x | 5 | x | 3 | 24 | 8 | | CB824 | | - | - |
| CC976 | CB747 | CB750 | CB751 | CB753 | CC265 | QUS 210 | 4 1/8 | x | 5 3/8 | x | 3 | 24 | 10 | | CB825 | | - | - |
| CC977 | CB756 | CB757 | CB759 | CB762 | CC266 | QUS 220 | 4 1/8 | x | 7 3/8 | x | 3 | 24 | 10 | | CB826 | | - | - |
| CF376 | CF377 | CF378 | CF379 | CF380 | CF381 | QUS 221 | 6 | x | 9 1/4 | x | 5 | 12 | 20 | | CF501 | | CF560 | |
| CD276 | CD249 | CD262 | CD263 | CD264 | CD265 | QUS 224 | 4 1/8 | x | 10 7/8 | x | 4 | 12 | 30 | | CD250 | | CD266 | |
| CC978 | CB763 | CB765 | CB766 | CB768 | CC267 | QUS 230 | 5 1/2 | x | 10 7/8 | x | 5 | 12 | 30 | | CB829 | | CB814 | |
| CC974 | CC971 | CC972 | CC973 | CC990 | CC970 | QUS 234 | 5 1/2 | x | 14 3/4 | x | 5 | 12 | 50 | | CC569 | | CB814 | |
| CC980 | CB775 | CB777 | CB778 | CB780 | CC269 | QUS 235 | 11 | x | 10 7/8 | x | 5 | 6 | 50 | | CB829 | | CB815 | |
| CC576 | CB781 | CB783 | CB784 | CB786 | CC270 | QUS 239 | 8 1/4 | x | 10 3/4 | x | 7 | 6 | 50 | | CB830 | | CB818 | |
| CC577 | CB787 | CB789 | CB790 | CB792 | CC271 | QUS 240 | 8 1/4 | x | 14 3/4 | x | 7 | 12 | 60 | | CB831 | | CB818 | |
| CF382 | CF383 | CF384 | CF385 | CF386 | CF387 | QUS 241 | 8 1/4 | x | 13 5/8 | x | 6 | 12 | 60 | | CF394 | | CF396 | |
| CF388 | CF389 | CF390 | CF391 | CF392 | CF393 | QUS 242 | 8 1/4 | x | 13 5/8 | x | 8 | 12 | 60 | | CF395 | | CF397 | |
| CC983 | CC282 | CC283 | CC284 | CC285 | CC286 | QUS 245 | 16 1/2 | x | 10 7/8 | x | 5 | 6 | 60 | | CC297 | | CC300 | |
| CC578 | CB794 | CB795 | CB796 | CB797 | CC272 | QUS 250 | 16 1/2 | x | 14 3/4 | x | 7 | 6 | 75 | | CB831 | | CB819 | |
| CC579 | CB798 | CB800 | CB801 | CB802 | CC273 | QUS 255 | 11 | x | 16 | x | 8 | 4 | 75 | | CB833 | | CB820 | |
| CC580 | CB803 | CB804 | CB806 | CB807 | CC274 | QUS 260 | 11 | x | 18 | x | 10 | 4 | 75 | | CB834 | | CB821 | |
| CC581 | CC287 | CC288 | CC289 | CC290 | CC291 | QUS 265 | 8 1/4 | x | 18 | x | 9 | 6 | 60 | | CC298 | | CC301 | |
| CC582 | CB808 | CB809 | CB810 | CB811 | CC275 | QUS 270 | 16 1/2 | x | 18 | x | 11 | 3 | 75 | | CB835 | | CB822 | |
| CD674 | CD669 | CD670 | CD671 | CD673 | CD672 | QUS 275M0B* | 16 1/2 | x | 18 | x | 14 | 3 | - | | CB835 | | CB822 | |

* Mobile unit

## OPEN HOPPER STORAGE SHELF UNITS

### QUS 239 SERIES

- 28 QUS 239 Series bins 11" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down

### QUS 240 SERIES

- 28 QUS 240 Series bins 14 3/4" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down

### QUS 250 SERIES

- 14 QUS 250 Series bins 14 3/4" L x 16 1/2" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down

### QUS 240 & 230 SERIES

- 7 QUS 240 Series bins 14 3/4" L x 8 1/4" W x 7" H
- 36 QUS 230 Series bins 10 7/8" L x 5 1/2" W x 5" H
- 9 heavy-duty grey enamel shelves
- Dimensions: 36" L x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down

CF118

CF126

CF132

CF135

| Black | Blue | Yellow | Model No. Red | Ivory | Green | Description | No. of Shelves | Price /Each |
|---|---|---|---|---|---|---|---|---|
| QUS 239 SERIES BINS SHELF UNIT | | | | | | | | |
| CF176 | CF118 | CF119 | CF120 | CF121 | CF122 | Starter | 8 | |
| CF180 | CF140 | CF141 | CF142 | CF143 | CF144 | Add-On | 8 | |
| QUS 240 SERIES BINS SHELF UNIT | | | | | | | | |
| CF178 | CF123 | CF124 | CF125 | CF126 | CF127 | Starter | 8 | |
| CF182 | CF150 | CF151 | CF152 | CF153 | CF154 | Add-On | 8 | |

| Black | Blue | Yellow | Model No. Red | Ivory | Green | Description | No. of Shelves | Price /Each |
|---|---|---|---|---|---|---|---|---|
| QUS 250 SERIES BINS SHELF UNIT | | | | | | | | |
| CF177 | CF128 | CF129 | CF130 | CF131 | CF132 | Starter | 8 | |
| CF181 | CF145 | CF146 | CF147 | CF148 | CF149 | Add-On | 8 | |
| QUS 240 & 230 SERIES BINS SHELF UNIT | | | | | | | | |
| CF179 | CF133 | CF134 | CF135 | CF136 | CF137 | Starter | 10 | |
| CF183 | CF175 | CF155 | CF156 | CF157 | CF158 | Add-On | 10 | |

# METAL BIN SUPPORT RACKS

- Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- Kleton grey powder coated
- **Installation Note**: Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre

**CF412**
**Bins not included**



### BIN QUANTITY TABLE

Quantity of identical plastic bins that fit model **CF412** panel

| Combined Panel Height 35 3/4" Wide | | | Bin CF820 | Bin CF825 | Bin CF830 | Bin CF835 | Bin CF840 | Bin CF845 | Bin CF850 |
|---|---|---|---|---|---|---|---|---|---|
| 1 Panel | = | 19" H | 32 | 32 | 18 | 9 | 8 | 8 | 4 |
| 2 Panels | = | 37" H | 72 | 72 | 36 | 18 | 18 | 16 | 8 |
| 3 Panels | = | 55" H | 104 | 104 | 54 | 27 | 28 | 28 | 14 |
| 4 Panels | = | 73" H | 144 | 144 | 72 | 36 | 36 | 36 | 18 |

For **CF411** Panel, use 1/2 of bin quantities shown above.

| Model No. | Panel Size W" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **CF411** | 18 | x | 19 | 6 | |
| **CF412** | 36 | x | 19 | 12 | |

# BIN CARTS

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable Kleton blue finish

**CB365**

**CB367**

| Model No. | Description | Cart Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CART ONLY** | | | | | | | | |
| **CB365** | Cart only | 24 | x | 38 1/2 | x | 36 1/2 | 95 | |
| **CART & BIN COMBINATION** | | | | | | | | |
| **Blue** | **Red** | **Yellow** | **Green** | | | | | |
| **CB366** | **CB367** | **CB368** | **CB689** | 24 | x | 38 1/2 | x | 36 1/2 | 133 | |

### BINS SUPPLIED

| Bin Qty | Bin Dimensions W" | x | D" | x | H" |
|---|---|---|---|---|---|
| 16 | 8 1/4 | x | 14 3/4 | x | 7 |
| 4 | 16 1/2 | x | 14 3/4 | x | 7 |

# QUANTUM® LOUVERED PANEL

- Ideal for mounting plastic hanging or wire mesh bins
- All welded construction
- Resists to any build-up of dust or dirt
- Mounting clips are included and can be fastened to any surface
- Mounting screws sold separately as they differ based on the type of surface
- Bins Included: No

See page 4 for wire mesh stack+hang bins

**CF995**
**Bins not included**



QUANTUM™ STORAGE SYSTEMS

| Model No. | Overall Dimensions W" | x | H" | Price /Each |
|---|---|---|---|---|
| **CF994** | 36 | x | 18 | |
| **CF995** | 36 | x | 30 | |
| **CF996** | 48 | x | 30 | |

# DIRECT MOUNT CLIP

- Allows for louvered panel to be fastened to any surfaces such as wall, wood, concrete, and drywall
- Mounting screws sold separately as they differ based on the type of surface
- Qty/Pkg.: 4

QUANTUM™ STORAGE SYSTEMS

| Model No. | Price /Each |
|---|---|
| **CF997** | |

# OFFSET MOUNT CLIP

- Allows for louvered panel to be mounted away from a wall surface
- Ideal for reaching behind the panel to clean
- Qty/Pkg.: 4

QUANTUM™ STORAGE SYSTEMS

| Model No. | Price /Each |
|---|---|
| **CF998** | |

# MOBILE BIN RACKS

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable Kleton blue enamel finish

### SINGLE SIDED

- Includes 3" casters and two louvered panels
- Capacity: 800 lbs.

### DOUBLE SIDED

- Includes bolted-on 5" non-marking casters and six louvered panels
- Capacity: 1000 lbs.

CB090 Double sided

CB359 Single sided

### RACK ONLY

| Model No. | Description | Rack Type | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| CB359 | Rack only | Single | 36 x 16 x 52 | 60 | |
| CB649 | Rack only | Double | 36 x 24 x 63 | 120 | |

### RACK & BIN COMBINATION

| Model No. Blue | Red | Yellow | Green | Rack Type | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| CB650 | CB651 | CB652 | CB681 | Single | 36 x 16 x 52 | 83 | |
| CB089 | CB090 | CB091 | CB683 | Double | 36 x 24 x 63 | 187 | |

### BINS SUPPLIED WITH CART & BIN COMBINATION:

| Bin Qty | Bin Dimensions W" x D" x H" |
|---|---|
| SINGLE SIDED RACK | |
| 36 | 5 1/2 x 10 7/8 x 5 |
| DOUBLE SIDED RACK | |
| 32 | 4 1/8 x 5 3/8 x 3 |
| 16 | 4 1/8 x 7 3/8 x 3 |
| 24 | 5 1/2 x 10 7/8 x 5 |
| 16 | 8 1/4 x 14 3/4 x 7 |
| 8 | 16 1/2 x 14 3/4 x 7 |



**MIX & MATCH**

Need more bins that will fit the products on this page

**See pages 4-6**

# STATIONARY BIN RACKS

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable Kleton blue enamel finish

### RACK ONLY

| Model No. | Description | Rack Type | Rack Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| CB373 | Rack only | Single | 36 x 12 x 61 | 60 | |
| CB653 | Rack only | Double | 36 x 24 x 61 | 100 | |

Round hook

Square hook

### RACK/BIN COMBINATION

| Model No. Blue | Red | Yellow | Green | Rack Type | Overall Bin Dimensions W" x D" x H" | Bin Qty | Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB654 | CB655 | CB656 | CB685 | Single | 8 1/4 x 14 3/4 x 7 | 28 | 1680 | |
| CB370 | CB371 | CB372 | CB687 | Double | 8 1/4 x 14 3/4 x 7 | 56 | 3360 | |

### ACCESSORIES FOR LOUVERED PANELS

| Model No. | Description | Price/Each |
|---|---|---|
| CC165 | Round Hook, 6" | |
| CC166 | Round Hook, 12" | |
| CC167 | Square Hook, 6" | |
| CC168 | Square Hook, 12" | |

# BENCH LOUVERED RACKS

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable Kleton blue enamel finish

### 36" FREE STANDING RACKS

- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners

### 72" BOLT-ON RACKS

- Constructed of 1 1/4" square tube frame
- Designed to be permanently installed on a 72" wide workbench



CB147

**MIX & MATCH**

Need more bins that will fit the products on this page?

**See page 4-6**

KLETON

### RACK ONLY

| Model No. | Rack Type | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB363 | Free Standing | 36 | x | 10 | x | 22 | 22 | |
| CB364 | Bolt-On | 72 | x | 15 | x | 40 | 95 | |

### RACK/BIN COMBINATION

| Red | Blue | Model No. Yellow | Green | Overall Bin Dimensions W" x D" x H" | Bin Qty | Bin Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| 36" LOUVERED | | | | | | | |
| CB146 | CB145 | CB147 | CF359 | 4 1/8 x 5 3/8 x 3 | 32 | 320 | |
| CB152 | CB151 | CB153 | CF361 | 4 1/8 x 7 3/8 x 3 | 32 | 320 | |
| CB155 | CB154 | CB156 | CF363 | 5 1/2 x 10 7/8 x 5 | 18 | 540 | |
| 72" LOUVERED | | | | | | | |
| CB173 | CB172 | CB174 | CF365 | 4 1/8 x 7 3/8 x 3 | 144 | 1440 | |
| CB176 | CB175 | CB177 | CF367 | 5 1/2 x 10 7/8 x 5 | 72 | 2160 | |
| CB185 | CB184 | CB186 | CF369 | 8 1/4 x 14 3/8 x 7 | 36 | 2160 | |



**CB176 Bench rack with bins**

Work bench not included

# DEEP DOOR COMBINATION CABINETS

KLETON

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately



CB446

### 84 BIN CABINETS

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets doors

### CABINET ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB442 | Cabinet only | 38 | x | 24 | x | 72 | 324 | |
| FB025 | Extra shelf | 38 | x | 18 | x | 1 | 18 | |

### CABINET & BIN COMBINATION

| Blue | Red | Model No. Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| CB446 | CB477 | CB448 | CB693 | Cabinet and plastic bins | 341 | |

### BINS SUPPLIED

| Bin Qty | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 84 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |

# DEEP DOOR COMBINATION CABINETS

KLETON

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately

## 96 BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

### CABINET ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **FH820** | Cabinet only | 38 | x | 24 | x | 72 | 316 | |
| **FB025** | Extra shelf | 38 | x | 18 | x | 1 | 18 | |

### CABINET & BIN COMBINATION

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **CF371** | **CF372** | **CF373** | **CF374** | Cabinet and plastic bins | 359 | |

### BINS SUPPLIED

| Bin Qty | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 84 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |
| 12 | 5 1/2 | x | 10 7/8 | x | 5 | 30 |

**CF373**
96 Bins

## 98 BIN CABINETS

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

### CABINET ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **FH820** | Cabinet Only | 38 | x | 24 | x | 72 | 316 | |
| **FB025** | Extra shelf | 38 | x | 18 | x | 1 | 18 | |

### CABINET & BIN COMBINATION

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **CF355** | **CF356** | **CF354** | **CF357** | Cabinet and plastic bins | 385 | |

### BINS SUPPLIED

| Bin Qty | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 48 | 5 3/8 | x | 4 1/8 | x | 3 | 10 |
| 36 | 7 3/8 | x | 4 1/8 | x | 3 | 10 |
| 8 | 14 3/4 | x | 8 1/4 | x | 7 | 60 |
| 6 | 14 3/4 | x | 16 1/2 | x | 7 | 75 |

**CF355**
98 Bins

## 118 BIN CABINETS

- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

### CABINET ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CB441** | Cabinet only | 38 | x | 24 | x | 72 | 316 | |

### CABINET & BIN COMBINATION

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **CB443** | **CB444** | **CB445** | **CB691** | Cabinet and plastic bins | 385 | |

### BINS SUPPLIED

| Bin Qty | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 42 | 5 3/8 | x | 4 1/8 | x | 3 | 10 |
| 42 | 7 3/8 | x | 4 1/8 | x | 3 | 10 |
| 18 | 10 7/8 | x | 5 1/2 | x | 5 | 30 |
| 12 | 14 3/4 | x | 8 1/4 | x | 7 | 60 |
| 4 | 14 3/4 | x | 16 1/2 | x | 7 | 75 |



**CB444**
118 Bins

## CORRUGATED PARTS BINS & DIVIDERS

- Economical standard duty bins constructed of durable corrugated fibreboard
- Ideal for storing any loose small parts
- Assembled easily without staples or tape, just fold
- Bins are designed to hang from the shelf for hands-free access
- Bins dividers not included
- Qty per case: 100
- Shipped knocked down

**Standard corrugated bins & dividers**

**Removable dividers ease handling**

**12" DEEP PARTS BINS, CTN. QTY 100**

**18" DEEP PARTS BINS CTN. QTY 100**

| Dimensions W" x H" | Model No. | Ctn. Wt. lbs. | Price /Each | Model No. | Ctn. Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| 2 x 4 1/2 | **CB063** | 17 | | **CB056** | 22 | |
| 3 x 4 1/2 | **CB064** | 19 | | **CB057** | 27 | |
| 4 x 4 1/2 | **CB065** | 20 | | **CB058** | 30 | |
| 6 x 4 1/2 | **CB066** | 25 | | **CB059** | 38 | |
| 8 x 4 1/2 | **CB067** | 31 | | **CB060** | 45 | |
| 9 x 4 1/2 | **CB068** | 36 | | - | - | - |
| 10 x 4 1/2 | **CB052** | 38 | | **CB054** | 50 | |
| 12 x 4 1/2 | **CB053** | 44 | | **CB055** | 57 | |

**3 5/8" DEEP REMOVABLE DIVIDERS, CTN. QTY 100**

| Dimensions W" x H" | Model No. | Ctn. Wt. lbs. | Price /Each | Dimensions W" x H" | Model No. | Ctn.Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| 1 3/4 x 4 1/8 | **CB071** | 7 | | 7 3/4 x 4 1/8 | **CB075** | 22 | |
| 2 3/4 x 4 1/8 | **CB072** | 9 | | 9 3/4 x 4 1/8 | **CB069** | 27 | |
| 3 3/4 x 4 1/8 | **CB073** | 10 | | 11 3/4 x 4 1/8 | **CB070** | 31 | |
| 5 3/4 x 4 1/8 | **CB074** | 14 | | | | | |

## SINGLE SIDED PICK-RACKS

- Units are free standing, but may be bolted to bench top, floor or wall
- 61" high floor model c/w 48-4" plastic storage bins and 10-6" plastic storage bins or 48-4" corrugated bins and 8-8" corrugated bins
- 21 1/2" high bench model c/w 16-4" plastic storage bins, and 5-6" plastic storage bins or 16-4" corrugated storage bins and 4-8" corrugated storage bins
- Order complete with plastic shelf bins, fibreboard bins or rack only
- Grey enamel finish
- Shipped knocked down

**CB326**

**CB318**

| Model No. | Dimensions W" | x | D" | x | H" | Bin Type | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CB318** | 32 7/8 | x | 12 1/8 | x | 21 1/2 | Corrugated | 22 | |
| **CB377** | 32 7/8 | x | 12 1/8 | x | 21 1/2 | Rack only | 17 | |
| **CB323** | 33 1/2 | x | 12 1/4 | x | 61 | Corrugated | 57 | |
| **CB378** | 33 1/2 | x | 12 1/4 | x | 61 | Rack only | 45 | |
| **Blue** | **Red** | | **Yellow** | | | | | |
| **CB320** | **CB321** | | **CB322** | | 21 1/2 | Plastic | 25 | |
| **CB325** | **CB326** | | **CB327** | | 61 | Plastic | 65 | |

## DOUBLE SIDED MOBILE PICK-RACKS

- 22-gauge steel rack components mounted on a 26" x 36" dolly
- 3" casters
- Each rack accommodates 96-4" wide storage bins and 20-6" wide bins
- Order complete with plastic shelf bins, fibreboard bins or rack only
- Grey enamel finish
- Shipped knocked down

| Model No. | Dimensions W" | x | D" | x | H" | Bin Type | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CB328** | 33 1/2 | x | 12 1/4 | x | 65 | Corrugated | 139 | |
| **CB337** | 33 1/2 | x | 12 1/4 | x | 65 | Rack only | 115 | |
| **Blue** | **Red** | | **Yellow** | | | | | |
| **CB330** | **CB331** | | **CB332** | | 65 | Plastic | 155 | |

## PARTS STORAGE SHELVING UNITS

- Provides a versatile heavy-duty storage facility for parts storage bins
- 76" high unit c/w 96-4" bins
- 40" high unit c/w 48-4" bins
- Available with plastic shelf bins, fibreboard bins or shelving only
- Grey enamel finish
- Shipped knocked down

| Model No. | Dimensions W" | x | D" | x | H" | Bin Type | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CF048** | 36 | x | 12 | x | 40 | Corrugated | 90 | |
| **RK203** | 36 | x | 12 | x | 40 | Shelving only | 80 | |
| **CF184** | 36 | x | 12 | x | 76 | Corrugated | 163 | |
| **RK241** | 36 | x | 12 | x | 76 | Shelving only | 144 | |
| **Blue** | **Red** | | **Yellow** | | | | | |
| **CF049** | **CF050** | | **CF051** | | 40 | Plastic | 96 | |
| **CF053** | **CF054** | | **CF055** | | 76 | Plastic | 176 | |

## LABEL HOLDERS

- Clearly identify your shelf/bin contents with the efficient and time-saving Aigner holders
- Versatile, highly protective, easy to read, and even custom designed with a special matte finish, making bar code applications easy
- Ideal for all types of racking, shelving and bin/drawer storage systems
- Labels provided

### HOL-DEX®

- Can be custom cut to your specific size specifications
- Package of 12

### HOLDEX®

| Model No. | Dim. W" x L" | Price /Each |
|---|---|---|
| **SELF-ADHESIVE** | | |
| **OA340** | 1/2 x 6 | |
| **OA339** | 3/4 x 6 | |
| **OA341** | 1 x 6 | |
| **OA338** | 2 x 6 | |
| **MAGNETIC** | | |
| **RG650** | 1/2 x 6 | |
| **OA389** | 3/4 x 6 | |
| **OA336** | 1 x 6 | |
| **HOOK & LOOP** | | |
| **RG660** | 1 x 6 | |
| **RG665** | 2 x 6 | |

### SUPERSCAN®

- Available in 4 extra large sizes for pallet-racking installation
- Clear plastic matte finish assures precise bar code reading everytime
- Inserts are laser ink jet printer compatible for easy labeling

### SUPERSCAN® (CLEAR ONLY)

| Model No. | Dimensions W" x L" | Qty /Box | Price /Box | Model No. | Dimensions W" x L" | Qty /Box | Price /Box |
|---|---|---|---|---|---|---|---|
| **SELF-ADHESIVE** | | | | **MAGNETIC** | | | |
| **OG356** | 2 x 3.5 | 50 | | **OG357** | 2 x 3.5 | 50 | |
| **RG670** | 3 x 5 | 50 | | **RG672** | 3 x 5 | 50 | |
| **RG671** | 4 x 6 | 50 | | **RG673** | 4 x 6 | 50 | |
| **RG681** | 5 x 7 | 25 | | **RG683** | 5 x 7 | 25 | |

## WIRE-RAC™

- Snap-on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included

| Model No. | Dim. W" x L" | Qty /Box | Price /Each |
|---|---|---|---|
| **RH683** | 1 5/16 x 3 | 25 | |
| **RH684** | 1 5/16 x 6 | 25 | |
| **RH685** | 1 5/16 x 12 | 12 | |
| **RH686** | 1 5/16 x 24 | 6 | |

## SLIP 'N STIK™ AISLE SIGNS

- Create your own customized warehouse signs
- Built-in flexible hinge prevents breakage
- Included: 10 sign holders (11" x 8 1/2"), 12 yellow laser/ink jet sheets and instructions

**Model No. OE798** Snap-On
**Price/Each $**

- Snaps into pallet rack assembly holes, can snap out to relocate

**Model No. OJ943** Self-Adhesive
**Price/Each $**

- Adheres to flat surfaces, for more permanent applications

## WRITE-ON MAGNETIC TAGS

- A fast, simple and inexpensive means of labeling high-volume applications, primary uses in warehouses and other storage areas
- Newly formulated write-on/wet erase tags come with a strong magnetic backing
- Special wet-erase feature will keep tags clear and clean for extended periods
- Mark with a standard wet erase marker, erase with a damp cloth and remark

### 50' ROLLS

| Model No. | Width" | Price /Each |
|---|---|---|
| **RH698** | 1 | |
| **RH699** | 2 | |
| **RH700** | 3 | |

### TAGS, 25/BOX

| Model No. | Dimensions W" x L" | Price /Each |
|---|---|---|
| **RH696** | 3 x 6 | |
| **RH697** | 3 x 8 | |
| **RH693** | 2 x 6 | |

## MAGNETIC TAPES FOR LABELS

- Peel and stick computer printed or hand written labels to non magnetic (matte) side
- Scissor cut to desired length
- Magnetic (shiny) side adheres to metal surface
- Can change label or relocate as required

| Model No. | Dimensions W" x L' | Price /Each |
|---|---|---|
| **OJ940** | 1 x 50 | |
| **OJ941** | 2 x 50 | |
| **OJ942** | 3 x 50 | |

Custom pre-scored sizes available

## SLIP STRIP™ LABEL HOLDING SYSTEM

- Excellent for displaying bar codes, messages, prices or other information on pallet racking and shelving
- Self-adhesive label/document holder system allows you to change labels without messy adhesive build-up
- 6/pkg

| Model No. | Dimensions W" x L" | Price /Each |
|---|---|---|
| **OE802** | 1 x 3 | |
| **OE803** | 1 1/4 x 4 | |
| **OE804** | 2 x 4 | |

## MAGNETIC CARD HOLDERS

- Fast, simple and versatile means of labeling
- Great for metal racks, shelves, bins, drawers and more
- Insertable magnetic C channel design allows for labels to be changed simply by re-marking the paper insert or re-positioning the magnet
- Colour: Black
- Custom cut sizes available on special order
- Inserts included

| Model No. | Dimensions W" x L" | Qty /Box | Price /Each |
|---|---|---|---|
| **OE250** | 1 x 3 | 25 | |
| **OE251** | 1 x 4 | 25 | |
| **OE252** | 1 x 6 | 25 | |
| **OE253** | 1 x 8 | 25 | |
| **OE254** | 2 x 3 | 25 | |
| **OE255** | 2 x 4 | 25 | |
| **OE256** | 2 x 6 | 25 | |
| **OE257** | 2 x 8 | 25 | |
| **OE258** | 3 x 4 | 25 | |
| **OE259** | 3 x 6 | 25 | |
| **OE260** | 3 x 8 | 25 | |

## PREMIUM JOB TICKET HOLDERS

- Protect work orders, production schedules, inventory cards and other important documents from excessive handling and wear
- Sewn edges are reinforced with heavy-duty vinyl and a brass eyelet is centered for hanging
- Clear 8 mil. PVC for easy visibility

| Model No. | Dimensions W" x L" | Qty /Box | Price /Each |
|---|---|---|---|
| **PC529** | 9 x 6 | 25 | |
| **PC530** | 12 x 9 | 25 | |

## QUANTUM™ HULK CONTAINERS

- Heavy-duty injection-molded polypropylene stackable containers
- Organize and store your larger bulky items
- Extra large stacking containers offer a generous 2 to 2 1/2' in length to store your larger items
- Ideal for back-to-back use on 48" pallet rack or heavy-duty, extra deep shelving, and are available in a variety of widths and heights
- Heavy-duty front, back and side grips allow for easy handling
- Optional clear plastic window increases bin capacity and provides a quick view of the bin contents
- Optional dividers maximize flexibility and keep contents organized
- Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting
- Waterproof bins resist rust and corrosion
- Bins are autoclavable up to 250°F and are resistant to extreme cold
- **Do not hang on louvered panels or rail systems**

QUANTUM™ STORAGE SYSTEMS

| Model No. | | | | Mfg. | Outside Dim. | | | | | | Price | | Price | | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Red | Yellow | Clear | No. | W" | x | D" | x | H" | | /Each | Dividers | /Each | Windows | /Each |
| CD545 | CD546 | CD547 | CF525 | QUS950 | 8 1/4 | x | 23 7/8 | x | 7 | | | CD563 | | CD569 | |
| CD548 | CD549 | CD550 | CF526 | QUS951 | 8 1/4 | x | 23 7/8 | x | 9 | | | CD564 | | CD570 | |
| CD551 | CD552 | CD553 | CF527 | QUS952 | 11 | x | 23 7/8 | x | 7 | | | CD563 | | CD571 | |
| CD554 | CD555 | CD556 | CF528 | QUS953 | 11 | x | 23 7/8 | x | 10 | | | CD566 | | CD572 | |
| CD557 | CD558 | CD559 | CF529 | QUS954 | 16 1/2 | x | 23 7/8 | x | 11 | | | CD567 | | CD573 | |
| CD560 | CD561 | CD562 | CF530 | QUS955 | 18 1/4 | x | 23 7/8 | x | 12 | | | CD568 | | CD574 | |
| CF196 | CF197 | CF198 | - | QUS970 | 8 1/4 | x | 29 7/8 | x | 7 | | | - | - | CD569 | |
| CF199 | CF200 | CF201 | - | QUS973 | 11 | x | 29 7/8 | x | 10 | | | - | - | CD572 | |
| CF202 | CF203 | CF204 | - | QUS974 | 16 1/2 | x | 29 7/8 | x | 11 | | | - | - | CD573 | |
| CF205 | CF206 | CF207 | - | QUS975 | 18 1/4 | x | 29 7/8 | x | 12 | | | - | - | CD574 | |
| CF208 | CF209 | CF210 | - | QUS976 | 16 1/2 | x | 29 7/8 | x | 15 | | | - | - | CF211 | |

## STORE MORE™ PLASTIC SHELF BINS

- Durable, high density polypropylene bins
- Economical way to store and display parts and components
- Feature a moulded-in label holder and a built-in rear hang-lock which allows bins to tilt out for complete access when on shelving
- A wide hopper front allows complete access to the contents of the bin
- Edges are reinforced for added strength
- Designed for 12", 18" and 24" deep shelf units, racks or standard shelving
- Bins are waterproof, impervious to most chemicals and unaffected by grease or oil

**Store more with 6" high shelf bins**

QUANTUM™ STORAGE SYSTEMS

| Model No. | | | Mfg. | Outside Dim. | | | | | | Inside Dim. | | | | | | Price | Dividers | Bin Cups/Bin | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Yellow | Red | No. | W" | x | D" | x | H" | | W" | x | D" | x | H" | | /Each | up to 7/bin | CD036 | CD041 |
| CF212 | CF213 | CF214 | QSB201 | 4 1/8 | x | 11 5/8 | x | 6 | | 3 | x | 10 1/6 | x | 6 | | | CF248 | 6 | 2 |
| CF215 | CF216 | CF217 | QSB202 | 6 5/8 | x | 11 5/8 | x | 6 | | 5 1/2 | x | 10 1/6 | x | 6 | | | CF249 | 9 | 4 |
| CF218 | CF219 | CF220 | QSB207 | 8 3/8 | x | 11 5/8 | x | 6 | | 7 1/8 | x | 10 1/6 | x | 6 | | | CF250 | 12 | 4 |
| CF221 | CF222 | CF223 | QSB209 | 11 1/8 | x | 11 5/8 | x | 6 | | 10 | x | 10 1/6 | x | 6 | | | CF251 | 18 | 6 |
| CF224 | CF225 | CF226 | QSB203 | 4 1/8 | x | 17 7/8 | x | 6 | | 3 | x | 16 1/2 | x | 6 | | | CF252 | 9 | 3 |
| CF227 | CF228 | CF229 | QSB204 | 6 5/8 | x | 17 7/8 | x | 6 | | 5 1/2 | x | 16 1/2 | x | 6 | | | CF253 | 15 | 6 |
| CF230 | CF231 | CF232 | QSB208 | 8 3/8 | x | 17 7/8 | x | 6 | | 7 1/8 | x | 161/2 | x | 6 | | | CF254 | 19 | 6 |
| CF233 | CF234 | CF235 | QSB210 | 11 1/8 | x | 17 7/8 | x | 6 | | 10 | x | 16 1/2 | x | 6 | | | CF255 | 29 | 8 |
| CF236 | CF237 | CF238 | QSB205 | 4 1/8 | x | 23 5/8 | x | 6 | | 3 | x | 22 1/8 | x | 6 | | | CF256 | 13 | 4 |
| CF239 | CF240 | CF241 | QSB206 | 6 5/8 | x | 23 5/8 | x | 6 | | 5 1/2 | x | 22 1/8 | x | 6 | | | CF257 | 21 | 8 |
| CF242 | CF243 | CF244 | QSB214 | 8 3/8 | x | 23 5/8 | x | 6 | | 7 1/8 | x | 22 1/8 | x | 6 | | | CF258 | 24 | 8 |
| CF245 | CF246 | CF247 | QSB216 | 11 1/8 | x | 23 5/8 | x | 6 | | 10 | x | 22 1/8 | x | 6 | | | CF259 | 35 | 16 |

### BIN DIVIDERS

| Model No | Price /Each |
|---|---|
| CF248 | |
| CF249 | |
| CF250 | |
| CF251 | |
| CF252 | |
| CF253 | |
| CF254 | |
| CF255 | |
| CF256 | |

### BIN DIVIDERS

| Model No | Price /Each |
|---|---|
| CF257 | |
| CF258 | |
| CF259 | |

### BIN CUPS

| Model No | Dimensions W" | x | D" | x | H" | Price /Each |
|---|---|---|---|---|---|---|
| CD036 | 3 | x | 1 3/4 | x | 3 | |
| CD041 | 5 1/8 | x | 2 3/4 | x | 3 | |

## STORE-MAX SHELF BINS

- Helps maximize and organize your space
- Features a molded-in label holder and built-in rear hanglock which allows bin to tilt out for easy access
- Wide hopper front allows for complete access
- Reinforced edges for additional strength
- Designed for use on 12", 18" and 24" deep shelving
- Bins nest when empty

QUANTUM™ STORAGE SYSTEMS

| Model No. | | | | Mfg. | Outside Dim. | | | | | | Price | Dividers | Bin Cups/Bin | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Red | Yellow | Clear | No. | W" | x | D" | x | H" | | /Each | up to 7/bin | CD036 | CD041 | CD035 | CD040 |
| CF864 | CF865 | CF866 | CF867 | QSB801 | 4 3/8 | x | 11 5/8 | x | 8 | | | CF912 | 6 | 2 | 6 | 2 |
| CF868 | CF869 | CF870 | CF871 | QSB802 | 6 5/8 | x | 11 5/8 | x | 8 | | | CF913 | 9 | 4 | 9 | 4 |
| CF872 | CF873 | CF874 | CF875 | QSB807 | 8 3/8 | x | 11 5/8 | x | 8 | | | CF914 | 12 | 4 | 12 | 4 |
| CF876 | CF877 | CF878 | CF879 | QSB809 | 11 1/8 | x | 11 5/8 | x | 8 | | | CF915 | 18 | 6 | 18 | 6 |
| CF880 | CF881 | CF882 | CF883 | QSB803 | 4 3/8 | x | 17 7/8 | x | 8 | | | CF916 | 9 | 3 | 9 | 3 |
| CF884 | CF885 | CF886 | CF887 | QSB804 | 6 5/8 | x | 17 7/8 | x | 8 | | | CF917 | 15 | 6 | 15 | 6 |
| CF888 | CF889 | CF890 | CF891 | QSB808 | 8 3/8 | x | 17 7/8 | x | 8 | | | CF918 | 19 | 6 | 19 | 6 |
| CF892 | CF893 | CF894 | CF895 | QSB810 | 11 1/8 | x | 17 7/8 | x | 8 | | | CF919 | 29 | 8 | 29 | 8 |
| CF896 | CF897 | CF898 | CF899 | QSB805 | 4 3/8 | x | 23 5/8 | x | 8 | | | CF920 | 13 | 4 | 13 | 4 |
| CF900 | CF901 | CF902 | CF903 | QSB806 | 6 5/8 | x | 23 5/8 | x | 8 | | | CF921 | 21 | 8 | 21 | 8 |
| CF904 | CF905 | CF906 | CF907 | QSB814 | 8 3/8 | x | 23 5/8 | x | 8 | | | CF922 | 24 | 8 | 24 | 8 |
| CF908 | CF909 | CF910 | CF911 | QSB816 | 11 1/8 | x | 23 5/8 | x | 8 | | | CF923 | 35 | 16 | 35 | 16 |

## STORE-MAX DIVIDERS

- Colour: Black
- Fits horizontally across bins to create compartments

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg No. | Description | Price /Each |
|---|---|---|---|
| CF912 | DSB801 | Divider, 3" wide | |
| CF913 | DSB802 | Divider, 5 1/2" wide | |
| CF914 | DSB807 | Divider, 7 1/8" wide | |
| CF915 | DSB809 | Divider, 10" wide | |
| CF916 | DSB803 | Divider, 3" wide | |
| CF917 | DSB804 | Divider, 5 1/2" wide | |
| CF918 | DSB808 | Divider, 7 1/8" wide | |
| CF919 | DSB810 | Divider, 10" wide | |
| CF920 | DSB805 | Divider, 3" wide | |
| CF921 | DSB806 | Divider, 5 1/2" wide | |
| CF922 | DSB814 | Divider, 7 1/8" wide | |
| CF923 | DSB816 | Divider, 10" wide | |

## DIVIDER LABEL TAB

- Improve visibility of bin labels and scanning of barcodes
- Colou: Black

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg No. | Description | Qty/Box | Price /Box |
|---|---|---|---|---|
| CF925 | DLT-6 | Black Divider Label Tab | 6 | |

## BIN CUPS

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg No. | Colour | Description | Price /Each |
|---|---|---|---|---|
| CD035 | QBC111 | Blue | Bin Cup, 3 1/4" x 1 3/4" x 3" | |
| CD036 | QBC111 | Yellow | Bin Cup, 3 1/4" x 1 3/4" x 3" | |
| CD040 | QBC112 | Blue | Bin Cup, 5 1/8" x 2 3/4" x 3" | |
| CD041 | QBC112 | Yellow | Bin Cup, 5 1/8" x 2 3/4" x 3" | |

## SHELF BINS - EXTENDED LABEL HOLDERS



QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg No. | Colour | Angle | Qty/Box | Price /Box |
|---|---|---|---|---|---|
| CF398 | ELH410 | Black | 10° | 24 | |
| CF399 | ELH415 | Black | 45° | 24 | |

## CLEAR LABEL HOLDER & INSERT

- Laser & inkjet compatible inserts 8 1/2" x 11" perforated sheets included
- Colour: Clear
- Fits all 8" heigh Quantum™ shelf bins

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg No. | Description | Qty/Box | Price /Box |
|---|---|---|---|---|
| CF924 | LTR-1253 | Label Holder & Insert | 25 | |

# SHELF BINS

- Economical way to store and display parts and components
- Durable polypropylene
- Designed for use on 12", 18" and 24" deep shelving, or vertical storage and retrieval units
- Shelf bins "nest" when empty
- Bin cups and dividers available




**EXTENDED LABEL HOLDERS**

CF398 10° Angle

CF399 45° Angle

The special built-in hanglock catches the underside of the shelf above, allowing each bin to be tilted out for complete access.

| Bin Model No. | | | | | Mfg. | Outside Dimensions | | | | | Price | Dividers, up to | Bin Cup Per Bin | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blue | Red | Yellow | Clear | Green | No. | W" | x | D" | x | H" | /Each | 7 per bin | CD035 | CD040 | CD036 | CD041 |
| CC992 | CC994 | CC993 | - | CC995 | QSB100 | 2 3/4 | x | 11 5/8 | x | 4 | | N/A | 3 | - | 3 | - |
| CC998 | CD001 | CC999 | - | CD002 | QSB101 | 4 1/8 | x | 11 5/8 | x | 4 | | CB861 | 6 | 2 | 6 | 2 |
| CD005 | CD007 | CD006 | - | CD008 | QSB102 | 6 5/8 | x | 11 5/8 | x | 4 | | CB862 | 9 | 4 | - | - |
| CC393 | CC394 | CC395 | CF531 | CD023 | QSB107 | 8 3/8 | x | 11 5/8 | x | 4 | | CB867 | 12 | 4 | 12 | 4 |
| CC396 | CC397 | CC398 | CF532 | CD026 | QSB109 | 11 1/8 | x | 11 5/8 | x | 4 | | CB869 | 18 | 6 | 18 | 6 |
| CD011 | CD013 | CD012 | - | CD014 | QSB103 | 4 1/8 | x | 17 7/8 | x | 4 | | CF861 | 9 | 3 | 9 | 3 |
| CD017 | CD019 | CD018 | - | CD020 | QSB104 | 6 5/8 | x | 17 7/8 | x | 4 | | CB862 | 15 | 6 | 15 | 6 |
| CC399 | CC400 | CC401 | CF533 | CD029 | QSB108 | 8 3/8 | x | 17 7/8 | x | 4 | | CB867 | 19 | 6 | 19 | 6 |
| CC402 | CC403 | CC404 | CF534 | CD032 | QSB110 | 11 1/8 | x | 17 7/8 | x | 4 | | CB869 | 29 | 8 | 29 | 8 |
| CC405 | CC406 | CC407 | CF535 | CD045 | QSB105 | 4 1/8 | x | 23 5/8 | x | 4 | | CB861 | 13 | 4 | 13 | 4 |
| CC408 | CC409 | CC423 | CF536 | CD048 | QSB106 | 6 5/8 | x | 23 5/8 | x | 4 | | CB862 | 21 | 8 | 21 | 8 |
| CC411 | CC412 | CC413 | CF537 | CD051 | QSB114 | 8 3/8 | x | 23 5/8 | x | 4 | | CB867 | 24 | 8 | 24 | 8 |
| CC414 | CC415 | CC416 | CF538 | CD054 | QSB116 | 11 1/8 | x | 23 5/8 | x | 4 | | CB869 | 35 | 16 | 35 | 16 |

## BIN DIVIDERS

| Model No | Mfg. No. | Description | Price /Each |
|---|---|---|---|
| CB867 | DSB107 | Divider, 8 1/8" wide | |
| CB869 | DSB109 | Divider, 11 1/8" wide | |
| CB861 | DSB101 | Divider, 4 1/8" wide | |
| CB862 | DSB102 | Divider, 6 5/8" wide | |

## BIN CUPS

| Model No | Mfg. No. | Colour | Description | Price /Each |
|---|---|---|---|---|
| CD035 | QBC111 | Blue | Bin cup, 3 1/4" x 1 3/4" | |
| CD040 | QBC112 | Blue | Bin cup, 5 1/8" x 2 3/4" | |
| CD036 | QBC111 | Yellow | Bin cup, 3 1/4" x 1 3/4" | |
| CD041 | QBC112 | Yellow | Bin cup, 5 1/8" x 2 3/4" | |

## EXTENDED LABEL HOLDERS

| Model No. | Mfg. No. | Colour | Angle | Qty/Box | Price/Box |
|---|---|---|---|---|---|
| CF398 | ELH410 | Black | 10° | 24 | |
| CF399 | ELH415 | Black | 45° | 24 | |

# RECYCLED SHELF BINS

- Manufactured from recycled 100% post consumer, high density polypropylene
- Available in black only

| Model No. | Mfg. No. | Outside Dimensions W" | x | D" | x | H" | Price /Each | Dividers up to 7/bin Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CC303 | QSB 100 BR | 2 3/4 | x | 11 5/8 | x | 4 | | - | - |
| CB850 | QSB 101 BR | 4 1/8 | x | 11 5/8 | x | 4 | | CB861 | |
| CB851 | QSB 102 BR | 6 5/8 | x | 11 5/8 | x | 4 | | CB862 | |
| CB852 | QSB 103 BR | 4 1/8 | x | 17 7/8 | x | 4 | | CB861 | |
| CB954 | QSB 104 BR | 6 5/8 | x | 17 7/8 | x | 4 | | CB862 | |
| CB854 | QSB 105 BR | 4 1/8 | x | 23 5/8 | x | 4 | | CB861 | |
| CB855 | QSB 106 BR | 6 5/8 | x | 23 5/8 | x | 4 | | CB862 | |
| CB857 | QSB 108 BR | 8 3/8 | x | 17 7/8 | x | 4 | | CB867 | |
| CB860 | QSB 114 BR | 8 1/8 | x | 23 5/8 | x | 4 | | CB867 | |
| CC304 | QSB 116BR | 11 1/8 | x | 23 5/8 | x | 4 | | CB869 | |

## EURO DRAWERS

- Heavy-duty design for efficient organization of heavy parts, supplies, tools or equipment
- Injection moulded from virgin grade high-impact polystyrene
- 12-gauge thick wall
- Completely waterproof
- Oil and chemical-resistant
- Smooth front curved pull handle has ample room for pressure sensitive identification labels or bar codes
- Front handle has 3/4" opening
- Full width back ledge ensures spill free use

QUANTUM™ STORAGE SYSTEMS

CC502 CC508 CC509 CC515

Add dividers to Euro Drawers for additional storage possibilities!

| Model No. Blue | Grey | Red | Yellow | Mfg. No. | Outside Dimensions W" | x | D" | x | H" | Price /Each | Divider Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CE289 | CE291 | CE292 | CE290 | QED401 | 5 9/16 | x | 11 5/8 | x | 2 5/8 | | CE309 | |
| CE293 | CE295 | CE296 | CE294 | QED501 | 3 3/4 | x | 11 5/8 | x | 4 5/8 | | CC518 | |
| CC501 | CC503 | CC504 | CC502 | QED601 | 5 9/16 | x | 11 5/8 | x | 4 5/8 | | CC517 | |
| CC505 | CC507 | CC508 | CC506 | QED602 | 5 9/16 | x | 17 5/8 | x | 4 5/8 | | CC517 | |
| CC509 | CC511 | CC512 | CC510 | QED603 | 5 9/16 | x | 23 7/8 | x | 4 5/8 | | CC517 | |
| CC513 | CC515 | CC516 | CC514 | QED604 | 3 3/4 | x | 17 5/8 | x | 4 5/8 | | CC518 | |
| CE305 | CE307 | CE308 | CE306 | QED606 | 8 3/8 | x | 17 5/8 | x | 4 5/8 | | CE312 | |
| CE297 | CE299 | CE300 | CE298 | QED701 | 8 3/8 | x | 11 5/8 | x | 4 5/8 | | CE312 | |
| CE301 | CE303 | CE304 | CE302 | QED801 | 11 1/8 | x | 11 5/8 | x | 4 5/8 | | CE314 | |

## EURO DRAWER CLOSED SHELF UNITS

- 13 heavy-duty grey enamel shelves
- Capacity: 630 lbs. per shelf
- Shipped knocked down

**INCLUDES:**

- 72 QED601 Series Euro drawers, 11 5/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 12" D x 76" H

| Model No. Blue | Yellow | Grey | Red | Description | No. of Shelves | Price /Each |
|---|---|---|---|---|---|---|
| CF102 | CF103 | CF104 | CF105 | Starter | 13 | |
| CF159 | CF160 | CF161 | CF162 | Add-On | 13 | |

- 72 QED602 Series Euro drawers 17 5/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

| | | | | | | |
|---|---|---|---|---|---|---|
| CF106 | CF107 | CF108 | CF109 | Starter | 13 | |
| CF163 | CF164 | CF165 | CF166 | Add-On | 13 | |

- 108 QED604 Series Euro drawers 17 5/8" W x 3 3/4" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

| | | | | | | |
|---|---|---|---|---|---|---|
| CF110 | CF111 | CF112 | CF113 | Starter | 13 | |
| CF167 | CF168 | CF169 | CF170 | Add-On | 13 | |

- 72 QED603 Series Euro drawers 23 7/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 24" D x 76" H

| | | | | | | |
|---|---|---|---|---|---|---|
| CF114 | CF115 | CF116 | CF117 | Starter | 13 | |
| CF171 | CF172 | CF173 | CF174 | Add-On | 13 | |

## RACKBIN™ 42" PALLET RACK CONTAINERS

- Extra-large bins offer a generous 42" in length to store your larger items
- 42" length ensures no wasted space on 42" deep rack
- Heavy-duty front, back and side grips allow for easy handling
- Wide stacking ledge and anti-slide lock keeps stack bins steady and prevent forward shifting
- Have eight 1/4" drill hole pattern on botrom of bin for easy hole insertioin for drainage and air circulation if needed
- Waterproof bins are corrosion free
- Available in blue and gray

QUANTUM™ STORAGE SYSTEMS

| Model No. Blue | Gray | Mfg No. | Outside Dimension W" | x | D" | x | H" | Inside Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CF539 | CF540 | QRB166 | 16 1/2 | x | 41 7/8 | x | 17 1/2 | 14 | x | 40 1/8 | x | 16 1/2 | 16 | |
| CF541 | CF542 | QRB206 | 19 7/8 | x | 41 7/8 | x | 17 1/2 | 17 3/8 | x | 40 1/8 | x | 16 1/2 | 17 | |
| CF543 | CF544 | QRB246 | 23 7/8 | x | 41 7/8 | x | 17 1/2 | 21 1/2 | x | 40 1/8 | x | 16 1/2 | 19 | |

# GIANT STACKING CONTAINERS

MAGNUM

- Injection moulded from high density polypropylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Moulded carrying handle on backside
- Moulded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel, 2 rigid 3" casters
- 250-lb mobile capacity
- 150-lb stack capacity

QUANTUM™ STORAGE SYSTEMS

CC447

**BINS**

| Model No. Blue | Green | Red | Yellow | Mfg. No. | Outside Dimensions W" | | D" | | H" | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| CC361 | CC362 | CC363 | CC364 | QMS531 | 12 3/8 | x | 19 3/4 | x | 5 7/8 | |
| CC365 | CC366 | CC367 | CC368 | QMS532 | 12 3/8 | x | 19 3/4 | x | 7 7/8 | |
| CC369 | CC370 | CC371 | CC372 | QMS533 | 12 3/8 | x | 19 3/4 | x | 11 7/8 | |
| CC373 | CC374 | CC375 | CC376 | QMS543 | 18 3/8 | x | 19 3/4 | x | 11 7/8 | |
| CC377* | CC378* | CC379* | CC380* | QMS743 | 18 3/8 | x | 29 | x | 11 7/8 | |
| CC447* | CC449* | CC448* | CC450* | QMS843MOB** | 18 3/8 | x | 29 | x | 11 7/8 | |

**DIVIDERS**

| Model No. | Price /Each |
|---|---|
| CC381 | |
| CC382 | |
| CC383 | |
| CC384 | |
| - | - |
| - | - |

**WINDOWS**

| Model No. | Price /Each |
|---|---|
| CC385 | |
| CC386 | |
| CC387 | |
| CC388 | |
| - | - |
| - | - |

* Includes heavy-duty spread bar for extra strength and support ** Mobile bins

# GIANT OPEN HOPPER BIN SHELVING UNITS

- Dimensions: 18" D x 42" W x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down

CF189

**SERIES QMS516**

- 4-QMS543-red, 3-QMS533-blue, 6-QMS532-yellow and 3-QMS531-blue open hopper bins (see chart above for bin dimensions)
- 7 heavy-duty grey enamel shelves

| Model No. Red | Blue | Yellow | Green | Description | Price /Each |
|---|---|---|---|---|---|
| SERIES QMS531 | | | | | |
| CF188 | CF185 | CF186 | CF187 | Starter | |
| CF784 | CF785 | CF786 | CF787 | Add-on | |
| SERIES QMS532 | | | | | |
| CF072 | CF073 | CF074 | CF075 | Starter | |
| CF089 | CF090 | CF091 | CF092 | Add-on | |
| SERIES QMS533 | | | | | |
| CF080 | CF081 | CF082 | CF083 | Starter | |
| CF097 | CF098 | CF099 | CF100 | Add-on | |
| SERIES QMS543 | | | | | |
| CF193 | CF190 | CF191 | CF192 | Starter | |
| CF789 | CF790 | CF791 | CF792 | Add-on | |
| SERIES QMS516 | | | | | |
| CF189 | - | - | - | Starter | |
| CF788 | - | - | - | Add-on | |

* Mixed colors

CF193

**SERIES QMS543**

- 10-QMS543 open hopper bins 19 3/4 " W x 18 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves

CF081

**SERIES QMS533**

- 15 QMS533 open hopper bins 19 3/4" W x 12 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves

CF074

**SERIES QMS532**

- 21 QMS532 open hopper bins 19 3/4" W x 12 3/8" D x 7 7/8" H
- 8 heavy-duty grey enamel shelves

CF187

**SERIES QMS531**

- 27-QMS531 open hopper bins 19 3/4" W x 12 3/8" D x 5 7/8" H
- 10 heavy-duty grey enamel shelves

## JUMBO PLASTIC CONTAINERS

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high
- Outside dimensions: 15 1/2" W x 25" D x 13" H
- Inside dimensions: 13 1/2" W x 22 3/5" D x 12" H
- Capacity: 200 lbs.

KLETON

| Model No. | Colour | Price /Each |
|---|---|---|
| CF329 | Green | |
| CF327 | Red | |

| Model No. | Colour | Price /Each |
|---|---|---|
| CF328 | Blue | |
| CF330 | Yellow | |

## WIDE SPAN SHELVING WITH JUMBO PLASTIC BINS

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Capacity is 800 lbs. per shelf evenly distributed
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required

RL984

KLETON

RL989

| Model No. | Shelving Size W" x D" x H" | No. of Shelves | No. of Bins | Colour | Price /Each |
|---|---|---|---|---|---|
| RL984 | 66 x 18 x 60 | 3 | 12 | Red | |
| RL985 | 66 x 18 x 60 | 3 | 12 | Blue | |
| RL986 | 66 x 18 x 60 | 3 | 12 | Green | |
| RL987 | 66 x 18 x 60 | 3 | 12 | Yellow | |
| RL988 | 66 x 18 x 60 | 3 | 12 | Red, Blue, Yellow | |
| RL980 | 66 x 18 x 72 | 4 | 16 | Red | |
| RL981 | 66 x 18 x 72 | 4 | 16 | Blue | |
| RL982 | 66 x 18 x 72 | 4 | 16 | Green | |
| RL983 | 66 x 18 x 72 | 4 | 16 | Yellow | |
| RL989 | 66 x 18 x 72 | 4 | 16 | Red, Blue, Yellow, Green | |

## WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the Kleton chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- NSE certified
- Assembly required
- Unit's total capacity should not exceed 2000-lb.

See page 73 for Aigner Wire-Rac™ labels & holders

KLETON

RL826

RL825

| Model No. | Shelving Size W" x D" x H" | No. of Shelves | Bin Size W" x D" x H" | No. of Bins | Colour | Price /Each |
|---|---|---|---|---|---|---|
| RL823 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Blue | |
| RL824 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Yellow | |
| RL825 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Green | |
| RL826 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Red | |

LEWIS BINS+™

- Polylewton Stack-N-Nest containers used in general manufacturing, food processing and distribution applications
- Injection moulded from high density polyethylene
- Will not rust, rot or corrode, resist damaging effects of oil, most chemical solvents, water and steam
- Stack without covers
- Nest at alternating 180° positions when empty
- Withstands wide temperature variances
- Easily cleaned

**Manufactured from FDA compliant materials**

### COVERS

| | Model No. Grey | Red | Blue | Price /Each |
|---|---|---|---|---|
| A. | CA334 | CC877 | CC883 | |
| B. | CA337 | CC880 | CC886 | |
| C. | CA335 | CC878 | CC884 | |
| D. | CA336 | CC879 | CC885 | |
| E. | CA339 | CC882 | CC888 | |
| F. | CA338 | CC881 | CC887 | |

### CONTAINERS

| Model No. Grey | Red | Blue | Mfg No. | Outside Dimensions Top L" x W" | Outside Dimensions Bottom L" x W" | Overall Height" | Volume cu.ft. | Nesting Ratio | Wt. lbs. | Uses Cover* | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CA341 | CC859 | CC868 | SN2012-6 | 20.1 x 13.0 | 18.5 x 11.5 | 6.2 | 0.6 | 2.1:1 | 2.1 | A | |
| CA344 | CC860 | CC869 | SN2414-8 | 24.0 x 14.1 | 21.8 x 11.5 | 7.9 | 1.1 | 4:1 | 3.4 | B | |
| CA342 | CC861 | CC870 | SN2013-12 | 19.4 x 12.9 | 17.3 x 10.9 | 12.1 | 1.3 | 4:1 | 3.8 | C | |
| CA343 | CC862 | CC871 | SN2117-12 | 21.0 x 17.0 | 18.8 x 15.0 | 12.0 | 1.8 | 4:1 | 5.0 | D | |
| CA346 | CC863 | CC872 | SN2618-10 | 26.1 x 18.7 | 24.0 x 15.9 | 10.5 | 2.1 | 4:1 | 5.4 | E | |
| CA348 | CC864 | CC873 | SN3022-6 | 29.6 x 22.4 | 28.3 x 21.0 | 6.1 | 2.1 | 4:1 | 4.8 | N/A | |
| CA347 | CC865 | CC874 | SN2818-10 | 28.4 x 18.7 | 26.0 x 15.9 | 10.5 | 2.3 | 4:1 | 5.8 | N/A | |
| CA345 | CC866 | CC875 | SN2420-13 | 24.0 x 20.0 | 21.6 x 17.7 | 13.0 | 2.7 | 4:1 | 6.1 | F | |
| CA349 | CC867 | CC876 | SN3024-15 | 30.1 x 24.0 | 27.0 x 21.0 | 15.1 | 4.7 | 4.5:1 | 11.0 | N/A | |

## STACK-N-NEST® STORAGE BINS

- Great for storing, assembling and transporting small parts, components and finished goods
- Designed for maximum efficiency and utility
- Set together one way they stack and the other way they nest
- May be used on shelving or stacked up
- Heavy-duty design allows higher stacking
- In the plant, use the same bin for storage, handling, and assembly, no need to transfer contents

TECHSTAR PLASTICS INC.

| Model No. | Colour | Outside Dimensions L" x W" x D" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CC890 | Blue | 15 1/4 x 12 1/4 x 6 | 2 | |
| CC892 | Yellow | 15 1/4 x 12 1/4 x 6 | 2 | |

# STACK & NEST CONTAINERS

## STACK & NEST TOTES

- Will stack with or without lids for maximum storage and shipping
- Ability to stack and can be turned 180° to nest when empty
- Textured bottoms ensure safe and easy, non-slip grip transit on conveyors
- Will not rust, corrode or bend out of shape
- Are unaffected by chemicals and are waterproof
- Fit on standard 48" x 40" pallets
- Can withstand temperature ranges from -10°F to 250°F
- Ribs under lip prevent jamming when nested
- Handle grips on either side
- Injection molded high density polypropylene
- FDA compliant materials

QUANTUM™ STORAGE SYSTEMS

**Optional lids protect container contents. As pictured, lids can be fastened and locked for added security.**

**All nine sizes of totes have the ability to use the optional clear label holder. It securely attaches to SNT with or without lid for easy part identification.**

**CONTAINERS**

| Model No. Blue | Model No. Grey | Model No. Red | Mfg. No. | Outside Dimensions L" x W" x H" | Inside Dimensions L" x W" x H" | Qty /Case | Price /Each |
|---|---|---|---|---|---|---|---|
| CC315 | CC316 | CC317 | SNT180 | 18 x 11 x 6 | 15 1/4 x 9 3/8 x 5 7/8 | 6 | |
| CC318 | CC319 | CC320 | SNT185 | 18 x 11 x 9 | 15 1/8 x 9 1/8 x 8 7/8 | 6 | |
| CC321 | CC322 | CC323 | SNT190 | 19 1/2 x 15 1/2 x 10 | 16 x 13 1/4 x 9 7/8 | 6 | |
| CC324 | CC325 | CC326 | SNT195 | 19 1/2 x 15 1/2 x 13 | 15 7/8 x 13 3/8 x 12 7/8 | 6 | |
| CC327 | CC328 | CC329 | SNT200 | 19 1/2 x 13 1/2 x 8 | 16 3/8 x 11 1/2 x 7 7/8 | 6 | |
| CC330 | CC331 | CC332 | SNT225 | 23 1/2 x 19 1/2 x 10 | 19 3/8 x 16 7/8 x 9 7/8 | 3 | |
| CC333 | CC334 | CC335 | SNT230 | 23 1/2 x 19 1/2 x 13 | 19 1/2 x 16 7/8 x 12 7/8 | 3 | |
| CC336 | CC337 | CC338 | SNT240 | 23 1/2 x 15 1/2 x 12 | 19 5/8 x 13 x 11 7/8 | 3 | |
| CC339 | CC340 | CC341 | SNT300 | 29 1/2 x 19 1/2 x 15 | 25 1/8 x 16 5/8 x 14 7/8 | 3 | |

**COVERS**

| Model No. Blue | Model No. Grey | Model No. Red | Qty /Case | Price /Each |
|---|---|---|---|---|
| CC342 | CC343 | CC344 | 6 | |
| CC342 | CC343 | CC344 | 6 | |
| CC345 | CC346 | CC347 | 6 | |
| CC345 | CC346 | CC347 | 6 | |
| CC348 | CC349 | CC350 | 6 | |
| CC351 | CC352 | CC353 | 3 | |
| CC351 | CC352 | CC353 | 3 | |
| CC354 | CC355 | CC356 | 3 | |
| CC357 | CC358 | CC359 | 3 | |

**Model No. CC360**
Label holder, accommodates up to 3" x 5". Fits all SNT containers.

## QUANTUB NESTING TOTES

- High-density polyethylene
- Rolled top rim for comfortable grip
- Eight 1/4" position drill holes on bottom allow for drainage
- Dimensions: 24 1/2" L x 19" W x 9 1/2" H
- Made of FDA compliant materials

**Model No. CD244** Grey
**Model No. CD434** Blue
**Price/Each $**

QUANTUM™ STORAGE SYSTEMS

## COLLAPSIBLE CONTAINERS

- Polypropylene construction
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions 21" L x 14" W x 10 1/2" H
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength
- Capacity: 160 lbs.

**Model No. CF326**
**Price/Each $**

**Collapsed**

KLETON

## STACK-N-NEST® PLEXTON CONTAINERS

- Ideal solution for heavy-duty storage, work-in-process and distribution applications
- Can withstand temperatures as low as -60°F and as high as 250°F (continuous)
- Resistant to moisture, chemicals, solvents and most oils
- Capacity: 500 lbs. per container

LEWIS BINS+™

### STACK-N-NEST® CONTAINERS

| Model No. Red | Model No. Grey | Outside Dimensions Top L" x W" | Inside Dimensions Top L" x W" | Overall Height" | Qty /Case | Price /Each |
|---|---|---|---|---|---|---|
| CD179 | CD193 | 17,9 x 10,8 | 15,9 x 10,1 | 5 | 10 | |
| CD180 | CD194 | 19,8 x 12,8 | 18,1 x 11,9 | 6 | 10 | |
| CD181 | CD195 | 20,6 x 13,0 | 18,0 x 12,3 | 8 | 10 | |
| CD182 | CD196 | 24,1 x 11,4 | 20,0 x 10,7 | 6,9 | 10 | |
| CD183 | CD197 | 24,1 x 11,4 | 20,0 x 10,6 | 9 | 10 | |
| CD184 | CD198 | 24,3 x 14,8 | 21,7 x 14,1 | 5,1 | 8 | |
| CD185 | CD199 | 24,3 x 14,8 | 21,5 x 13,9 | 8 | 8 | |
| CD186 | CD200 | 25,3 x 18,1 | 21,4 x 18,1 | 6,1 | 10 | |
| CD187 | CD201 | 25,3 x 18,1 | 22,8 x 17,3 | 10,1 | 5 | |
| CD188 | CD202 | 27,5 x 19,9 | 23,1 x 18,9 | 14,0 | 5 | |
| CD189 | CD203 | 29,6 x 13,8 | 26,7 x 12,9 | 7 | 10 | |
| CD190 | CD204 | 30,6 x 16,9 | 26,3 x 15,9 | 11,1 | 5 | |
| CD191 | CD205 | 34,1 x 24,0 | 30,1 x 21,6 | 8,1 | 5 | |
| CD192 | CD206 | 42,5 x 20,1 | 38,1 x 19,0 | 14,1 | 5 | |

### COVERS

| Model No. | Price /Each |
|---|---|
| CD216 | |
| CD217 | |
| CF672 | |
| CD219 | |
| CD219 | |
| CD220 | |
| CD220 | |
| CD221 | |
| CD221 | |
| CD222 | |
| - | - |
| CD223 | |
| - | - |
| CD224 | |

### DOLLIES

| Model No. | Price /Each |
|---|---|
| CD225 | |
| CD226 | |
| CD227 | |
| CD228 | |
| CD228 | |
| CD229 | |
| CD229 | |
| CD230 | |
| CD230 | |
| CD231 | |
| - | - - |
| CD232 | |
| - | - - |
| CD233 | |

## STACK-N-NEST® PLEXTON HOPPERS

- Fibreglass
- Ideal for heavy parts storage and hardware merchandising
- Nest within their own dimensions and provide positive-lock stacking
- Front label area accommodates adhesive labels

LEWIS BINS+™

| Model No. Red | Model No. Green | Model No. Grey | Outside Dimensions Top L" x W" | Outside Dimensions Bottom L" x W" | Inside Dimensions Top L" x W" | Inside Dimensions Bottom L" x W" | Overall Height" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CD267 | CD268 | CD269 | 18.1 x 11.4 | 13.1 x 9.9 | 16.0 x 8.0 | 12.8 x 7.5 | 7.6 | 3.8 | |
| CD270 | CD271 | CD272 | 24.0 x 11.4 | 19.2 x 9.2 | 21.5 x 8.8 | 19.0 x 7.6 | 7.9 | 5.1 | |
| CD273 | CD274 | CD275 | 24.1 x 16.3 | 19.1 x 14.4 | 21.8 x 12.9 | 18.8 x 11.6 | 8.0 | 7.0 | |

## GIANT STACKING CONTAINERS

QUANTUM™ STORAGE SYSTEMS

- Designed for multiple applications in recycling, storing parts, tools and warehouse items
- Will stack up to 6 high creating sturdy, tall storage systems
- Large grip side handles
- Extra thick side walls with reinforcing ribs allow for 100 lbs. stack capacity per bin
- Six 1/4" drill holes in bottom allow for drainage
- Outside dimensions: QGH700: 15 1/4" L x 19 7/8" W x 12 7/16" H
  QGH600: 17 1/2" L x 10 7/8" W x 12 1/2" H
  QGH800: 17 1/2" L x 16 1/2" W x 12 1/2" H

| Model No. | | | | | Mfg. | Price |
|---|---|---|---|---|---|---|
| Grey | Blue | Ivory | Black | Red | No. | /Each |
| CB838 | CB839 | CB841 | CB842 | CC305 | QGH700* | |
| CD575 | CD576 | - | - | CD577 | QGH600 | |
| CD578 | CD579 | - | - | CD580 | QGH800 | |

*Optional label **CB844** is available for the QGH700 series

**CLEAR WINDOW**

| Model No. | Price /Each |
|---|---|
| CD581 | |
| CB843 | |
| CD582 | |

## GIANT STACK CONTAINER SHELF UNITS

- Organize, store and easily access your parts with a complete bin centre
- Strong steel shelving is powder coated and features reinforced cross bracing for increased stability
- Easy assembly
- Bins are included with shelf
- 500-lb capacity per shelf and over 21 cubic feet of storage space
- One colour per unit
- Replacement bins available (See product above)
- Shipped knocked-down

CD590

CF057

| Model No. | | | Mfg | Dimensions | | Qty of Bins | Price |
|---|---|---|---|---|---|---|---|
| Grey | Blue | Red | No. | W" x D" x H" | Description | Included | /Each |
| CF056 | CF057 | CF066 | QSBU-700 | 42 x 18 x 75 | Starter | 10 | |
| CF061 | CF062 | CF067 | OSBU-700 | 42 x 18 x 75 | Add-on | 10 | |
| CF779 | CF260 | CD590 | QSBU-600 | 36 x 18 x 75 | Starter | 15 | |
| CF780 | CF781 | CF782 | OSBU-600 | 36 x 18 x 75 | Add-On | 15 | |

# STAKPAK® PLUS 4845 SYSTEM CONTAINERS

- Stack-only, injection moulded, straight-wall modular containers
- High-density polyethylene (HDPE)
- Reinforced external ribbing adds maximum stacking strength
- Smooth, straight interior walls provide maximum space utilization and easy cleaning
- Modular design optimizes cube on standard 45" x 48" pallet, allows for mixing and matching of various sizes
- Ergonomically designed handles for comfort and safety
- Containers hold up under temperatures from -10°F to 120°F
- Optional covers and cardholders available



48" x 15" (1/3)
24" x 15" (1/6)
12" x 15" (1/12)
12" x 7 (1/24)



48" x 22" (1/2)
24" x 22" (1/4)
24" x 11" (1/8)



16" x 15" (1/4) on AIAG 30" x 32"
15" x 15" (1/9) on AIAG 45" x 48"



12" x 15" (1/6)

## STAKPAK® CONTAINERS

| Model No. Medium Green | Model No. Grey | Model No. Royal Blue | Pallet Modularity (AIAG) 30" x 36" | Pallet Modularity (AIAG) 45" x 48" | Outside Dimensions Top L" x W" | Outside Dimensions Bottom L" x W" | Total Container Height" | Product Clearance" * | Volume cu.ft. | 48' Trailer Capacity (containers) | Wt. lbs. | Use with Cover | Use with Cardholder | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CA498 | CA499 | CC112 | 1/12 | 1/24 | 12.0 x 7.4 | 12.0 x 7.4 | 5.0 | 4.5 | 0.1 | 8640 | 1.1 | A | D | |
| CA500 | CA501 | CC113 | 1/6 | 1/12 | 12.0 x 15.0 | 12.0 x 15.0 | 5.0 | 4.4 | 0.3 | 4320 | 1.6 | | D | |
| CA502 | CA503 | CC114 | 1/6 | 1/12 | 12.0 x 15.0 | 12.0 x 15.0 | 7.5 | 6.8 | 0.5 | 3456 | 2.2 | B | E | |
| CA504 | CC174 | CC115 | 1/6 | 1/12 | 12.0 x 15.0 | 12.0 x 15.0 | 9.5 | 8.8 | 0.6 | 2304 | 2.5 | | E | |
| CA507 | CA508 | CC116 | - | 1/6 | 24.0 x 15.0 | 24.0 x 15.0 | 5.0 | 4.5 | 0.7 | 2592 | 3.0 | | D | |
| CA509 | CA510 | CC117 | - | 1/6 | 24.0 x 15.0 | 24.0 x 15.0 | 7.5 | 6.8 | 1.1 | 1728 | 3.6 | C | E | |
| CA511 | CA512 | CC118 | - | 1/6 | 24.0 x 15.0 | 24.0 x 15.0 | 9.5 | 8.8 | 1.4 | 1296 | 4.4 | | E | |
| CA505 | CA506 | CC119 | - | 1/6 | 24.0 x 15.0 | 24.0 x 15.0 | 14.5 | 13.8 | 2.2 | 864 | 5.7 | | E | |

* When containers are stacked on top of each other approximately 1/2" is lost to nesting.

## STAKPAK® COVERS

| | Model No. Med. Green | Model No. Grey | Model No. Royal Blue | Dimensions L" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| A. | N/A | CA488 | N/A | 12.0 x 7.4 | 0.4 | |
| B. | CA489 | CA490 | CC121 | 12.0 x 15.0 | 0.6 | |
| C. | N/A | CA492 | CC122 | 24.0 x 15.0 | 2.1 | |

## CARDHOLDERS

| | Model No. | Dimensions L" x W" | Price /Each |
|---|---|---|---|
| D. | CA448 | 8.5 x 4.0 | |
| E. | CA449 | 8.5 x 4.6 | |

# DISTRIBUTION CONTAINERS

## FLIPAK®

- Reusable, returnable, attached-lid containers are ideal for use in wholesale product distribution and as picking containers
- Hinged covers with tight interlocking fit provide maximum security and protection
- Stack with lids closed and nest with lids open for optimum use of space in trucks, trailers or on pallets
- Load capacity per container is a maximum of 70-75 lbs.
- Bottom container will support 250 to 300 lbs. when stacked (Please inquire for exact load capacities)

## FLIPAK® POLYETHYLENE PLASTIC (PE) DISTRIBUTION CONTAINERS

- High density polyethylene (HDPE) construction offers maximum product protection from moisture, impact and chemicals

ORBIS

| Model No. | | | Outside Dimensions Top | Bottom | Overall | Volume | Nesting | Wt. | Price |
|---|---|---|---|---|---|---|---|---|---|
| Grey | Red | Blue | L" x W" | L" x W" | Height" | Cu. Ft. | Ratio | lbs. | /Each |
| **LESS THAN 2.0 CU.FT.** | | | | | | | | | |
| **CA452** | - | **CF265** | 11.8 x 9.8 | 9.3 x 7.0 | 7.7 | 0.3 | 2.8:1 | 2.1 | |
| **CA453** | - | **CF266** | 15.2 x 10.9 | 12.8 x 7.8 | 9.7 | 0.6 | 4.0:1 | 3.0 | |
| **CA454** | - | - | 21.8 x 15.1 | 18.9 x 13.7 | 5.5 | 0.7 | 3.6:1 | 4.8 | |
| **CA455** | - | **CF268** | 19.7 x 11.8 | 16.9 x 9.3 | 7.3 | 0.7 | 3.0:1 | 3.4 | |
| **CA456** | - | - | 20.6 x 13.5 | 18.2 x 11.7 | 6.5 | 0.8 | 2.1:1 | 5.2 | |
| **CA457** | - | - | 20.6 x 13.2 | 17.7 x 11.0 | 11.6 | 1.4 | 4.4:1 | 5.9 | |
| **CF559** | **CF556** | **CF557** | 21.9 x 15.2 | 19.1 x 13.3 | 9.3 | 1.3 | 4.4:1 | 5.0 | |
| **CA461** | - | **CF273** | 22.3 x 13.0 | 19.1 x 10.9 | 12.8 | 1.6 | 3.8:1 | 6.2 | |
| **CA462** | **CA463** | **CF274** | 21.8 x 15.2 | 18.6 x 12.9 | 12.9 | 1.8 | 4.0:1 | 6.5 | |
| **CA464** | - | - | 23.5 x 15.7 | 19.9 x 13.0 | 13.0 | 1.9 | 4.5:1 | 6.9 | |
| **2.0 CU.FT. & GREATER** | | | | | | | | | |
| **CF504*** | **CF503*** | **CF506*** | 26.9 x 16.9 | 24.4 x 14.7 | 12.1 | 2.3 | 4.2:1 | 7.8 | |
| **CA468** | **CA469** | **CF277** | 23.9 x 19.6 | 21.1 x 17.1 | 12.6 | 2.7 | 5.3:1 | 8.4 | |
| **CA471** | - | - | 39.0 x 14.0 | 36.3 x 11.3 | 13.0 | 3.3 | 4.9:1 | 10.4 | |
| **CF724*** | **CF726*** | **CF725*** | 27.9 x 20.9 | 25.8 x 18.8 | 15.2 | 4.0 | 2.7:1 | 12.0 | |
| **CA475** | - | - | 30.0 x 22.0 | 27.4 x 19.4 | 20.5 | 6.1 | 4.0:1 | 17.0 | |

*Dollies available for these sizes

## FLIPAK® CLEAR POLYPROPYLENE PLASTIC (PP) DISTRIBUTION CONTAINERS

- Offer all the same benefits as the polyethylene containers, plus provide easy content identification
- Polypropylene (PP) is the same family as polyethylene
- Polypropylene's advantages over polyethylene include its greater stiffness and elevated use
- Temperature range: 30°F - 150°F

ORBIS

| Model No. | Outside Dimensions Top L" x W" | Bottom L" x W" | Overall Height" | Volume Cu. Ft. | Nesting Ratio | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| **LESS THAN 2.0 CU.FT.** | | | | | | | |
| **CC128** | 11.8 x 9.8 | 9.3 x 7.0 | 7.7 | 0.3 | 2.8:1 | 2.1 | |
| **CC129** | 15.2 x 10.9 | 12.8 x 7.8 | 9.7 | 0.6 | 4.0:1 | 3.0 | |
| **CC130** | 19.7 x 11.8 | 16.9 x 9.3 | 7.3 | 0.7 | 3.0:1 | 3.4 | |
| **CF558** | 21.9 x 15.2 | 19.1 x 13.3 | 9.3 | 1.3 | 4.4:1 | 5.0 | |
| **CC132** | 21.8 x 15.2 | 18.6 x 12.9 | 12.9 | 1.8 | 4.0:1 | 6.2 | |
| **2.0 CU.FT. & GREATER** | | | | | | | |
| **CF505*** | 26.9 x 16.9 | 24.4 x 14.7 | 12.1 | 2.3 | 5.3:1 | 7.8 | |

*Dollies available for these sizes

## FLIPAK® DOLLY

- Allows for easy and efficient transport of multiple for FliPak® containers
- High corner supports hold totes in place
- Dollies securely stack together
- All-plastic construction is durable, increases service life and reduces product damage
- Rugged rubber casters withstand varying ground surfaces
- Standard 3" casters included

ORBIS

| Model No. | Description | Inside Dim." | External Dim." | Height w/o Casters" | Price/Each |
|---|---|---|---|---|---|
| **CF935** | Compatible w/**CF724** to **CF726** | 24.6 L x 14.9 W | 26 L x 18.9 W | 6.25 | |
| **CF936** | Compatible w/**CF503** to **CF506** | 24.4 L x 14.6 W | 26.9 L x 16.9 W | 7 | |

## FLIP TOP ECONOMY CONTAINERS

- Stacks when lid is closed
- Nests when empty
- Recessed carry handles
- Dimensions: 21 1/2" L x 15" W x 12 1/2" H
- Capacity: 45 litres
- Weight: 5 lbs.

**TRANSLUCENT**

**Model No. CD383** Black Top
**Model No. CF555** Red Top
**Price/Each $**

**GREY**

**Model No. CD459**
**Price/Each $**

INTEGRATED PLASTICS

## DIVIDER BOX® CONTAINERS

- Injection-molded HDPE
- Large, flat areas on all four sides for content identification
- Comfort grip handle
- Stacking rims and multi-ribbed external sides provide high impact strength
- All containers can be divided into compartments by length and/or width
- Molded-in stacking ridge assures containers will stack securely with or without covers
- Two cardholder snaps included
- Full range of optional accessories available including snap on card holders, short and long dividers and covers
- Load capacity 40 lbs. per container
- Can be divided into compartments of 1.25" centers with easy to add dividers
- Manufactured in high density polyethylene

LEWIS BINS+™

| Model No. | | | | Dimensions | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Outside | | | | | Inside | | | | Volume | Uses Dividers | Price |
| Grey | Red | Light Blue | Mfg. No. | L" | x | W" | x | H" | L" | x | W" | x | H" | Cu. Ft. | & Accessories | /Each |
| CA562 | CC833 | CC846 | DC1025 | 10.8 | x | 8.3 | x | 2.5 | 9.2 | x | 6.6 | x | 2.5 | 0.07 | A | |
| CA565 | CC836 | CC849 | DC2025 | 16.5 | x | 10.9 | x | 2.5 | 14.8 | x | 9.2 | x | 2.5 | 0.16 | B | |
| CA566 | CC840 | CC853 | DC2070 | 16.5 | x | 10.9 | x | 7.0 | 15.0 | x | 9.3 | x | 7.0 | 0.51 | C | |
| CA567 | CC842 | CC855 | DC3050 | 22.4 | x | 17.4 | x | 5.0 | 20.3 | x | 15.3 | x | 5.0 | 0.79 | D | |

### VERTICAL DIVIDERS

| | Model No. | Divider Type | Maximum # of Dividers | Price /Each |
|---|---|---|---|---|
| A. | CA568 | Short | 7 | |
| A. | CA571 | Long | 5 | |
| B. | CA571 | Short | 11 | |
| B. | CA577 | Long | 7 | |
| C. | CA575 | Short | 11 | |
| C. | CA581 | Long | 7 | |
| D. | CA584 | Short | 15 | |
| D. | CA588 | Long | 11 | |

### ACCESSORIES

| | Clear Lids Model No. | Price /Each | Card Holders Model No. | Price /Each |
|---|---|---|---|---|
| A. | CA556 | | CC314 | |
| B. | CA561 | | CC314 | |
| C. | CA561 | | CA446/CC314 | |
| D. | CD456 | | CA446/CC314 | |

## DIVIDER BOX® CONTAINERS

- Made of FDA compliant materials
- Large, flat areas on all four sides for content identification
- Comfort grip handle
- Stacking rims and multi-ribbed external sides provide high impact strength
- All containers can be divided into compartments by length and/or width
- Moulded-in stacking ridge assures containers will stack securely with or without covers
- Full range of optional accessories available including hook and loop card holders, short and long dividers and covers
- Can be divided into subdivisions as small as 1 1/8" squares

QUANTUM™ STORAGE SYSTEMS

| Model No. | | | | Dimensions | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Outside | | | | | Inside | | | | Volume | Uses Dividers | Price |
| Grey | Red | Blue | Mfg. No. | L" | x | W" | x | H" | L" | x | W" | x | H" | Cu. Ft. | & Accessories | /Each |
| CF947 | CF948 | CF946 | DG91025 | 10.9 | x | 8.3 | x | 2.5 | 9.2 | x | 6.6 | x | 2.0 | 0.38 | A | |
| CC641 | CC934 | CC946 | DG91035 | 10.9 | x | 8.3 | x | 3.5 | 9.2 | x | 6.6 | x | 3.0 | 0.10 | B | |
| CC642 | CC935 | CC947 | DG91050 | 10.9 | x | 8.3 | x | 5.0 | 9.2 | x | 6.6 | x | 4.5 | 0.19 | C | |
| CC643 | CC936 | CC948 | DG92035 | 16.5 | x | 10.9 | x | 3.5 | 14.9 | x | 9.3 | x | 3.0 | 0.24 | D | |
| CF951 | CF952 | CF950 | DG92050 | 16.5 | x | 10.9 | x | 5.0 | 14.9 | x | 9.3 | x | 4.5 | 1.71 | E | |
| CC644 | CC937 | CC949 | DG92060 | 16.5 | x | 10.9 | x | 6.0 | 14.9 | x | 9.3 | x | 5.5 | 0.44 | F | |
| CC645 | CC938 | CC950 | DG92080 | 16.5 | x | 10.9 | x | 8.0 | 14.9 | x | 9.3 | x | 7.5 | 0.60 | G | |
| CC646 | CC939 | CC951 | DG93030 | 22.5 | x | 17.5 | x | 3.0 | 20.6 | x | 15.6 | x | 2.5 | 0.44 | H | |
| CC647 | CC940 | CC952 | DG93060 | 22.5 | x | 17.5 | x | 6.0 | 20.6 | x | 15.6 | x | 5.5 | 0.97 | I | |
| CC648 | CC941 | CC953 | DG93080 | 22.5 | x | 17.5 | x | 8.0 | 20.6 | x | 15.6 | x | 7.5 | 1.32 | J | |
| CC649 | CC942 | CC954 | DG93120 | 22.5 | x | 17.5 | x | 12.0 | 20.6 | x | 15.6 | x | 11.5 | 2.03 | K | |

### VERTICAL DIVIDERS

| | Model No. | Divider Type | Maximum # of Dividers | Price/Each |
|---|---|---|---|---|
| A. | CF959 | Short | 7 | |
| A. | CF954 | Long | 5 | |
| B. | CC659 | Short | 7 | |
| B. | CC650 | Long | 5 | |
| C. | CC660 | Short | 7 | |
| C. | CC651 | Long | 5 | |
| D. | CC661 | Short | 11 | |
| D. | CC652 | Long | 7 | |
| E. | CF955 | Short | 11 | |
| E. | CF960 | Long | 7 | |
| F. | CC662 | Short | 11 | |
| F. | CC653 | Long | 7 | |
| G. | CC663 | Short | 11 | |
| G. | CC654 | Long | 7 | |
| H. | CC664 | Short | 15 | |
| H. | CC655 | Long | 11 | |
| I. | CC665 | Short | 15 | |
| I. | CC656 | Long | 11 | |
| J. | CC666 | Short | 15 | |
| J. | CC657 | Long | 11 | |
| K. | CC667 | Short | 15 | |
| K. | CC658 | Long | 11 | |

### ACCESSORIES

| | Clear Lids Model No. | Price /Each | Card Holders Model No. | Price /Each |
|---|---|---|---|---|
| A. | CD437 | | CF351 | |
| B. | CD437 | | CF351 | |
| C. | CD437 | | CF352 | |
| D. | CD438 | | CF351 | |
| E. | CD438 | | CF532 | |
| F. | CD438 | | CF532 | |
| G. | CD438 | | CF353 | |
| H. | CD439 | | CF351 | |
| I. | CD439 | | CF352 | |
| J. | CD439 | | CF353 | |
| K. | CD439 | | CF353 | |

## ESD DIVIDER BOXES

- Provide conductive and shielding protection for use in electronics manufacturing
- All boxes can be divided into compartments by length and/or width
- Dividers are on 1.25" centres
- Made of permanently conductive black, carbon-filled, injection molded polypropylene copolymer resin
- A Faraday cage is created when used with ESD safe divider box covers
- Unaffected by washing or humidity
- Static decay rate from 5000 volts to 0 of less than two seconds
- Surface resistivity of < 1.0 x $10^5$ ohms/square

ORBIS

| Model No. | Outside Dim. Top L" x W" | Outside Dim. Bottom L" x W" | Overall Height" | Vol. Cu. Ft. | Wt. lbs. | Price /Each | Short Dividers Model No. | Max. Dividers | Price /Each | Long Dividers Model No. | Max. Dividers | Price /Each | Covers Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CONDUCTIVE BINS | | | | | | | | | | | | | | |
| CB935 | 10.8 x 8.3 | 9.8 x 7.3 | 2.5 | 0.07 | 0.5 | | CB938 | 7 | | CB939 | 5 | | CB911 | |
| CB936 | 10.8 x 8.3 | 9.8 x 7.3 | 3.5 | 0.11 | 0.7 | | CB940 | 7 | | CB942 | 5 | | CB911 | |
| CB909 | 10.8 x 8.3 | 9.8 x 7.3 | 5 | 0.16 | 0.9 | | CB907 | 7 | | CB908 | 5 | | CB911 | |
| CB910 | 16.5 x 10.9 | 15.5 x 9.9 | 2.5 | 0.16 | 1.0 | | CB939 | 11 | | CB945 | 7 | | CB923 | |
| CB913 | 16.5 x 10.9 | 15.5 x 9.9 | 3.5 | 0.24 | 1.1 | | CB942 | 11 | | CB947 | 7 | | CB923 | |
| CB914 | 16.5 x 10.9 | 15.5 x 9.9 | 5 | 0.36 | 1.4 | | CB908 | 11 | | CB924 | 7 | | CB923 | |
| CB915 | 16.5 x 10.9 | 15.5 x 9.9 | 6 | 0.43 | 1.6 | | CB925 | 11 | | CB926 | 7 | | CB923 | |
| CB937 | 16.5 x 10.9 | 15.5 x 9.9 | 7.0 | 0.51 | 1.9 | | CB941 | 11 | | CB943 | 7 | | CB923 | |
| CB916 | 16.5 x 10.9 | 15.5 x 9.9 | 8 | 0.59 | 2 | | CB927 | 11 | | CB928 | 7 | | CB923 | |
| CB912 | 22.4 x 17.4 | 20.9 x 15.9 | 5 | 0.79 | 2.8 | | CB944 | 15 | | CB946 | 11 | | CB921 | |
| CB917 | 22.4 x 17.4 | 20.9 x 15.9 | 6 | 0.97 | 3.0 | | CB929 | 15 | | CB930 | 11 | | CB921 | |
| CB918 | 22.4 x 17.4 | 20.9 x 15.9 | 8 | 1.32 | 4.0 | | CB931 | 15 | | CB934 | 11 | | CB921 | |
| CB919 | 22.4 x 17.4 | 20.9 x 15.9 | 12 | 2 | 6 | | CB932 | 15 | | CB933 | 11 | | CB921 | |

## ESD TRAYS

- Trays provide conductive and shielding protection for use in electronics manufacturing
- Resistant to abrasion and chemicals
- Easy to clean with steam or water (temperature range: -60°F to 250°F)
- Trays are permanently dissipative and are unaffected by washing

| Model No. | Dimensions L" x W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| CF261 | 18 x 12 x 1 | 1.8 | |
| CF262 | 18 x 14 x 1 | 1.8 | |

| Model No. | Dimensions L" x W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| CF263 | 20.36 x 15.13 x 1 | 2 | |
| CF264 | 25.75 x 17.88 x 1.1 | 2 | |

ORBIS

## RECYCLED BINS

- Manufactured from recycled, 100% post consumer, high density polypropylene
- Can be stacked or hung in louvered pannels
- Available in black only

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg. No. | Outside Dimensions W" x D" x H" | Price /Each | Dividers Model No. | Price /Each |
|---|---|---|---|---|---|
| CC552 | QUS200BR | 4 1/8 x 5 x 3 | | CB824 | |
| CC553 | QUS210BR | 4 1/8 x 5 3/8 x 3 | | CB825 | |
| CC554 | QUS220BR | 4 1/8 x 7 3/8 x 3 | | CB826 | |
| CE872 | QUS224BR | 4 1/8 x 10 7/8 x 4 | | CD250 | |
| CC555 | QUS230BR | 5 1/2 x 10 7/8 x 5 | | CB829 | |
| CC557 | QUS234BR | 5 1/2 x 14 3/4 x 5 | | CC569 | |
| CC558 | QUS235BR | 11 x 10 7/8 x 5 | | CB829 | |
| CC559 | QUS239BR | 8 1/4 x 10 3/4 x 7 | | CB830 | |
| CC560 | QUS240BR | 8 1/4 x 14 3/4 x 7 | | CB831 | |
| CC561 | QUS245BR | 16 1/2 x 10 7/8 x 5 | | CC297 | |
| CC562 | QUS250BR | 16 1/2 x 14 3/4 x 7 | | CB831 | |
| CC563 | QUS255BR | 11 x 16 x 8 | | CB833 | |
| CC564 | QUS260BR | 11 x 18 x 10 | | CB834 | |
| CC565 | QUS265BR | 8 1/4 x 18 x 9 | | CC298 | |
| CC566 | QUS270BR | 16 1/2 x 18 x 11 | | CB835 | |

## RECYCLED SHELF BINS

- Manufactured from recycled 100% post consumer, high density polypropylene
- Available in black only

QUANTUM™ STORAGE SYSTEMS

| Model No. | Mfg. No. | Outside Dimensions W" x D" x H" | Price /Each | Dividers Model No. | Price /Each |
|---|---|---|---|---|---|
| CB850 | QSB 101BR | 4 1/8 x 11 5/8 x 4 | | CB861 | |
| CB851 | QSB 102BR | 6 5/8 x 11 5/8 x 4 | | CB862 | |
| CB954 | QSB 104BR | 6 5/8 x 17 7/8 x 4 | | CB862 | |
| CB854 | QSB 105BR | 4 1/8 x 23 5/8 x 4 | | CB861 | |
| CB855 | QSB 106BR | 6 5/8 x 23 5/8 x 4 | | CB862 | |
| CB857 | QSB 108BR | 8 3/8 x 17 7/8 x 4 | | CB867 | |
| CB860 | QSB 114BR | 8 1/8 x 23 5/8 x 4 | | CB867 | |
| CC304 | QSB 116BR | 11 1/8 x 23 5/8 x 4 | | CB869 | |
| CC241 | QGH 700BR | 19 7/8 x 15 1/4 x 12 7/16 | | N/A | - |

## QUANTUB NESTING TOTES

QUANTUM™ STORAGE SYSTEMS

- High-density polyethylene
- Rolled top rim for comfortable grip
- Six 1/4" position drill holes on bottom allow for drainage
- Dimensions: 24 1/2" L x 19" W x 9 1/2" H
- Injection molded high-density polypropylene
- FDA compliant materials

| Model No. | Colour | Price /Each |
|---|---|---|
| **CD244** | Grey | |
| **CD434** | Blue | |

## CROSS STACK BINS

- Ideal for production, assembly and order picking
- Injection molded from high impact polypropylene; will not crack or rust, and easy to clean
- Can be turned 90° to cross stack
- Built-in handle and bottom grooves for easy handling
- Capacity: 100 lbs.
- FDA approved
- Optional clear label holder **CC360**
- Drill hole pattern on bottom can be opened for drainage purposes

QUANTUM™ STORAGE SYSTEMS

**BINS**

| Model No. | | | Dimensions | Price |
|---|---|---|---|---|
| Blue | Grey | White | L" x W" x H | /Each |
| **CD583** | **CD584** | **CD585** | 17 1/4 x 11 x 12 | |
| **CD247** | **CD246** | **CD248** | 25 1/8 x 16 x 8 1/2 | |

**LIDS**

| Model No. | | | Price |
|---|---|---|---|
| Blue | Grey | White | /Each |
| **CF016** | **CD586** | **CF017** | |
| **CF018** | **CD606** | **CF019** | |

## BUS/UTILITY BOXES

Rubbermaid® Commercial Products

USDA Meat and Poultry Equipment Group Listed and assists in complying w/HACCP guidelines

- Made of durable, commercial grade plastic
- Reinforced handles, bottom and ribs for added strength
- Capacity: 17.5 L
- 20" L x 15" W x 5" H

**Model No. CD445** Grey
**Model No. CD446** White
**Price/Each**

**Model No. CD662**
Grey cover
**Price/Each**

## AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- Used for field harvest, in-plant handling, staging and processing of fruits and vegetables
- High quality, impact resistant, durable and reusable hand-held container
- Ventilated design can easily be cleaned and sanitized
- Ideal for moist environments
- Stacks securely with bail arm engaged
- Fits 4-up on standard 40 x 48 pallets
- Nests when empty
- Material: Plastic
- FDA approved
- Fully recyclable
- Colour: Beige

CF927

ORBIS

| Model No. | Mfg. No. | Overall Dim. W" x D" x H" | Bottom dim L" x W" | Inside Top Dim. L" x W" | Inside Bottom Dim. L" x W" | Price /Each |
|---|---|---|---|---|---|---|
| **CF926** | AF-1 | 20.3 x 24 x 6.8 | 21.4 x 17.8 | 22.5 x 19 | 20.9 x 17.5 | |
| **CF927** | AF-21 | 20 x 24 x 13.4 | 21.3 x 17.9 | 22.4 x 19 | 20.7 x 17.3 | |

## AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- High quality, impact resistant, durable and reusable hand-held container
- Used in field harvesting
- Ventilated design can easily be cleaned and sanitized
- Stacks when full
- Nests when empty
- Fits 5-up on a standard 40 x 48 pallet
- Material: Plastic
- FDA approved
- Fully recyclable

ORBIS

| Model No. | Mfg. No. | Overall Dim. W" x D" x H" | Bottom Dim. L" x W" | Inside Top Dim. L" x W" | Inside Bottom Dim. L" x W" | Price /Each |
|---|---|---|---|---|---|---|
| **CF928** | SNX2416-7 | 16 x 23.9 x 7.3 | 22.3 x 14.5 | 19.7 x 15.7 | 20.2 x 12.3 | |

## AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- High quality, impact resistant, durable and reusable hand-held container
- Used for field harvest, in-plant handling, staging and processing of fruits and vegetables
- Ventilated design can easily be cleaned and sanitized
- Material: Plastic
- FDA approved
- Nests when empty
- Colour: Green
- Fully recyclable

CF931

ORBIS

| Model No. | Mfg. No. | Overall Dim. W" x D" x H" | Bottom Dim. L" x W" | Inside Top Dim. L" x W" | Inside Bottom Dim. L" x W" | Price /Each |
|---|---|---|---|---|---|---|
| **CF929** | AF2013-6 | 13.1 x 19.7 x 5.6 | 17.1 x 11.6 | 17 x 11.6 | 16.6 x 11.2 | |
| **CF930** | AF2014-11 | 13.7 x 20.5 x 10.8 | 17.7 x 12.2 | 17.5 x 12 | 16.4 x 12 | |
| **CF931** | NPL654B | 16 x 23.9 x 8.8 | 22.1 x 15.9 | 19.9 x 13.7 | 19.2 x 12.6 | |

## PLASTIC DAIRY CASE

- Reusable case maintains its shape and performance through stacking, pressure washing and transportation
- Reinforced base and corners allows for cases to be stacked
- Universally compatible
- Fits 9-up on standard 40 x 40 dairy pallet
- Inside Dimensions: 12-1/10" L x 12-1/10" W
- Approvals: FDA-Approved
- Capacity: 40 lbs.
- Fully recyclable

ORBIS

| Model No. | Mfg. No. | Overall Dim. H" x W" x D" | Price /Each |
|---|---|---|---|
| **CF932** | NPL004-BLACK | 11 x 13-1/10 x 13-1/10 | |

# FOOD APPROVED CONTAINERS

## RUBBERMAID® COLD FOOD PAN

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range: -40°F/-40°C to 102°F/39°C
- Lid sold separately

JD620

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Full Lid Model No. | Notched Lid Model No. | Price /Each |
|---|---|---|---|---|---|---|---|
| JD620 | 1.6 L | 1-2/3 qt. | 10.4 x 6.4 x 2.5 | | OP048 | OP049 | |
| JD621 | 2.5 L | 2-5/8 qt. | 12.8 x 6.9 x 2.5 | | OP055 | OP056 | |
| JD622 | 3.8 L | 4 qt. | 12.8 x 6.9 x 4.0 | | OP055 | OP056 | |

## RUBBERMAID® COLD FOOD PAN

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range: -40°F/-40°C to 102°F/39°C
- Lid sold separately

OP071

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Lids Model No. | Price /Each |
|---|---|---|---|---|---|---|
| OP071 | 3.4 L | 3-5/8 qt. | 20.8 x 6.4 x 2.5 | | OP073 | |
| OP072 | 5.2 L | 5-1/2 qt. | 20.8 x 6.4 x 4.0 | | OP073 | |

## RUBBERMAID® COLD FOOD PAN

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range: -40°F/-40°C to 102°F/39°C
- Lid sold separately

OP066

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Full Lids Model No. | Notched Lid Model No. | Price /Each |
|---|---|---|---|---|---|---|---|
| OP065 | 8.5 L | 9 qt. | 20.8 x 12.8 x 2.5 | | OP069 | OP070 | |
| OP066 | 13.0 L | 13-3/4 qt. | 20.8 x 12.8 x 4.0 | | OP069 | OP070 | |
| OP067 | 19.5 L | 20-5/8 qt. | 20.8 x 12.8 x 6.0 | | OP069 | OP070 | |
| OP068 | 25.7 L | 27-1/8 qt. | 20.8 x 12.8 x 8.0 | | OP069 | OP070 | |

## RUBBERMAID® SPACE SAVING SQUARE CONTAINER

- Square containers store up to 25% more on a shelf than round containers
- Break-resistant clear polycarbonate material allows for great visibility
- Easy to clean
- Nests when empty
- Features precise measurement graduations
- FDA compliant
- HACCP Compliant
- NSF Certified
- Temperature Range: -40°F/-40°C to 212°F/100°C
- Lid sold separately

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Lids Model No. | Price /Each |
|---|---|---|---|---|---|---|
| CF705 | 1.9 L | 2 qt. | 8.8 x 8.8 x 2.7 | | CA626 | |
| CF706 | 3.8 L | 4 qt. | 8.8 x 8.8 x 4.8 | | CA626 | |
| CF707 | 7.6 L | 8 qt. | 8.8 x 8.8 x 8.8 | | CA626 | |
| CF708 | 11.4 L | 12 qt. | 11.3 x 10.5 x 7.8 | | CA627 | |
| CF709 | 17 L | 18 qt. | 11.3 x 10.5 x 11.9 | | CA627 | |

## CARB-X® FOOD BOX

- Clear, break-resistant polycarbonate provides visibility, durability, and stain-resistance
- Helps reduce food spoilage costs
- Box features date control panel
- Dishwasher and freezer safe
- FDA compliant
- HACCP Compliant
- NSF Certified
- Lid sold separately

CF695

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Lids Model No. | Price /Each |
|---|---|---|---|---|---|---|
| CF695 | 47.3 L | 12-1/2 gal. | 26 x 18 x 9.0 | | CF697 | |
| CF696 | 81.4 L | 21-1/2 gal. | 26 x 18 x 15 | | CF697 | |
| CF698 | 18.9 L | 5 gal. | 18 x 12 x 9.0 | | CF703 | |
| CF699 | 18.9 L | 5 gal. | 26 x 18 x 3.5 | | CF697 | |
| CF700 | 7.6 L | 2 gal. | 18 x 12 x 3.5 | | CF703 | |
| CF701 | 32.2 L | 8-1/2 gal. | 26 x 18 x 6.0 | | CF697 | |
| CF702 | 13.2 L | 3-1/2 gal. | 18 x 12 x 6.0 | | CF703 | |
| CF704 | 62.9 L | 16-5/8 gal. | 26 x 18 x 12 | | CF697 | |

## DUR-X® FOOD BOX

- White polyethylene material is ideal for economical storage and transport applications
- Box features date control panel
- Helps reduce food spoilage costs
- Dishwasher and freezer safe
- FDA compliant
- HACCP Compliant
- NSF Certified
- BPA Free
- Lid sold separately

OP160

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Price /Each | Lids Model No. | Price /Each |
|---|---|---|---|---|---|---|
| OP160 | 7.6 L | 2 gal. | 18 x 12 x 3.5 | | OP163 | |
| OP162 | 13.2 L | 3-1/2 gal. | 18 x 12 x 6.0 | | OP163 | |
| OP158 | 18.9 L | 5 gal. | 18 x 12 x 9.0 | | OP163 | |
| OP159 | 18.9 L | 5 gal. | 26 x 18 x 3.5 | | OP157 | |
| OP161 | 32.2 L | 8-1/2 gal. | 26 x 18 x 6.0 | | OP157 | |
| OP155 | 47.3 L | 12-1/2 gal. | 26 x 18 x 9.0 | | OP157 | |
| OP166 | 62.9 L | 16-5/8 gal. | 26 x 18 x 12 | | OP157 | |
| OP156 | 81.4 L | 21-1/2 gal. | 26 x 18 x 15 | | OP157 | |

## CATERMAX™ 25 INSULATED CARRIER

- Easy to use handle, efficient to stack and store
- Durable plastic hardware is easy to clean
- Serpentine seal helps retain temperature
- Helps preserve food quality
- Accommodates 1/1, 1/2 and 1/3 U.S Size food pans

OP129

| Model No. | Capacity | Volume Capacity | Dimensions L" x W" x H" | Colour | Price /Each |
|---|---|---|---|---|---|
| OP129 | 21.8 L | 23 qt. | 29.5 x 19 x 10.6 | Black | |
| OP130 | 21.8 L | 23 qt. | 29.5 x 19 x 10.6 | Silver | |
| OP131 | 52 L | 55 qt. | 29.5 x 19 x 15.5 | Black | |
| OP132 | 52 L | 55 qt. | 29.5 x 19 x 15.5 | Silver | |
| OP133 | 89 L | 94 qt. | 18.8 x 26.8 x 33.6 | Black | |
| OP134 | 89 L | 94 qt. | 18.8 x 26.8 x 33.6 | Silver | |

## CYLINDRICAL TANKS

- Easy to clean and heavy-duty cylindrical tanks
- Ideal for mixing and storage of chemicals and food products
- Molded from 100% virgin LLDPE (linear low density polyethylene)
- Can remain full of liquids at room temperature without support
- An economical alternative to stainless steel tanks
- Naturally translucent so that the product level can be viewed at a glance
- Includes a lid
- Accepted for use in Canadian food processing facilities

CF795

CF794

TECHSTAR PLASTICS INC.

| Model No. | Mfg. No. | Capacity Gallons | Inside Diameter" | Depth" | Wall Thickness" | Tank Weight lbs. | Lid Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CF793 | 1635 | 25 | 16 | 35 | 3/16 | 8 | 1 | |
| CF794 | 2234 | 45 | 22.5 | 34 | 3/16 | 17 | 3 | |
| CF795* | 3048 | 125 | 30 | 48 | 1/4 | 38 | - | |

* Lid not included

## GREENSKEEPER® CONTAINER

- Ideal for washing, draining and storing produce
- Built-in reservoir lets water drain continuously
- Seamless construction is easy to clean
- FDA compliant
- HACCP Compliant
- Includes dolly and lid

JD984

Rubbermaid Commercial Products

| Model No. | Capacity | Volume Capacity | Dimensions Height x Diameter | Price /Each |
|---|---|---|---|---|
| JD984 | 75.7 L | 20 gal. | 33.5" x 22.5" | |
| JD985 | 121.1 L | 32 gal. | 38.35" x 25" | |

## GENERAL PURPOSE PAILS

- Snap on lids available: **Dry seal type** or **gasket type** for liquid handling
- Galvanized steel handles except Model **CB040**
- Lids sold separately

ROPAK

| Model No. | Description | Dimensions Dia" x W" | Lid Type | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| CONTAINERS | | | | | |
| CB040 | 4-L pail w/plastic handle | 8 1/4 x 6 | - | 0.5 | |
| CB043 | 11.4-L pail w/metal handle | 11 x 9 | - | 1.1 | |
| CB046 | 20-L pail w/metal handle | 11 7/8 x 15 3/8 | - | 2.0 | |
| LIDS | | | | | |
| CB039 | Lid for pails 4, 5, 6 L w/static joint | 8 1/2 x 1/2 | Gasket | 0.2 | |
| CB041 | Lid for pails 11.4 L w/o static joint | 11 3/8 x 5/8 | Dry Seal | 0.3 | |
| CC426 | Lid for 20-L pail | 12 1/2 x 5/8 | Dry Seal | 0.4 | |
| CB045 | Heavy-duty lid for 20 and 23-L pails w/pouring spout | 12 1/8 x 3/4 | Gasket | 0.6 | |

## MOBILE INGREDIENT BINS

- Provide storage, protection and easy movement of all your ingredients with a hinged lid
- Smooth inside surface for easy cleaning
- 3" heavy-duty casters (two fixed, two swivel) provide both stability and manœuvrability
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

TECHSTAR PLASTICS INC.

| Model No. | Capacity Cu. ft. | Capacity Imperial Gal. | Outside Dimensions L" x W" x H" | Lid | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| NG953 | 3.36 | 21 | 29 x 12.25 x 27 | Hinged | 20 | |
| NG954 | 4.4 | 28 | 29 x 15 x 27 | Hinged | 25 | |
| NG955 | 6 | 45 | 33 x 19 x 29 | Sliding | 35 | |

## PROSAVE™ MOBILE INGREDIENT BINS WITH 32-OZ. SCOOP

- Seamless construction, rounded corners and smooth walls make these bins easy to clean and bacteria free
- Clear, see-through lid with slide-back feature ideal for placing bin under counters
- Includes a scoop hook allowing scoop to be stored in bin and out of product, an ideal solution where cross contamination is a concern, and a 32-oz scoop
- USDA meat and poultry listed
- NSF Certified
- Made of FDA compliant materials

Rubbermaid Commercial Products

| Model No. | Description | Capacity Cu. ft. | Dimensions L" x W" x H" | Price /Each |
|---|---|---|---|---|
| CA616 | Slant front | 2 3/4 | 29.25 x 13.13 x 28 | |
| CA617 | Slant front | 3 1/2 | 29.50 x 15.50 x 28 | |
| CA618 | Slant front | 4 1/8 | 29.75 x 18 x 28 | |
| CC425 | Flat front | 3 3/4 | 22 x 23 x 23 | |

## ROUND STORAGE CONTAINERS

- Large ergonomic pull-tab lids makes for easy opening
- Double seal lids help minimize leaking, spoilage and spills
- Dishwasher safe, durable plastic construction
- Ergonomic, easy-grip handles for comfort and control
- Lids sold separately

Rubbermaid Commercial Products

CONTAINERS

| Model No. White | Model No. Clear | Description | Capacity | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| CB583 | CB584 | Round storage container | 2 qt/1.89 L | 0.35 | |
| CB585 | CB586 | Round storage container | 4 qt/3.79 L | 0.58 | |
| CB587 | CB588 | Round storage container | 6 qt/5.68 L | 0.73 | |
| CB589 | CB590 | Round storage container | 8 qt/7.57 L | 0.85 | |
| CB591 | CB592 | Round storage container | 12 qt/11.36 L | 1.25 | |
| CB593 | CB594 | Round storage container | 18 qt/17.03 L | 1.8 | |
| CB599 | CB600 | Round storage container | 22 qt/20.82 L | 2.4 | |

LIDS

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| CB595 | Bright yellow lid, fits **CB583**, **CB584**, **CB585**, **CB586** | 0.22 | |
| CB596 | Bright yellow lid, fits **CB587**, **CB588** **CB589**, **CB590** | 0.28 | |
| CB597 | Bright yellow lid, fits all other containers | 1 | |

# FOOD APPROVED CONTAINERS

## NARROW-MOUTH BOTTLES

NALGENE®

- These sturdy all-purpose bottles offer a large variety of uses
- Guaranteed leakproof
- Max temp.: 120°C/ 248°F
- Min.Temp.: -100°C/-148°F
- Lid included

| Model No. | Size | Price /Each |
|---|---|---|
| HA887 | 1/4 oz. | |
| HA888 | 1/2 oz. | |
| HA881 | 1 oz. | |
| HA882 | 2 oz. | |
| HA883 | 4 oz. | |
| HA884 | 8 oz. | |
| HA885 | 16 oz. | |
| HA886 | 32 oz. | |
| DROP DISPENSERS | | |
| HB233 | 1/2 oz. | |
| HB234 | 1 oz. | |
| HB235 | 2 oz. | |

## WIDE-MOUTH BOTTLES

- The larger Nalgene® wide-mouth bottles are great for almost anything
- Guaranteed leakproof
- Max. temp.: 120°C/248°F
- Lid included

NALGENE®

| Model No. | Size | Price /Each |
|---|---|---|
| HB005 | 1 oz. | |
| HB006 | 2 oz. | |
| HB007 | 4 oz. | |
| HB008 | 8 oz. | |
| HC678 | 16 oz. | |
| HC679 | 32 oz. | |
| HB037 | 1/2 gal. | |
| HB038 | 1 gal. | |

## ONE GALLON SQUARE BOTTLES

- Heavy-duty walls will not puncture or split under rough conditions
- This 1 gallon leakproof bottle is perfect for solids, powders or liquids
- The convenient wide mouth and handgrips make it easy to fill and pour contents
- Lid included

**Model No. HB039**
**Price/Each $**

NALGENE®

## STRAIGHT-SIDED JARS

- These attractive canister-style jars are ideal for a wide variety of uses
- These jars lock out moisture to help preserve freshness
- Stackable and impact resistant
- Not recommended for liquid storage
- Max temp.: 135°C/275°F
- Min. temp.: -135°C/-211°F
- Lid included

NALGENE®

| Model No. | Size | Price /Each |
|---|---|---|
| HB025 | 1 oz. | |
| HB026 | 2 oz. | |
| HB027 | 4 oz. | |
| HB028 | 8 oz. | |
| HB029 | 16 oz. | |
| HB030 | 32 oz. | |

## EASY-GRIP SPACE-SAVER BOTTLES RECTANGULAR & SQUARE

**PERFECT FOR SOLIDS, POWDERS OR LIQUIDS!**

- Heavy-duty walls will not puncture or split under rough conditions
- Perfect for solids, powders or liquids
- Guaranteed leakproof
- Max Temp.: 120°C/248°F
- Min. Temp.: -100°C/-148°F
- Lid included




NALGENE®

| Model No. | Size | Price /Each |
|---|---|---|
| RECTANGULAR | | |
| HA902 | 4 oz. | |
| HA903 | 8 oz. | |
| HA904 | 16 oz. | |
| HA905 | 32 oz. | |
| HA906 | 64 oz. | |
| SQUARE | | |
| HB014 | 2 oz. | |
| HB015 | 6 oz. | |
| HB016 | 8 oz. | |
| HB017 | 16 oz. | |
| HB018 | 32 oz. | |

## SAMPLE JARS

- Excellent for storing dry materials, medicines, first aid supplies and spare parts for equipment
- Friction fit snap caps

NALGENE®

| Model No. | Size" | Price /Each |
|---|---|---|
| HD015 | 1 x 1 1/3 | |

# ROTABIN STORAGE UNITS

- Revolving units allow for greater accessibility and visibility
- Shelves sit securely on ball bearings held with a solid steel pin
- Each shelf rotates smoothly and independently

**TO ORDER:**

1) Measure available floor space to determine Rotabin shelf diameter that will not intrude on aisles.
2) Determine number of Rotabin shelves required by matching the unit height with the available storage height.
3) Select the appropriate Rotabin unit: 17", 28", 34", 44" or 58" diameter units

### 28" DIAMETER

- 6 permanent 14 1/2" wide compartments per shelf
- Model **CA221** dividers can be inserted on 1" centres
- Capacity: 500 lbs. per shelf

### 34" DIAMETER

- 5 permanent 21" wide compartments per shelf
- Optional removable pans for 34" diameter units allow for easy parts inventory, restocking, transporting to work area or to get weighted
- Capacity: 500 lbs. per shelf

DURHAM MFG®
Est. 1922

| Model No. | No. of Shelves | No of Pans* | Unit Height" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| UNIT ONLY 28" (PANS NOT AVAILABLE) | | | | | |
| **CA193** | 5 | - | 38 | 125 | |
| **CA194** | 6 | - | 41 | 144 | |
| **CA195** | 7 | - | 47 | 163 | |
| **CA196** | 8 | - | 53 | 182 | |
| **CA197** | 9 | - | 60 | 201 | |
| **CA198** | 10 | - | 66 | 220 | |
| UNIT ONLY 34" (PANS NOT INCLUDED) | | | | | |
| **CA225** | 4 | 60 | 35 | 135 | |
| **CA226** | 5 | 75 | 43 | 162 | |
| **CA227** | 6 | 90 | 50 | 188 | |
| **CA228** | 7 | 105 | 66 | 215 | |
| **CA229** | 8 | 120 | 66 | 240 | |
| GREY PANS FOR 34" UNIT | | | | | |
| **CA258** | - | - | - | - | |

*Max number of Pans (Pans Not included)

**CA229**

### 44" & 58" DIAMETER

- Designed for storage of larger quantities of small parts or fasteners, or heavier parts
- Scoop compartment design is manufactured from one piece of heavy gauge steel, with dividers welded in place
- 44" diameter units have 5 compartments per shelf, with a 625-lb. capacity each shelf
- 58" diameter units have 10 compartments per shelf, with a 2000 lbs. capacity each shelf
- Grey enamel finish

**CA273**

| Model No. | No. of Shelves | Unit Height" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| 44" DIAMETER | | | | |
| **CA262** | 3 | 34 | 154 | |
| **CA263** | 4 | 45 | 196 | |
| **CA264** | 5 | 56 | 238 | |
| **CA265** | 6 | 67 | 284 | |
| **58" DIAMETER** | | | | |
| **CA273** | 5 | 66 | 563 | |

### 17" DIAMETER

- Can be used on counter tops or workbenches
- Each shelf has 4 permanent compartments
- Can have up to 16 compartments per shelf using model **CA192** adjustable dividers
- Curved bottom facilitates removal of small parts

**CA188**

| Model No. | No. of Shelves | Unit Height" | Wt. Capacity per Shelf lbs. | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| **CA188** | 4 | 18 1/2 | 60 | 25 | |
| **CA189** | 6 | 26 1/8 | 60 | 34 | |
| **CA190** | 8 | 34 1/2 | 60 | 43 | |
| **CA191** | 10 | 42 1/8 | 60 | 52 | |

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **CA192** | Adjustable Divider | 0.02 | |

# MULTI-PURPOSE BINS

- Removable vertical dividers allow creation of multi-width compartments
- Scoop shelves allow contents to be removed easily
- Keyhole slots provide for wall mounting
- 36 bins (3 7/8" W x 4 5/8" D x 3 3/4" H)
- 23 3/4" W x 4 3/4" D x 23 3/4" H
- Weight: 25 lbs.
- Powder coat grey finish

**Model No. CA161**
**Price/Each $**

## STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model CF323) and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

### KPC-HD HEAVY-DUTY PARTS CABINETS

- Drawer size: 6.5" W x 14.8" D x 4.1" H
- Heavy-duty ABS beige drawers
- Heavy-duty steel shelves provide extra durability

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CF323 | 30 | 34.6 x 15.7 x 34.6 | 119 | |

**REPLACEMENT PARTS**

| Model No. | Description | Price /Each |
|---|---|---|
| CF324 | Drawer | |
| CF546 | Black Divider | |
| CF343 | Label Cover | |
| CF344 | Label | |

CF323

CF285

CF284

### KPC-100 PARTS CABINETS

- Drawer size: 6.4" W x 11.3" D x 2.7" H
- Heavy-duty ABS beige drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CF283 | 12 | 23 x 11.4 x 13.8 | 28 | |
| CF284 | 24 | 23 x 11.4 x 25.2 | 47 | |
| CF285 | 36 | 23 x 11.4 x 36.9 | 60 | |

**REPLACEMENT PARTS**

| Model No. | Description | Price /Each |
|---|---|---|
| CF286 | Drawer | |
| CF545 | Black Divider | |
| CF287 | Clear Divider | |
| CF341 | Label Cover | |
| CC310 | Label | |

CF283

### KPC-200 PARTS CABINETS

- Drawer size: 5.9" W x 9.8" D x 3.3" H
- Heavy-duty ABS beige drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CA889 | 30 | 21.3 x 10.4 x 36.9 | 58 | |

**REPLACEMENT PARTS**

| Model No. | Description | Price /Each |
|---|---|---|
| CF481 | Drawer | |
| CF548 | Black Divider | |
| CF341 | Label Cover | |
| CC310 | Label | |

CA889

# STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model **CF323**) and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

## KPC-300 PARTS CABINETS

- Drawer size: 5.9" W x 9.8" D x 1.6" H
- Clear polystyrene drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **CF293** | 18 | 21.3 x 10.4 x 12.2 | 25 | |
| **CF289** | 24 | 14.3 x 10.4 x 22.5 | 32 | |
| **CA890** | 60 | 21.3 x 10.4 x 36.9 | 60 | |

### REPLACEMENT PARTS

| Model No. | Description | Price /Each |
|---|---|---|
| **CB984** | Drawer | |
| **CF549** | Black Divider | |
| **CF024** | Label Cover | |
| **CF340** | Label | |

## KPC-400 PARTS CABINETS

- Drawer size: 4.7" W x 8.6" D x 2.7" H
- Heavy-duty ABS beige drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **CF298** | 16 | 23.1 x 8.7 x 13.8 | 24 | |
| **CA891** | 24 | 17.3 x 8.7 x 25.6 | 33 | |
| **CA892** | 48 | 22.6 x 8.7 x 36.9 | 58 | |
| **CD440*** | 48 | 22.6 x 10.8 x 36.9 | 66.8 | |

* Comes with locking door

### REPLACEMENT PARTS

| Model No. | Description | Price /Each |
|---|---|---|
| **CB985** | Drawer | |
| **CF550** | Black Divider | |
| **CC309** | Clear Divider | |
| **CF341** | Label Cover | |
| **CC310** | Label | |

## KPC-500 PARTS CABINETS

- Drawer size: 3.5" W x 8.6" D x 2.7" H
- Clear polystyrene drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **CF305** | 16 | 18.3 x 8.7 x 13.8 | 21 | |
| **CF304** | 15 | 13.9 x 8.7 x 16.3 | 22 | |
| **CF306** | 20 | 23.1 x 8.7 x 13.8 | 27 | |
| **CC453** | 32 | 18.1 x 8.7 x 25.6 | 31 | |
| **CC454** | 60 | 22.6 x 8.7 x 36.9 | 68 | |

### REPLACEMENT PARTS

| Model No. | Description | Price /Each |
|---|---|---|
| **CC455** | Drawer | |
| **CF551** | Black Divider | |
| **CF341** | Label Cover | |
| **CC310** | Label | |

## STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

### KPC-600 PARTS CABINETS

- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CF311 | 18 | 13.9 x 8.7 x 16.3 | 19 | |
| CF312 | 20 | 18.3 x 8.7 x 13.8 | 21 | |
| CF313 | 25 | 23.1 x 8.7 x 13.8 | 27 | |
| CF314 | 40 | 18.3 x 8.7 x 25.3 | 40 | |
| CF315 | 75 | 23.1 x 8.7 x 36.9 | 66 | |

### REPLACEMENT PARTS

| Model No. | Description | Price /Each |
|---|---|---|
| CF316 | Drawer | |
| CF552 | Black Divider | |
| CF341 | Label Cover | |
| CC310 | Label | |

### KPC-700 PARTS CABINETS

- Drawer size: 4.7" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

| Model No. | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CF318 | 20 | 23.1 x 8.7 x 13.6 | 25 | |
| CF319 | 30 | 17.5 x 8.7 x 25.3 | 40 | |
| CF320 | 60 | 23.1 x 8.7 x 36.9 | 71 | |

### REPLACEMENT PARTS

| Model No. | Description | Price /Each |
|---|---|---|
| CF321 | Drawer | |
| CF553 | Black Divider | |
| CF341 | Label Cover | |
| CC310 | Label | |

CF315

CF314

CF312 CF311 CF313

CF320

CF318 CF319

## HEAVY-DUTY INDUSTRIAL CAROUSEL DRAWER CABINETS

- Create your customized carousel cabinet
- Each level accommodates 4 parts cabinets with same height
- For a multiple tier cabinet (maximum 3 tiers), you require add-on-shelves and threaded rods as per the following: 1 add-on-shelf model **CF402** for each level of cabinets 14" rod required for each level of **CF312** or **CF305** cabinets 25" rod required for each level of **CC453** or **CF314** cabinets
- Rotational base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- Durable Kleton grey enamel finish

| Model No. | Description | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **3 TIER CABINETS KITS** | | | | |
| CF405 | 192 Drawers | 18.3 x 8.7 x 48 | 392 | |
| CF406 | 240 Drawers | 18.3 x 8.7 x 48 | 407 | |
| CF407 | 384 Drawers | 18.3 x 8.7 x 80 | 497 | |
| CF408 | 480 Drawers | 18.3 x 8.7 x 80 | 600 | |
| **COMPONENTS** | | | | |
| CF401 | Base and Top Cover | 27.5 x 27.5 x 4 | 80 | |
| CF402 | Add-on Shelf | 27.5 x 27.5 x 1 | 18 | |
| CF403 | Threaded Rod - 14" | 0.375 x - x 14 | 1 | |
| CF404 | Threaded Rod - 25" | 0.375 x - x 25 | 1.5 | |
| CF305 | Parts Cabinet - 16 Drawers | 18.3 x 8.7 x 14 | 21 | |
| CF312 | Parts Cabinet - 20 Drawers | 18.3 x 8.7 x 14 | 21 | |
| CC453 | Parts Cabinet - 32 Drawers | 18.3 x 8.7 x 25 | 31 | |
| CF314 | Parts Cabinet - 40 Drawers | 18.3 x 8.7 x 25 | 40 | |

CF408

**Includes:**
Qty: 12 - **CF314** - Cabinet - 40 drawers
Qty: 1 - **CF401** - Base and Top Cover
Qty: 2 - **CF404** - Threaded Rod 25"
Qty: 2 - **CF042** - Add-on Shelf

## CAROUSEL DRAWER CABINETS

- Designed to utilise open and often unused areas such as corners
- Optional turntable can be used to create a rotary carousel unit providing convenience for accessing small parts storage
- All-welded cabinets include clear drawers, dividers and labels
- Cabinet overall dimension: 12" W x 5 3/4" D x 22" H
- Blue enamel finish
- Turntable **CA912** may be set up with up to 3 levels of 4 cabinets per level

CA869

CA867

CA868

CA870

**CA912 - Turntable Base**
**Turnable unit shown with 12 CA870 cabinets (sold separately)**

| Model No. | No. of Drawers | Drawer Model No. | Drawer Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **CA870** | 60 | **CD441** | 2 | x | 5 5/16 | x | 1 3/8 | 10.7 | |
| **CA869** | 48 | **CD442** | 2 1/2 | x | 5 5/16 | x | 1 3/8 | 10.7 | |
| **CA868** | 30 | 24 x **CD442** | 2 1/2 | x | 5 5/16 | x | 1 3/8 | 10.7 | |
| | | 4 x **CD443** | 5 5/16 | x | 5 5/16 | x | 2 1/4 | - | - |
| | | 2x **CD444** | 11 | x | 5 5/16 | x | 2 1/4 | - | - |
| **CA867** | 16 | **CD443** | 5 5/16 | x | 5 5/16 | x | 2 1/4 | 10.3 | |
| **CA912** | - | 3 Tier (Turntable Unit Only) | | | | | | 40.0 | |

## HEAVY-DUTY DRAWER CABINETS

- Heavy-duty parts cabinets feature break resistant high impact clear plastic "scoop" drawers for easy removal of small parts, with two adjustable compartment dividers
- Drawers measure 2 7/8" W x 5 1/2" D x 1 7/8" H each
- Welded steel cabinets are finished in grey powder coat

DURHAM MFG® Est. 1922

CA898

CA899

| Model No. | No. of Drawers | Cabinet Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CA899** | 64 | 25 1/2 | x | 6 1/2 | x | 21 3/4 | 34 | |
| **CA898** | 20 | 16 1/2 | x | 6 1/2 | x | 11 1/4 | 12 | |

# SMALL PARTS STORAGE

## ADD-A-DRAWER®

- Grey plastic drawer modules with clear windows simply slide and lock onto each other
- Can be stacked both horizontally and vertically
- Allows you to create a customized drawer cabinet
- Add on one or more units as more storage capacity is required
- Dividers and labels included

**Customize Your Drawer Cabinet!**

**CA841**
Shown with 2 units

**CA877**

**CD234**

**CA844**
Shown with 2 units

**CA842**
Shown with 2 units

**CD235**

| Model No. | Colour | No. of Drawers | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **DRAWER MODULES** | | | | | |
| **CA840** | Grey | 2 | 5 x 5 x 2 | 0.88 | |
| **CA841** | Grey | 1 | 2 1/2 x 5 x 2 | 0.20 | |
| **CA842** | Grey | 1 | 4 1/2 x 10 x 2 1/2 | 1.00 | |
| **CA844** | Grey | 1 | 5 x 5 x 2 | 0.20 | |
| **CA843** | Blue | 4 | 3 x 6 x 5 3/4 | 1.0 | |
| **CA845** | Blue | 2 | 6 x 6 x 3 | 1.0 | |
| **CA846** | Blue | 1 | 6 x 6 x 3 | 1.0 | |
| **CABINET KITS** | | | | | |
| **CA877** | Blue | 32 | 12 x 6 x 10 1/2 | 8.0 | |
| **CD234** | Grey | 4 | 4 1/2 x 10 1/2 x 10 | 4 | |
| **CD235** | Grey | 42 | 15 x 5 x 16 | 15.5 | |

## MODULAR PARTS CABINETS

- Organise and control small parts inventory
- Standard cabinets come with light grey polystyrene drawers
- Transparent windows on drawer fronts
- Label holder on drawer pull allows for instant identification
- Comes with two removable dividers per drawer
- Stackable steel cabinet frames finished in grey baked enamel
- Dimensions: 17" W x 11" D x 11" H

**CA854**

**CA853**

**CA856**

**CA857**

**CA858**

AKRO-MILS® CANADA

| Model No. | Mfg. No. | No. of Drawers | Drawer Dimensions W" x D" x H" | Wt. lbs. | Price /Each | Dividers Model No. | Price /Each | Replacement Drawers Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **CA853** | 19228 | 28 | 2 3/16 x 10 9/16 x 2 1/16 | 24 | | **CB126** | | **CA859** | |
| **CA854** | 19320 | 20 | 3 3/16 x 10 9/16 x 2 1/16 | 21 | | **N/A** | - | **CC143** | |
| **CA856** | 19416 | 16 | 4 x 10 9/16 x 2 1/8 | 20 | | **CA878** | | **CA860** | |
| **CA857** | 19715 | 15 | 3 3/16 x 10 9/16 x 3 1/16 | 20 | | **CA880** | | **CA863** | |
| **CA858** | 19909 | 9 | 5 3/16 x 10 9/16 x 3 1/16 | 18 | | **CA882** | | **CA865** | |

# COMPACT POLYPROPYLENE COMPARTMENT BOXES

- High strength, oil resistant polypropylene, boxes with covers fitted with heavy-duty reinforced hinges
- Hinges have a special "stop" feature which allows the cover to remain in open position
- Covers overlap on all sides of the bottom tray
- Two snap latches assure secure closure
- Stackable

### COMPARTMENT BOX CABINETS

- All steel grey powder coat cabinet holds five plastic compartment boxes
- Bolt holes permit stacking and keyhole slots are furnished for wall mounting
- Convenient carry handle

DURHAM MFG® Est. 1922




| Model No. | Overall Dimensions W" x D" x H" | No. of Compartments | Compartment Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| CB513 | 11 x 6 3/4 x 1 3/4 | 6 | 1 3/4 x 6 1/4 x 1 9/16 | 0.7 | |
| CB509 | 11 x 6 3/4 x 1 3/4 | 12 | 1 3/4 x 3 1/8 x 1 9/16 | 0.7 | |
| CB511 | 11 x 6 3/4 x 1 3/4 | 18 | 1 3/4 x 2 1/16 x 1 9/16 | 0.7 | |
| CB507 | 13 1/8 x 9 x 2 5/16 | 6 | 2 x 8 1/2 x 2 | 0.8 | |
| CB501 | 13 1/8 x 9 x 2 5/16 | 12 | 2 x 4 3/32 x 2 | 0.8 | |
| CB503 | 13 1/8 x 9 x 2 5/16 | 18 | 2 x (6) 4 3/4 (12) 2 x 2 | 0.8 | |
| CB505 | 13 1/8 x 9 x 2 5/16 | 24 | 2 x 2 x 2 | 0.8 | |

### COMPARTMENT BOX RACKS

| Model No. | Description | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CB631 | Small Box Rack | 11 1/4 x 6 3/4 x 10 3/4 | 7 | |
| CB632 | Large Box Rack | 13 1/2 x 9 1/8 x 13 1/4 | 11 | |

# COMPARTMENT CASE

- High strength, high quality polypropylene case
- Translucent lid allows for quick view of contents
- Snap latch ensures a secure closure
- Removable dividers allow for different configurations

auroratools®

| Model No. | Overall Dimensions W" x D" x H" | No. of Compartments | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| CF333 | 10 3/4 x 5 3/8 x 1 1/2 | Variable up to 17 | 0.7 | |
| TLZ117 | 5 3/8 x 5 3/8 x 1 3/8 | Variable up to 9 | 0.3 | |

# LARGE CASES

**18 1/2" L X 13" W**

- Large "Super Satchel" organise tool cribs, maintenance departments, shop floors and allow complete portability
- See-through lids allow quick identification of contents
- Brass pinned hinges provide strength and durability
- Molded integral feet, making ideal presentation cases

Flambeau®

A: 18 1/2"
B: 13"
C: 3"
D: 3"
E: 4"
F: 2 7/8"



**Model No. CB496**

24 compartments
Weight: 3.5 lbs.
**Price/Each $**

A: 18 1/2"
B: 13"
C: 3"
D: 2 15/16"
E: 2 1/8"



**Model No. CB497**

8 to 32 compartments
24 partitions provided
Weight: 3.5 lbs.
**Price/Each $**

# SMALL CASES

**15" L X 11 3/4" W**

- Small "Satchel" store and organise large, medium, small and flat parts, removable partitions
- See-through lids allow quick identification of contents
- Brass pinned hinges provide strength and durability
- Divided style (**CB499**) or double case (**CB500**) with two cases sonically welded back to back
- Can be stored flat or upright

Flambeau®

A: 15"
B: 2"
C: 3 1/8"
D: 2 1/8"
E: 2"
F: 11 3/4"
G: 2 1/2"



**Model No. CB499**

9 to 24 compartments
Weight: 2.9 lbs.
**Price/Each $**

A: 15"
B: 2"
C: 3 1/8"
D: 2 1/8"
E: 2"
F: 11 3/4"
G: 5"



**Model No. CB500**

18 to 48 compartments
Weight: 5.8 lbs.
**Price/Each $**

## COMPARTMENT STEEL SCOOP BOXES

- Manufactured of prime cold rolled steel
- Choose from between 8 to 32 fixed compartment boxes
- Small box dimension: 13 3/8" x 9 1/4" x 2"
- Large box dimension: 18" x 12" x 3"
- Durable polypropylene plastic dividers have rounded scoops, making it easy to remove small parts
- Finished in rust and acid resistant grey powder coat
- All models have covers designed to stay open
- See chart below for drawer configurations

DURHAM MFG® Est. 1922

**FIXED COMPARTMENT CONFIGURATIONS, ORDER BY NUMBER OF COMPARTMENTS**




| | LARGE BOXES 18" X 12" X 3" | | | SMALL BOXES 13 1/4" X 9 1/4" X 2" | | |
|---|---|---|---|---|---|---|
| Number of Compartments | Model No. | Wt. lbs. | Price /Each | Model No. | Wt. lbs. | Price /Each |
| 8 | - | - | - | **CB032** | 4 | |
| 12 | **CA986** | 8 | | **CB015** | 4 | |
| 16 | **CA989** | 8 | | **CB017** | 4 | |
| 20 | **CA992** | 8 | | **CB023** | 4 | |
| 21 | **CA995** | 8 | | **CB026** | 4 | |
| 24 | **CA997** | 8 | | **CB029** | 4 | |
| 32 | **CB002** | 8 | | - | - | - |

## COMPARTMENT BOX CABINETS

- Carriages extend 100% of the boxes depth for easy access to parts
- May be mounted on a raised base
- Available for both small and large box sizes
- Boxes and cabinet are sold separately
- Optional locking hinge prevents boxes from sliding out during transport
- Stackable up to three units high

DURHAM MFG® Est. 1922

**CA965**
Cabinet and boxes sold separately

| Model No. | Dimensions W" | x | D" | x | H" | For Box | Box Capacity | Cradle Cap. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **CA963** | 20 | x | 15 3/4 | x | 8 1/8 | Large | 2 | 40 | |
| **CA965** | 20 | x | 15 3/4 | x | 15 | Large | 4 | 40 | |
| **FI361*** | 20 | x | 15 3/4 | x | 15 | Large | 4 | 75 | |
| **CA972** | 15 1/4 | x | 11 3/4 | x | 11 1/4 | Small | 4 | 30 | |
| **CA975** | 15 1/4 | x | 11 3/4 | x | 16 3/8 | Small | 6 | 30 | |
| **CB037** | Optional Locking Hinge for **CA972** | | | | | - | - | - | |
| **CB038** | Optional Locking Hinge for **CA965**, **FI361** and **CA975** | | | | | - | - | - | |

*Heavy-duty

## ADJUSTABLE COMPARTMENT BOXES

- Adjustable compartments provide the added flexibility of arranging your boxes according to your changing needs
- Removable dividers can be "slotted" into place or removed altogether

DURHAM MFG® Est. 1922

| Model No. | Dimensions W" | x | D" | x | H" | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CA977** | 18 | x | 12 | x | 3 | Large | 8 | |
| **CA979** | 13 3/8 | x | 9 1/4 | x | 2 | Small | 4 | |

## CABINET BASES

- Cabinet bases raise your cabinet/box combination 12" off of the floor or workbench
- Models are available to adapt to both small and large box size cabinets

DURHAM MFG® Est. 1922

| Model No. | Overall Dimensions W" | x | D" | x | H" | For Box | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CA980** | 20 3/8 | x | 16 | x | 15 1/8 | Large | 13 | |
| **CA983** | 15 1/2 | x | 12 1/8 | x | 15 1/8 | Small | 12 | |

## HEAVY-DUTY TILT BINS

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and Grey

CF473

CF472

CF471

CF474

KLETON

| Model No. | No. of Drawers | Bin Dimensions W" | x | D" | x | H" | Cabinet Dimensions W" | x | D" | x | H" | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CF471** | 8 | 2 3/4 | x | 3 1/4 | x | 3 5/8 | 11 3/4 | x | 2 3/4 | x | 7 7/8 | |
| **CF472** | 6 | 3 11/16 | x | 4 | x | 4 5/8 | 11 3/4 | x | 3 1/2 | x | 9 3/4 | |
| **CF473** | 5 | 4 1/2 | x | 4 7/8 | x | 5 1/2 | 23 1/2 | x | 4 | x | 5 7/8 | |
| **CF474** | 4 | 5 5/8 | x | 6 3/8 | x | 7 1/2 | 23 1/2 | x | 5 1/2 | x | 7 7/8 | |

## MOBILE TILT BIN RACKS

- Heavy-duty steel frame
- Durable powder coat paint finish on galvanized steel
- 3" swivel casters with brake
- Single or double sided use
- Overall dimensions: 26 1/4" W x 22" D x 57 1/2" H
- Colour: Grey

**SEE PLASTIC BINS FOR CF502 MOUNTING CHANNEL ON PAGES 4-6**

### MOUNTING CHANNEL CF476 FOR MOBILE TILT BIN RACK

- Takes up to six mounting channels per side
- **CF473** tilt bins take up to eight mounting channels per side
- **CF471** and **CF472** take 2 bin units per level per side

KLETON

| Model No. | Description | Bin Units Included | Price/Each |
|---|---|---|---|
| **CF477** | Single Sided | 2 of each **CF471**, **CF472**, **CF473**, **CF474** | |
| **CF478** | Double Sided | 4 of each **CF471**, **CF472**, **CF473**, **CF474** | |
| **CF475** | Cart Only* | - | |
| **CF476** | Mounting Channel for Heavy-Duty Tilt Bins | - | |
| **CF502** | Mounting Channel for Plastic Bins | - | |

* Mounting channels and bins not included

## TIP-OUT™ BIN MODULAR STORAGE SYSTEMS

- Each bin has a slot for labeling
- Bins can be completely removed for replenishing or cleaning
- Uniform widths of 23.6" (for units of 2 to 9 bins)
- Can be used free-standing or with stands and pedestals
- Transparent compartments tip out for easy access and viewing
- Colour: Beige or Grey

QUANTUM™ STORAGE SYSTEMS

**CB540**

3 bins

**CB546**

5 bins

**CB549**

6 bins

**CB543**

4 bins

**CB552**

9 bins

**CB976**

1 bin

**CB978**



2 bins

### TILT BINS

| Model No. Beige | Grey | Mfg. No. | Bin Dimensions W" | x | D" | x | H" | Cabinet Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CB552 | CB553 | QTB309 | 2 3/16 | x | 1 3/4 | x | 2 1/2 | 23 5/8 | x | 2 1/2 | x | 3 1/8 | 2.0 | |
| CB549 | CB550 | QTB306 | 3 1/2 | x | 2 5/8 | x | 3 3/4 | 23 5/8 | x | 3 5/8 | x | 4 1/2 | 3.0 | |
| CB546 | CB547 | QTB305 | 4 1/4 | x | 3 3/4 | x | 5 3/4 | 23 5/8 | x | 5 1/4 | x | 6 1/2 | 5.0 | |
| CB543 | CB544 | QTB304 | 5 5/8 | x | 5 | x | 7 1/2 | 23 5/8 | x | 6 5/8 | x | 8 1/8 | 7.0 | |
| CB540 | CB541 | QTB303 | 7 3/8 | x | 5 7/8 | x | 8 5/8 | 23 5/8 | x | 7 3/4 | x | 9 1/2 | 9.0 | |
| CB977 | CB978 | QTB302 | 11 1/16 | x | 8 7/8 | x | 13 5/8 | 23 5/8 | x | 11 7/8 | x | 13 7/8 | 14 | |
| CB975 | CB976 | QTB301 | 11 1/16 | x | 8 7/8 | x | 13 5/8 | 11 3/16 | x | 11 7/8 | x | 13 7/8 | 7 | |
| CB573 | Two discs and two screws set (1 needed for each bin) | | | | | | | | | | | | | |

## TIP OUT™ FRAMES

Assembly Required

QUANTUM™ STORAGE SYSTEMS

CB562

CB563

CB565

CB952

CB953

**FRAME ONLY: BINS NOT INCLUDED**

| Model No. | Description | Dimensions W" | x | D" | x | H" | Bin Quantity Table QTB Series Bins 302 | 303 | 304 | 305 | 306 | 309 | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FLOOR STANDS | | | | | | | | | | | | | |
| CB562 | 48" 1 Sided | 23 5/8 | x | 8 | x | 52 | 3 | 5 | 6 | 7 | 11 | 16 | |
| CB563 | 70" 1 Sided | 23 5/8 | x | 8 | x | 75 | 5 | 7 | 8 | 10 | 15 | 23 | |
| CB565 | 48" 2 Sided | 23 5/8 | x | 16 | x | 52 | 6 | 10 | 12 | 14 | 22 | 32 | |
| CB568 | 70" 2 Sided | 23 5/8 | x | 16 | x | 75 | 10 | 14 | 16 | 20 | 30 | 46 | |
| MOBILE FLOOR STANDS | | | | | | | | | | | | | |
| CB952 | 48" 2 Sided | 23 5/8 | x | 16 | x | 52 | 6 | 10 | 12 | 14 | 22 | 32 | |
| CB953 | 70" 2 Sided | 23 5/8 | x | 16 | x | 75 | 10 | 14 | 16 | 20 | 30 | 46 | |
| WALL FRAMES | | | | | | | | | | | | | |
| CB559 | 48" | | | | | | 3 | 5 | 6 | 7 | 11 | 16 | |
| CB561 | 70" | | | | | | 5 | 7 | 8 | 10 | 15 | 23 | |
| CB573* | Disc & Screw Set (2 disks/2 screws) | | | | | | | | | | | | |

*Disc & screw set required for each bin cabinet to be mounted on a frame

# SECTIONAL STACKBINS®

### A. SECTIONAL STACKBIN® UNITS

An economical alternative to standard Stackbins®, as individual compartments are created from a standard 37" wide unit divided by welded steel partitions. Each unit may be stacked on a larger, or similar sized unit, with covers, bases, and filler strips available to complete the unit (as shown).

### B. TRUCKS

Available to mobilise your sectional Stackbin® units. Standard blue baked enamel finish for all component

**A. Shown with base (sold separatly)**

**B. Shown with stack bins (not included)**

STACKBIN®

| Model No. | Dimensions W" | x | D" | x | H" | Bins in Section | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **A. SECTIONAL STACKBINS®** | | | | | | | | |
| **CA786*** | 37 | x | 8 | x | 4 1/2 | 8 | 11.0 | |
| **CA787*** | 37 | x | 12 | x | 4 1/2 | 6 | 13.8 | |
| **CA788** | 37 | x | 15 1/2 | x | 6 | 5 | 20.0 | |
| **CA789** | 37 | x | 18 3/4 | x | 7 1/2 | 4 | 29.0 | |
| **CA790** | 37 | x | 20 1/2 | x | 9 1/2 | 3 | 35.0 | |
| **CA791** | 37 | x | 24 | x | 11 | 2 | 40.0 | |
| **B. SECTIONAL TRUCKS (BINS NOT INCLUDED)** | | | | | | | | |
| **CA809** | Fits **CA789** | | | | | | 39.0 | |
| **CA810** | Fits **CA790** | | | | | | 39.0 | |
| **CA811** | Fits **CA791** | | | | | | 39.0 | |

| Model No. | Description | Price /Each |
|---|---|---|
| **SECTIONAL BASES** | | |
| **CA793** | Base for **CA788** | |
| **CA794** | Base for **CA789** | |
| **CA795** | Base for **CA790** | |
| **CA796** | Base for **CA791** | |
| **SECTIONAL COVERS** | | |
| **CA797** | Cover for **CA786** | |
| **CA798** | Cover for **CA787** | |
| **CA799** | Cover for **CA788** | |
| **CA800** | Cover for **CA789** | |
| **CA801** | Cover for **CA790** | |
| **CA802** | Cover for **CA791** | |

* No bases available

## PRE-ENGINEERED SECTIONAL SYSTEMS

- Complete with Sectional Stackbin® 6" high base and top cover
- 5000-lb stocking capacity

STACKBIN®

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **USING CA788 SECTIONAL STACKBINS®** | | | |
| **CD354** | 7 row unit w/35 Comp. | 136.5 | |
| **CD355** | 8 row unit w/40 Comp. | 156 | |
| **USING CA789 SECTIONAL STACKBINS®** | | | |
| **CD356** | 6 row unit w/24 Comp. | 174 | |
| **CD357** | 7 row unit w/28 Comp. | 226.5 | |
| **USING CA790 SECTIONAL STACKBINS®** | | | |
| **CD358** | 5 row unit w/15 Comp. | 200 | |
| **CD359** | 6 row unit w/18 Comp. | 235 | |
| **USING CA791 SECTIONAL STACKBINS®** | | | |
| **CD360** | 4 row unit w/8 Comp. | 183.5 | |
| **CD361** | 5 row unit w/10 Comp. | 222.5 | |

## STEEL STACKBINS®

- Hopper-front steel Stackbins® are available with capacities from 70 cubic inches up to 5100 cubic inches
- They may be easily stacked one on top of another, or housed in steel Stackracks®, together with Stackracks® base allowing lower units to be removed without disturbing units stacked above them
- Standard blue baked enamel finish

Stackbins®

| Model No. | Capacity Cu. in. | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each | Top Cover Model No. | Price /Each | Front Cover Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CA765** | 70 | 4 1/2 | x | 8 | x | 4 1/2 | 1.8 | | - | - | - | - |
| **CA766** | 200 | 5 1/2 | x | 12 | x | 4 1/2 | 3 | | **CD369** | | **CD368** | |
| **CA767** | 500 | 7 1/2 | x | 15 1/2 | x | 6 | 5.5 | | **CD370** | | **CA734** | |
| **CA768** | 900 | 9 | x | 18 3/4 | x | 7 1/2 | 9 | | **CA706** | | **CA735** | |
| **CA772** | 1400 | 10 | x | 24 | x | 8 | 12 | | **CA710** | | **CA739** | |
| **CA769** | 1600 | 12 | x | 20 1/2 | x | 9 1/2 | 12.5 | | **CA707** | | **CA736** | |
| **CA770** | 2800 | 15 | x | 24 | x | 11 | 20.5 | | **CA708** | | **CA737** | |
| **CA771** | 5100 | 18 | x | 30 | x | 12 | 30 | | **CA709** | | **CA738** | |

## PLASTIC STACKBINS®

- **CB314** and **CB315** are molded of polyethylene and has a capacity of 1600 cubic inches
- The exclusive interlocking front bar prevents the bins from spreading under heavy loads

| Model No. Blue | Grey | Wt. lbs. | Cap. lbs | Price /Each |
|---|---|---|---|---|
| 12" W X 20 1/2" D X 9 1/2" H | | | | |
| **CB314** | **CB315** | 4 | 50 | |

## STACKRACKS®

- Stackracks® are designed to be teamed up with Stackbins® to create a heavy-duty storage system
- Stackracks® allow for bins to be removed easily from a setup
- Can support any weight that fits within the cube of the coinciding container
- Easily stack together without tools or fasteners and feature Stackbins®' patented locking system
- Can be reconfigured or added to at any time

**Shown with 10 - CA769 bins, 10 - CA776 single Stackracks® and 1 - CA693 Base 2 bins wide**

### STACKRACKS®

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **CD447** | Stackrack for Bin **CA765** | 3.5 | |
| **CA773** | Stackrack for Bin **CA766** | 4 | |
| **CA774** | Stackrack for Bin **CA767** | 5.5 | |
| **CA775** | Stackrack for Bin **CA768** | 8.5 | |
| **CA780** | Stackrack for Bin **CA772** | 9 | |
| **CA776** | Stackrack for Bin **CA769** | 10 | |
| **CA778** | Stackrack for Bin **CA770** | 12 | |
| **CA779** | Stackrack for Bin **CA771** | 14 | |

### STACKRACKS® COVERS

| Model No. | Description | Price /Each |
|---|---|---|
| **CA715** | Stackrack Cover for **CA775** | |
| **CA730** | Stackrack Cover for **CA780** | |
| **CA720** | Stackrack Cover for **CA776** | |
| **CA724** | Stackrack Cover for **CA778** | |
| **CA727** | Stackrack Cover for **CA779** | |

### 12" HIGH BASES

- Can be butt-up to each other to make continuous rows of storage bins
- Bases are made specifically for each size steel container
- 14-gauge legs and supports
- Spot welded
- Capacity: 1000 lbs.

| Model No. | Description | Price /Each |
|---|---|---|
| 1-BIN WIDE | | |
| **CA687** | Base for Stackrack **CA775** | |
| **CA692** | Base for Stackrack **CA776** | |
| **CA696** | Base for Stackrack **CA778** | |
| **CA699** | Base for Stackrack **CA779** | |
| 2-BIN WIDE | | |
| **CD448** | Base for Stackrack **CA774** | |
| **CA688** | Base for Stackrack **CA775** | |
| **CA703** | Base for Stackrack **CA780** | |
| **CA693** | Base for Stackrack **CA776** | |
| **CA697** | Base for Stackrack **CA778** | |
| **CA700** | Base for Stackrack **CA779** | |
| 3-BIN WIDE | | |
| **CD449** | Base for Stackrack **CA774** | |
| **CA689** | Base for Stackrack **CA775** | |
| **CA704** | Base for Stackrack **CA780** | |
| **CA694** | Base for Stackrack **CA776** | |

## PRE-ENGINEERED BIN COMBINATIONS

### 17-COMPARTMENT SYSTEM INCLUDES:

- 1 row of **CA770** bins (2 wide)
- 3 rows of **CA768** bins (3 wide)
- 2 rows of **CA767** bins (3 wide)
- All corresponding Stackracks®, adapter covers-which allow bins to stack and 12" base

**Model No. CD378**
**Price/Each $**

### 31-COMPARTMENT SYSTEM INCLUDES:

- 1 row of **CA770** bins (4 wide)
- 1 row of **CA769** bins (5 wide)
- 1 row of **CA768** bins (6 wide)
- 1 row of **CA767** bins (7 wide)
- 1 row of **CA766** bins (9 wide)
- All corresponding Stackracks®, adapter covers-which allow bins to stack and 12" base

**Model No. CD379**
**Price/Each $**

CD379

# INDUSTRIAL DRAWER CABINETS

- Provide a rugged modular storage system for small parts
- Select from a range of drawer capacities from 9 to 96 drawers per cabinet
- Various drawer sizes are available including drawer heights of 2 3/4" and 3 1/2", and drawer depths of 11 1/8" and 17"
- Each drawer includes 2 adjustable dividers and full width handles
- Drawer sides are slotted to hold dividers

A. Drawer Cabinets, Base included

B. 18-Drawer Cabinets

C. 24-Drawer Cabinets

D. 9-Drawer Cabinets

E. 30-Drawer Cabinets

DURHAM MFG® Est. 1922

| Type | Model No. | No. of Drawers | Drawer Size W" | x | D" | x | H" | Cabinet Height" | Wt. lbs. | Price /Each | Replacement Drawers | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A | **FI356** | 30 | 5 3/8 | x | 11 1/4 | x | 3 1/2 | 26 7/8 | 107 | | **CD661** | |
| A | **CA936** | 48 | 5 3/8 | x | 11 1/8 | x | 2 3/4 | 33 3/4 | 176 | | **CA921** | |
| A | **FI357** | 60 | 5 3/8 | x | 11 1/4 | x | 3 1/2 | 48 | 194 | | **CD661** | |
| A | **CA939** | 72 | 5 3/8 | x | 11 1/8 | x | 2 3/4 | 48 1/8 | 238 | | **CA921** | |
| A | **FI358** | 90 | 5 3/8 | x | 11 1/4 | x | 3 1/2 | 69 1/8 | 281 | | **CD661** | |
| A | **CA941** | 96 | 5 3/8 | x | 11 1/8 | x | 2 3/4 | 62 1/2 | 300 | | **CA921** | |
| B | **CA924** | 18 | 5 3/8 | x | 11 1/4 | x | 2 3/4 | 10 7/8 | 50 | | **CA921** | |
| B | **CA925** | 18 | 5 3/8 | x | 11 1/4 | x | 3 1/2 | 12 7/8 | 87 | | **CD661** | |
| B | **CA926** | 18 | 5 3/8 | x | 17 | x | 3 1/2 | 12 7/8 | 75 | | **CA923** | |
| C | **CA930** | 24 | 5 3/8 | x | 11 1/4 | x | 2 3/4 | 14 3/8 | 60 | | **CA921** | |
| C | **CA932** | 24 | 5 3/8 | x | 17 | x | 3 1/2 | 17 | 96 | | **CA923** | |
| D | **CA942** | 9 | 5 3/8 | x | 11 1/4 | x | 2 3/4 | 10 7/8 | 28 | | **CA921** | |
| E | **CA934** | 30 | 5 3/8 | x | 11 1/4 | x | 3 1/2 | 21 1/8 | 87 | | **CD661** | |
| E | **CA935** | 30 | 5 3/8 | x | 17 | x | 3 1/2 | 21 1/8 | 118 | | **CA923** | |
| - | **CA946** | | Extra Divider for 2 3/4" H Drawer | | | | | | 0.1 | | - | - |
| - | **CA947** | | Extra Divider for 3 1/2" H Drawer | | | | | | 0.1 | | - | - |

# HEAVY-DUTY 2-SIDED MOBILE CARTS/WORK STATIONS

- Two rigid and two swivel casters with locking brakes
- Sturdy tubular handle allows ease of mobility
- Rubber tray mat provides safe, secure, non-skid work surface
- Finished in rust and acid resistant grey powder coat
- Heavy-duty casters, capacity of 1000 lbs.
- Shipped fully welded

DURHAM MFG® Est. 1922

- Two 12-compartment bins back-to-back
- Overall dimensions: 34" W x 24" D x 32" H
- Ship weight: 139 lbs.

**Model No. CD330**
**Price/Each $**

- Two 40-compartment bins back-to-back
- Overall dimensions: 34" W x 24" D x 32" H
- Ship weight: 159 lbs.

**Model No. CD349**
**Price/Each $**

Front

Back

- One lockable 4-compartment storage cabinet
- One storage bin with 12 compartments
- 12 easily dividablepull out storagedrawers, six oneach side
- Overall dimensions: 34" W x 24" D x 36" H
- Ship weight: 180 lbs.

**Model No. MO070**
**Price/Each $**

## STEEL STORAGE BINS

DURHAM MFG® Est. 1922

- Pigeonhole type steel storage bin units organise small parts
- Best suited where space is limited and organization is crucial
- Produced of prime cold rolled steel
- Fully welded, will not warp, twist or sag
- Fully hemmed label holders provide adequate space for content identification
- Each divider is hemmed in a tear drop design to avoid sharp edges
- Doors with padlock attachment and bases to raise units are available with most models
- All units are 33 3/4" wide and are available in depths of 12" or 8 1/2"
- 12" deep units feature a 45° slope front for easy removal of parts
- Finished in grey powder coat

CA151

Perfect for organising your shop - can be filled with just about anything!

CA154

Base for storage bins

CA157

CA136

CA133

CA142

Door for storage bins

CA149

| Model No. | Dimensions W" | x | D" | x | H" | No. of Bins | Bin Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each | Base Model No. | Price /Each | Door Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **12" DEEP STORAGE BINS** | | | | | | | | | | | | | | | | | |
| **CA133** | 33 3/4 | x | 12 | x | 11 1/2 | 16 | 4 | x | 11 7/8 | x | 5 1/8 | 25 | | **CA157** | | - | - |
| **CA134** | 33 3/4 | x | 12 | x | 19 1/4 | 18 | 5 3/8 | x | 11 7/8 | x | 6 3/8 | 38 | | **CA157** | | - | - |
| **CA136** | 33 3/4 | x | 12 | x | 23 7/8 | 24 | 5 3/8 | x | 11 7/8 | x | 5 1/2 | 44 | | **CA157** | | **CA142** | |
| **CA149** | 33 3/4 | x | 12 | x | 23 7/8 | 40 | 4 | x | 11 7/8 | x | 4 1/2 | 50 | | **CA157** | | **CA142** | |
| **CA151** | 33 3/4 | x | 12 | x | 42 | 42 | 5 3/8 | x | 11 7/8 | x | 5 1/2 | 71 | | **CA157** | | **CA141** | |
| **CA152** | 33 3/4 | x | 12 | x | 42 | 56 | 4 7/8 | x | 11 7/8 | x | 5 1/8 | 75 | | **CA157** | | **CA141** | |
| **CA154** | 33 3/4 | x | 12 | x | 42 | 72 | 4 | x | 11 7/8 | x | 4 1/2 | 80 | | **CA157** | | **CA141** | |
| **8 1/2" DEEP STORAGE BINS** | | | | | | | | | | | | | | | | | |
| **CA150** | 33 3/4 | x | 8 1/2 | x | 22 1/4 | 40 | 4 | x | 8 3/8 | x | 4 1/2 | 50 | | **CA158** | | - | - |
| **CA155** | 33 3/4 | x | 8 1/2 | x | 42 | 72 | 4 | x | 8 3/8 | x | 4 1/2 | 85 | | **CA158** | | **CA141** | |

## EZ-EDGE™ SELF ADHESIVE STRIPS

- Self adhesive strip featuring a bottom guide for easy installation and instant organization
- Made of heavy-duty UV treated PVC
- Clear front and black back are barcode compatible
- Can be trimmed to retro-fit many other bins and shelving products
- No inserts included
- Plastic Colour: Clear
- Thickness: 0.15625"
- Height: 1-1/8", Length: 32-5/8"

ALH AIGNER LABEL HOLDER

| Model No. | Description | Price /Each |
|---|---|---|
| **CF798** | EZ-Edge™ Self Adhesive Strips - Pack of 5 | |
| **CF799** | EZ-Edge™ Self Adhesive Strips - Pack of 9 | |
| **REPLACEMENT INSERTS** | | |
| **OK120** | Compatible with all EZ-Edge™ and Tri-Dex™ strips - Inserts per Package: 800 | |
| **OP955** | Compatible with all EZ-Edge™ and Shelf-Clip™ strips - Inserts per Package: 400 | |

## BULK STACKING CONTAINERS

- Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10 gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Painted durable Kleton blue

CF449

CF453

CF457

CF450

KLETON

| Model No. | Description | Capacity lbs. | Width" | Length" | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **MESH CONTAINERS** | | | | | | |
| **CF449** | Fully Enclosed | 3000 | 34.5 | 40.5 | 125 | |
| **CF450** | One Drop Gate | 3000 | 34.5 | 40.5 | 130 | |
| **CF451** | Fully Enclosed | 3000 | 40.5 | 48.5 | 150 | |
| **CF452** | One Drop Gate | 3000 | 40.5 | 48.5 | 160 | |
| **SHEET CONTAINERS** | | | | | | |
| **CF453** | Fully Enclosed | 3500 | 34.5 | 40.5 | 150 | |
| **CF454** | One Drop Gate | 3500 | 34.5 | 40.5 | 150 | |
| **CF455** | Fully Enclosed | 3500 | 40.5 | 48.5 | 185 | |
| **CF456** | One Drop Gate | 3500 | 40.5 | 48.5 | 185 | |
| **CORRUGATED CONTAINERS** | | | | | | |
| **CF457** | Fully Enclosed | 4500 | 34.5 | 40.5 | 160 | |
| **CF458** | One Drop Gate | 4500 | 34.5 | 40.5 | 160 | |
| **CF459** | Fully Enclosed | 4500 | 40.5 | 48.5 | 195 | |
| **CF460** | One Drop Gate | 4500 | 40.5 | 48.5 | 195 | |

## OPEN MESH CONTAINERS

- Rugged construction ensures long lasting, trouble free service
- 3/4" - 13 gauge expanded metal mesh panels
- 2 half drop gates
- Four-way fork truck access
- 4 1/4" underclearance
- Overall dimensions: 34 1/2" x 40 1/2" x 32 1/4"
- Stackable up to 5 high
- 15 cu.ft. capacity
- Deck capacity: 2500 lbs. mesh deck, 3000 lbs. sheet metal deck
- Blue enamel finish

M & P TOOL

| Model No. | Style | Wt. lbs. | Price /Each |
|---|---|---|---|
| **CA397** | Mesh deck | 105 | |
| **CA398** | Sheet metal deck | 114 | |
| **CA368** | Replacement foot | 0.72 | |

## COLLAPSIBLE WIRE CONTAINERS

- Welded, square mesh wire allows full visibility and excellent ventilation
- Foldable and constructed of durable 3-gauge wire
- 4-way entry for easy use with lift trucks
- Convenient drop gate design for easy access to products
- Safety rating plates with static load capacity and static load height
- Stack up to 4 high
- 4" under clearance

NASHVILLE WIRE PRODUCTS

Shows 2 units stacked

CF468

| Model No. | Mfg. No. | Weight Cap. Lbs. | Dimensions" W x D x H | Usable Height" | Drop Gate | Wt. Lbs. | Mesh Size" | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CF462** | JR1 | 1,000 | 20 x 32 x 21 | 16 | 32" side | 43 | 1x1 | |
| **CF463** | JR5 | 1,000 | 20 x 32 x 21 | 16 | 32" side | 55 | 1/2 x1/2 | |
| **CF464** | C324048S4 | 4,000 | 32 x 40 x 34 | 28 | 40" side | 122 | 2 x2 | |
| **CF465** | C404824S4 | 4,000 | 40 x 48 x 30 | 24 | 48" side | 150 | 2 x2 | |
| **CF466** | C404830S4 | 4,000 | 40 x 48 x 36 | 30 | 48" side | 163 | 2 x2 | |
| **CF467** | C404830E4 | 4,000 | 40 x 48 x 36 | 30 | 40" end | 163 | 2 x2 | |
| **CF468** | C404836S4 | 4,000 | 40 x 48 x 42 | 36 | 48" side | 176 | 2 x2 | |

# BULK CONTAINERS

## THREADED ROD RACKS

- Eighteen 2 1/8" dia. openings
- Overall dimensions: 24 1/8" W x 6 7/8" D x 24" H
- Weight: 16 lbs.
- Powder coat grey finish
- All Welded

**Model No. CB578**
**Price/Each $**

DURHAM MFG Est. 1922

## MEDIUM-DUTY COLLAPSIBLE BULKPAK CONTAINERS

- Sturdy and quick to erect or knock down, fully recyclable Orbis containers replace tons of corrugated paper and wood packaging waste
- They can be collapsed to one-third their height for space-saving return shipment
- They stack safely, full or folded to create warehouse space without racking
- Weight capacity: 1500 lbs.
- Colour: Black (**CF492** is blue)

ORBIS

COVERS

| | Model No. | Price/Each |
|---|---|---|
| A | CF493 | |
| B | CF489 | |
| C | CF486 | |

| Model No. | Description | Ext. Dimensions L" | x | W" | x | H" | Cap. Cu. Ft. | Wt. lbs. | Covers | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| CF490 | Collapsible Container, 2 Drop Gate | 48 | x | 45 | x | 25 | 19.3 | 115 | A | |
| CF491 | Collapsible Container, 2 Drop Gate | 48 | x | 45 | x | 34 | 28.5 | 140 | A | |
| CF492 | Collapsible Container, 2 Drop Gate, Blue | 48 | x | 45 | x | 34 | 28.5 | 140 | A | |
| CF487 | Collapsible Container, 2 Drop Gate | 48 | x | 40 | x | 34 | 27.9 | 150 | B | |
| CF488 | Collapsible Container, 2 Drop Gate | 48 | x | 40 | x | 39 | 32.8 | 160 | B | |
| CF483 | Collapsible Container, 2 Drop Gate | 30 | x | 32 | x | 25 | 8.4 | 60 | C | |
| CF484 | Collapsible Container, 2 Drop Gate | 30 | x | 32 | x | 34 | 12.5 | 80 | C | |

Prices F.O.B. Mississauga, Ont.

## COLLAPSIBLE BULK CONTAINER

- Drop gates knock-down with ease
- Quickly collapsed, folded, and stacked for convenient transportation
- Lid sold seperately
- Colour: Grey
- Max. Height: 39.4"
- Max. Length: 47.2"
- Max. Width: 39.4"
- No. of Drop Gates: 2
- Material: High-density polyethylene (HDPE)
- Weight Capacity: 2000 lbs.
- Folded Height: 14.2"
- Weight 121.3 lbs. (55 kg)

**Model No. CF862**
**Price/Each $**

### LID

- For use with Kleton collapsible bulk container
- Material: High-density polyethylene (HDPE)
- Colour: Light Grey
- Weight: 13.2 lbs. (6 kg)

**Model No. CF863**
**Price/Each $**

KLETON

## NESTING FORKLIFT BIN

- Storage Capacity: 24 cu.ft.
- Load Capacity: 1200 lbs.
- Barrel type nesting stops
- Nest when empty
- Colour: Blue
- Dimensions: 42" W x 48" D x 30" H

**Model No. CF775**
**Price/Each $**

### LID

- Dimensions: 48" L x 42" W

**Model No. CF776**
**Price/Each $**

TECHSTAR PLASTICS INC.

## COLLAPSIBLE STRUCTURAL POLYETHYLENE CONTAINERS

Sturdy, long-lived and quick to erect or knock down, fully recyclable Orbis containers replace tons of corrugated paper and wood packaging waste. With as many as four sidewall heights, these space-efficient collapsibles cube out trailers and ISO containers. They can be collapsed to one-third their height for space-saving return shipment. And they stack safely, full or folded to create warehouse space without racking. **Models featured below include standard 2 drop gates (1 drop and no drop also available per special request). Models below have a 2000 lbs. capacity and 4-way entry. They can be used with pallet trucks and forklifts.**

COVERS

| | Model No. | Price/Each |
|---|---|---|
| A | CC169 | |
| B | CC170 | |
| C | CC171 | |

ORBIS

CONTAINERS

| Model No. | Description | Ext. Dimensions L" | x | W" | x | H" | Cap. Cu. Ft. | Wt. lbs. | Covers | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| CF447 | Collapsible Container, 2 drop gate | 48 | x | 45 | x | 25 | 19.7 | 115 | C | |
| CF448 | Collapsible Container, 2 drop gate | 48 | x | 45 | x | 34 | 29.4 | 140 | C | |
| CF445 | Collapsible Container, 2 drop gate | 48 | x | 40 | x | 34 | 24.9 | 150 | B | |
| CF446 | Collapsible Container, 2 drop gate | 48 | x | 40 | x | 39 | 29.8 | 160 | B | |
| CF443 | Collapsible Container, 2 drop gate | 30 | x | 32 | x | 25 | 8.7 | 60 | A | |
| CF444 | Collapsible Container, 2 drop gate | 30 | x | 32 | x | 34 | 12.9 | 80 | A | |

Prices F.O.B. Mississauga, Ont.

## HEAVY-DUTY COLLAPSIBLE BULKTOTE® CONTAINER

- Ideal for metal stampings and other heavy, dense components
- Unique fork opening at the top of the container offers the ability to present the short side to the assembly line
- Wide stacking ridge allows for secure load stacking
- Reusable and long-lasting durability bulk container
- Handheld and collapsible container replaces wire baskets, steel tubs or wood/corrugated packaging
- Capacity: 500 lbs.
- Dimensions: 16" W x 30" D x 19.2" H
- Colour: Black
- Material: High-density polyethylene (HDPE)
- Maximum Loaded Stack Static: 4 high
- Maximum Loaded Stack Dynamic: 2 high
- Pallet Entry: 4-Way
- Total Empty Weight: 30 lbs.

**Model No. CF934**
**Price/Each $**

ORBIS

## LIGHT DUTY EXPORT PALLETS

- Low cost lightweight alternative to wood pallets.
- Made of 100% recycled plastics and completely recyclable
- These low cost, single use pallets are designed for export oriented companies.
- Pallets are nestable for easy storing and space saving.
- 4-way entry for both forklift and pallet truck
- Streamlines customs process and reduces shipping delays
- Should only be used and stored in dry environments
- Can't be in contact with any form of liquid (e.g. water)
- ISPM 15 exempt

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN457 | 40 | x | 48 | x | 5.2 | 3500 | 1500 | 12.5 | |

## NESTABLE EXPORT PALLET

- Economic, environmental and efficient alternative to wood pallets
- 100% recyclable export pallet
- Low cost lightweight pallet ideal for export and one way shipments
- Flow thru design allows for easy cleaning
- Pallet Entry: 4-Way
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN725 | 48 | x | 40 | x | 5.75 | 15 000 | 2750 | 23.4 | |

## NESTABLE LIGHTWEIGHT PALLETS WITH LIP

- 5/8" raised edge surrounding the deck prevents loads from sliding off
- Single faced, one-piece high-density polyethylene construction
- Cleans easily with efficient drainage design
- Nestable
- 4-way fork lift and 2-way pallet truck entry
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CB521 | 48 | x | 40 | x | 5 1/2 | 10 000 | 2500 | 21 | |

Also available in USDA/FDA approved material for non-direct food contact.

## NESTABLE SINGLE-FACED PALLETS

- One piece structural foam pallets are lightweight, nestable and recyclable
- High density polyethylene construction
- Large rectangular legs make it an excellent choice for most conveyor systems
- Stacks 15 high in only 48" for cost effective transport
- Fork lift: 4-ways
- Pallett truck: 4-ways
- Colour: Black
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CB524 | 48 | x | 48 | x | 5 3/4 | 30 000 | 4000 | 45.5 | |

## PLASTIC PALLETS

VALLEYCRAFT ALL IN A DAY'S WORK

Sturdy, lightweight pallets with rigid centre supports offer versatile, damage-free storage and movement for a wide range of materials. Suitable for the handling of all materials in paper, plastic or burlap bags; as well as tires, construction materials and items under assembly.

- Injection-molded plastic is easy to clean and resistant to both chemicals and weather
- Nestable (each adds only 5/8" to the height of a stack)
- 1 1/2" deep stringers can also be handled by a standard forklift
- ISPM 15 exempt



MA373

MA374

| Model No. | Deck Size L" x W" | Stringer Height" | Construction | Capacity lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| MA373 | 24 x 12 | 1 1/2 | Black Plastic | 800 | 1 | |
| MA374 | 24 x 15 | 1 1/2 | Black Plastic | 800 | 1 1/4 | |

## SMALL-FORMAT PALLET

ORBIS

- 30" pallet width provides access through narrow doorways and is easy to manoeuvre
- Designed to optimize the supply chain of small retailers
- Generous clearance for forklifts to de-nest a full stack of pallets
- Added efficiency with molded-in stretch wrap notches in each pallet corner
- Recyclable
- Truckload Quantity (53' trailer): 1,845
- Material: Plastic
- Colour: Black

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Pallet Entry | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CF933 | 42 | x | 30 | x | 6 | 10 000 | 2000 | 4-Way | |

## SMOOTH-DECK NESTABLE PALLETS

- Manufactured in HDPE Structural Foam
- Empty pallets nest for a cost-efficient return trip or warehouse storage.
- Lightweight and easy to manually handle, with no nails, splinters or broken boards to risk employee injury
- 4-way entry using both Fork Truck or Hand Trucks
- An economic and environmental alternative to wood pallets or skids.

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN171 | 48 | x | 40 | x | 6 | 30 000 | 4000 | 37 | |

## RETAIL DISPLAY PALLETS

- Modular
- This pallet offers marketers an attractive display solution with efficient material handling
- Easily creates in-aisle or end-of-aisle displays
- The flat, smooth surface allows for easy set up in a warehouse or co-packing facility
- Can be moved directly to sales floor to reduce labor costs and maximize storage space
- Decreases safety liabilities and product shrink by eliminating sharp edges, splinters and nails found in wood alternatives
- Pallet Entry: 4-Way
- ISPM 15 exempt

ORBIS

MN709

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN709 | 24 | x | 24 | x | 5.5 | 8000 | 1000 | 9 | |
| MN713 | 48 | x | 24 | x | 5.5 | 15 000 | 2000 | 19 | |
| MN710 | 48 | x | 48 | x | 5.5 | 20 000 | 4000 | 38 | |
| MN712 | 48 | x | 40 | x | 5.5 | 30 000 | 4000 | 39.3 | |

## STACK'R MD PALLETS

- Open Deck With Stringer
- Designed specifically for stacking and racking applications
- Made of 100% HDPE
- The smooth, non-porous construction protects product and does not absorb moisture or odor
- Pallet Entry: 4-Way
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN726 | 48 | x | 40 | x | 5.9 | 30 000 | 4000 | 44.4 | |

## DOUBLE DECK STACKABLE PALLETS

- Designed for handling and shipping heavy products
- Manufactured in HDPE structural foam
- An economic, environmental and efficient alternative to wood pallets or skids
- Double deck design, ideal for stack loading, conveying systems, distribution and static storage
- 4-way entry for fork and hand trucks
- ISPM 15 exempt



ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN168 | 48.7 | x | 45.7 | x | 7.5 | 30 000 | 4000 | 62 | |

## MEDIUM-DUTY FOOD GRADE PALLETS

- Typically used in the food industry
- 1-piece construction with an open grid for easy cleaning
- Made of FDA compliant HDPE virgin material for direct food contact
- Edge-supported pallet on a rack can hold up to a 2200-lb evenly distributed load
- 4-way fork lift or pallet truck entry
- ISPM 15 exempt

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN490 | 48 | x | 40 | x | 6 5/8 | 25 000 | 5000 | 35 | |

## RACKSTAR II™ PALLET

Rackstar II™ Pallet

- Highly impact resistant design
- Internal reinforcements meet aggressive application requirements
- 100% recyclable with fully removable reinforcement structure
- Solid wall design for increased durability
- 4-way forklift accessible
- Easy to sanitize
- Removable/repairable stringers or full frame bottom, with easy-to-replace fasteners, are available for added capacity in forklift and conveyor use
- Rackable
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" x W" | Description | Capacity lbs. Static | Dynamic | Decking | Centre Supports | Edge Supported | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CC163 | 48 x 40 x 6" | without lip (includes 16 deck grommets) | 30 000 | 6000 | 6000 | 6000 | 3000 | 56.6 | |

## EXTRA-LONG STACKABLE PALLETS

- Pallet is fully reversible for double stacking of loads
- Manufactured in HDPE structural foam
- Designed for handling and shipping heavy product loads
- Ideal for stack loading, conveying systems, distribution and static storage
- 4-way entry for fork trucks
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN170 | 72 | x | 48 | x | 5.8 | 30 000 | 4000 | 110 | |

## MEDIUM-DUTY RACKABLE PLASTIC PALLETS

- Unique rib design for easy cleaning and sanitary applications
- Edge-supported racking application, maximum capacity of 1400 lbs.
- Bottom design of pallet ideal for automated conveying
- Anti-skid grommets on both top and bottom
- High pressure injection molded plastic pallets made with recyclable materials
- Grey
- ISPM 15 exempt



MONOFLO INTERNATIONAL, INC.

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN172 | 48 | x | 40 | x | 6 | 30 000 | 3000 | 42 | |

## STACK'R LD PALLETS

- Open deck with stringer
- Designed specifically for stacking applications
- Made of 100% recycled content
- Lower per-trip cost than alternative pallets
- Versatile handling with 4-way hand and fork truck entry
- Lighter weight for better ergonomics
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| MN714 | 48 | x | 40 | x | 5.9 | 30 000 | 4000 | 44.4 | |

## ALUMINUM PALLETS

- Welded aluminum construction provides superb weight-to-load ratio
- Ideal for heavy industrial, food, electronics, telecommunications, pharmaceuticals and consumer goods
- Long service life indoors and outdoors, lightweight and low maintenance
- Resists fire, freezing temperatures, chemicals, rust and insects
- Always looks clean, easy to wash and sterilize
- Works seamlessly with automated and mechanized material vhandling equipment
- 2-way fork entry, ridged deck boards provide grip to reduce load shifting



Vestil

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CF416 | 48 | x | 42 | x | 6 | 6000 | 4000 | 40 | |
| CF417 | 48 | x | 48 | x | 6 | 6000 | 4000 | 50 | |

## NESTABLE ALUMINUM CHANNEL PALLET

- All-Welded construction
- Heavy 6005 T-6 Type Aluminum
- Open channels for easy cleaning
- Fireproof, Recyclable, Metal Detectable, UV Resistant
- Weight: 50 lbs.
- Lifetime Guarantee against rust and corrosion

NEWAGE INDUSTRIAL

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Pallet Entry | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| M0454 | 48 | x | 40 | x | 5 | 30 000 | 5000 | 2-Way | |
| M0455 | 48 | x | 40 | x | 5 | 30 000 | 5000 | 4-Way | |

## RACKABLE ALUMINUM 4-WAY TUBE FRAME PALLET

- All-Welded construction
- Sealed tube
- Fireproof, Recyclable, Metal Detectable, UV Resistant
- Lifetime Guarantee against rust and corrosion

NEWAGE INDUSTRIAL

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Stat | Dyn | Weight lbs. | Center Base Tube | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| M0456 | 48 | x | 40 | x | 5-1/4 | 30 000 | 5000 | 44 | Equipped | |
| M0457 | 48 | x | 40 | x | 5-1/4 | 30 000 | 5000 | 44 | Not Equipped | |

## PALLET NO STACK® CONES

- Prevent damage to your shipment with No Stack® signs - warns against double stacking your shipment, ensuringyour shipment remains on top
- 3 dimensional anti-stack warningdevices, that easily crushes if stacked on, proof that your shipment was mishandled
- Strap easily to thetop of your pallet, or attach withpackaging tape
- 100/package

Elwood Packaging, Inc.

**Model No. PC616**
**Price/Each $**

## ROLL PALLETS

TECHSTAR PLASTICS INC.

- Rotationally molded of durable polyethylene
- Lightweight pallets handle rolls up to a maximum diameter of 42"
- Molded construction eliminates product damage due to splinters and nails
- 2-way forklift entry
- ISPM 15 exempt

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB535 | 21 | x | 38 1/2 | x | 8 1/2 | 1500 | 24 | |

## DRUM PALLETS

The 48" x 48" one-piece drum pallet features four molded-in rings to secure the drums during transportation, underside rings for secure double stacking and complete flow through design.

- 100% recycled plastic
- Pallets fit side by side in regular trailers
- Standard colour: Black
- Fork truck entry: 4-ways
- Hand truck entry: 4-ways
- ISPM 15 exempt

ORBIS

| Model No. | Dimensions L" | x | W" | x | H" | Capacity lbs. Static | Dynamic | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| CC153 | 48.8 | x | 48.8 | x | 5.5 | 30 000 | 4000 | 57 | |

## EDGEBOARD CORNER PROTECTORS

Improves stocking strength and cushions package edges against hard knock

Also helps improve the flow of strapping and stretch film around the product.

20/package.

**Pallet quantities are available. Other thicknesses & lengths available upon request.**





CORNER EDGE Products Ltd.

**PRE-BUNDLED PACKS**

| Model No. | Leg" | | | Thickness" | Length" | Price /Each |
|---|---|---|---|---|---|---|
| PB264 | 2.5 | x | 2.5 | 0.200 | 36 | |
| PB265 | 2.5 | x | 2.5 | 0.200 | 42 | |
| PB266 | 2.5 | x | 2.5 | 0.200 | 48 | |
| PB267 | 3 | x | 3 | 0.200 | 36 | |
| PB268 | 3 | x | 3 | 0.200 | 42 | |
| PB269 | 3 | x | 3 | 0.200 | 48 | |

## PALLET COVERS

- Protect palletized products from dust and moisture
- For use with stretchwrap

Alte-Rego Corporation

| Model No. | Strength | Colour | Qty /Roll | Price /Each |
|---|---|---|---|---|
| JG739 | Regular | Clear | 250 | |
| JG740 | Heavy-Duty | Clear | 250 | |
| JG741 | Regular | Black | 250 | |

# POLYETHYLENE TARPAULINS

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Water resistant coating
- Finished sizes may vary due to hem allowance

### STANDARD-DUTY BLUE

- Heavy-duty rust-resistant grommets every 36"
- 8 x 8 weave density
- 100 micrometres (4-mil) thick

### HEAVY-DUTY WHITE

- Heavy-duty rust-resistant grommets every 36"
- 10 x 10 weave density
- 150 micrometres (6-mil)
- Four corner patches




### INDUSTRIAL GREEN/SILVER

- Heavy-duty rust-resistant grommets every 20"
- 14 x 14 high density weave
- 225 micrometres (9-mil) thick
- 9" x 9" three layers on each four corners
- Silver side provides heat and UV light diversion




### SUPER HEAVY-DUTY SILVER

- Heavy-duty rust-resistant grommets every 30"
- 16 x 16 high density weave
- 300 micrometres (12-mil) thick
- 9" x 9" triple-layered on four corners

KLETON

| Dimensions W' x L' | Model No. | Price /Each | Model No. | Price /Each | Model No. | Price /Each | Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| 5 x 7 | **NI768** | | - | - | - | - | - | - |
| 6 x 8 | **NI769** | | **NI780** | | **JB567** | | - | - |
| 8 x 10 | **NI770** | | **NI781** | | **JB568** | | **JC626** | |
| 10 x 12 | **NI771** | | **NI782** | | **JB569** | | **JC627** | |
| 10 x 20 | **NI772** | | - | - | - | - | - | - |
| 12 x 16 | **NI773** | | **NI783** | | **JB570** | | - | - |
| 16 x 20 | **NI774** | | **NI784** | | **JB571** | | **JC628** | |
| 18 x 24 | **NI775** | | **JC512** | | - | - | **JC629** | |
| 20 x 30 | **NI776** | | **JC513** | | **JB572** | | **JC630** | |
| 24 x 30 | **NI777** | | **NI785** | | - | - | **JC631** | |
| 30 x 40 | **NI778** | | **JC514** | | **JC516** | | **JC632** | |
| 30 x 50 | **JC510** | | **JC515** | | **JC517** | | **JC633** | |
| 30 x 60 | - | - | - | - | - | - | **JC634** | |
| 40 x 50 | **JC511** | | **JC625** | | **JC518** | | - | - |
| 40 x 60 | **NI779** | | **JB508** | | **JB573** | | **JC635** | |

### HEAVY DUTY CAMOUFLAGE

- 10 x 10 weave density
- 150 micrometers (6 mil) thick
- Increased UV-resistance for long life

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JI319** | 6 x 8 | |
| **JI320** | 8 x 10 | |
| **JI321** | 10 x 20 | |
| **JI322** | 12 x 16 | |

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JI323** | 16 x 20 | |
| **JI324** | 18 x 24 | |
| **JI325** | 20 x 30 | |
| **JI326** | 30 x 40 | |

### LIGHT INDUSTRIAL DUTY BLACK

- 14 x 14 weave density
- 200 micrometers (8 mil) thick
- Increased UV-resistance for long life

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JI327** | 6 x 8 | |
| **JI328** | 8 x 10 | |
| **JI329** | 10 x 20 | |
| **JI330** | 12 x 16 | |
| **JI331** | 16 x 20 | |
| **JI332** | 18 x 24 | |

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JI333** | 20 x 30 | |
| **JI334** | 24 x 30 | |
| **JI335** | 30 x 40 | |
| **JI336** | 30 x 50 | |
| **JI337** | 40 x 50 | |
| **JI338** | 40 x 60 | |

# CLEAR TARPAULINS

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 weave density
- 200 micrometers (8-mil) thick
- Finished sizes may vary due to hem allowance

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JD414** | 8 x 10 | |
| **JD415** | 10 x 12 | |
| **JD416** | 16 x 20 | |

| Model No. | Dimensions W' x L' | Price /Each |
|---|---|---|
| **JD417** | 20 x 30 | |
| **JD418** | 30 x 40 | |
| **JD419** | 40 x 60 | |

# INSULATED TARPAULINS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- R value: 1.0
- Dimensions: 12' W x 20' L

**Model No. JD420**
**Price/Each $**



KLETON

# CANADA'S LEADING MATERIAL HANDLING MANUFACTURER

**Kleton Manufacturing is built strong to withstand all types of applications**

## DOLLIES
## STORAGE
## CARTS & TRUCKS
## DRUM HANDLING
## MATERIAL HANDLING
## LADDERS & PLATFORMS
## WORKBENCHES & WORK STATIONS



Proudly Manufacturing Quality Products For Over 30 Years!

# PALLET RACKING SYSTEMS

### MOST COMMON PALLET RACKING COMPONENTS

- Provides the widest range of flexibility for pallet and bulk storage needs with excellent storage density
- Stocking vertically and horizontally maximizes available space with the ability to access each individual load
- Installs quickly without special tools and adjust easily to your specific needs
- Typical applications include: warehouses, distribution centres and manufacturing plants
- Only two basic components are required: beams and frames

**Note:** Pallet racking products are FOB the manufacturer.

Box Beam

Step Beam



Upright End Frames



Box Beam

## CENTENNIAL PROFILES*

### UPRIGHT END FRAMES

Priced per Each

| Model No. | Dimensions D" x H" | Wt. Cap. lbs. | Price /Each |
|---|---|---|---|
| RB819 | 42 x 96 | 20 000 | |
| RB747 | 42 x 120 | 20 000 | |
| RB763 | 42 x 144 | 20 000 | |
| RB779 | 42 x 168 | 20 000 | |
| RB795 | 42 x 192 | 20 000 | |

### STEP BEAMS

Priced per Pair

| Model No. | Dimensions H" x L" | Wt. Cap. Pair/lbs. | Price /Pair |
|---|---|---|---|
| RB491 | 4 x 96 | 6804 | |
| RB465 | 4 x 108 | 5652 | |
| RB469 | 4 x 120 | 4578 | |
| RB517 | 4 1/2 x 96 | 8039 | |
| RB495 | 4 1/2 x 108 | 7106 | |
| RB499 | 4 1/2 x 144 | 6140 | |

### BOX BEAMS

Priced per Pair

| Model No. | Dimensions H" x L" | Wt. Cap. Pair/lbs. | Price /Pair |
|---|---|---|---|
| RB275 | 4 x 96 | 6886 | |
| RB263 | 4 x 108 | 5775 | |
| RB269 | 4 x 144 | 3249 | |
| RB288 | 4 1/2 x 96 | 8105 | |
| RB277 | 4 1/2 x 108 | 7204 | |
| RB283 | 4 1/2 x 144 | 4310 | |

*See page 53 for complete listing of sizes

## REDIRACK PROFILES**

### UPRIGHT END FRAMES

Priced per Each

| Model No. | Dimensions D" x H" | Wt. Cap. lbs. | Price /Each |
|---|---|---|---|
| RL022 | 42 x 144 | 25 000 | |
| RL023 | 42 x 168 | 25 000 | |
| RL024 | 42 x 192 | 25 000 | |
| RL025 | 42 x 216 | 25 000 | |

### STEP BEAMS

Priced per Each

| Model No. | Dimensions H" x L" | Wt. Cap. Pair/lbs. | Price /Each |
|---|---|---|---|
| RL026 | 4 x 96 | 5400 | |
| RL903 | 4 1/2 x 96 | 6470 | |
| RL904 | 4 x 102 | 5000 | |
| RL905 | 4 x 108 | 4480 | |
| RL027 | 4 1/2 x 108 | 5750 | |
| RL906 | 6 x 144 | 6390 | |

### BOX BEAMS

Priced per Each

| Model No. | Dimensions H" x L" | Wt. Cap. Pair/lbs. | Price /Each |
|---|---|---|---|
| RL032 | 4 x 96 | 7010 | |
| RL033 | 4 x 108 | 6080 | |
| RL902 | 6 x 144 | 5230 | |

** Redirack uprights and beams are standard in orange, blue available upon request.

**Other dimensions available.**

**Call your Material Handling Specialist today!**

# CENTENNIAL UPRIGHTS & STRINGERS

Make every inch of your storage space count by combining standard sized uprights and stringers (box type or recessed type) to create a racking system that is customized to your needs.

- Feature a 50 k.s.i. minimum yield to achieve higher load capacities
- Centennial blue
- **All racking is FOB Concord, Ontario**

Contact our sales department for further technical assistance.

## MEDIUM DUTY UPRIGHTS 20000-LB. CAPACITY

| Height \ Depth | 24" | 30" | 36" | 42" | 48" | 60" |
|---|---|---|---|---|---|---|
| 6' | RB798 | RB800 | RB802 | RB803 | RB804 | RB805 |
| 7' | RB806 | RB808 | RB810 | RB811 | RB812 | RB813 |
| 8' | RB814 | RB816 | RB818 | RB819 | RB820 | RB821 |
| 9' | RB822 | RB824 | RB826 | RB827 | RB828 | RB829 |
| 10' | RB742 | RB744 | RB746 | RB747 | RB748 | RB749 |
| 11' | RB750 | RB752 | RB754 | RB755 | RB756 | RB757 |
| 12' | RB758 | RB760 | RB762 | RB763 | RB764 | RB765 |
| 13' | RB766 | RB768 | RB770 | RB771 | RB772 | RB773 |
| 14' | RB774 | RB776 | RB778 | RB779 | RB780 | RB781 |
| 15' | RB782 | RB784 | RB786 | RB787 | RB788 | RB789 |
| 16' | RB790 | RB792 | RB794 | RB795 | RB796 | RB797 |

Box Type Stringer

Recessed Type Stringer




## HEAVY-DUTY UPRIGHTS 27000-LB. CAPACITY

| Height \ Depth | 24" | 30" | 36" | 42" | 48" | 60" |
|---|---|---|---|---|---|---|
| 6' | RB714 | RB715 | RB716 | RB717 | RB718 | RB719 |
| 7' | RB720 | RB721 | RB722 | RB723 | RB724 | RB725 |
| 8' | RB726 | RB728 | RB730 | RB731 | RB732 | RB733 |
| 9' | RB734 | RB736 | RB738 | RB739 | RB740 | RB741 |
| 10' | RB608 | RB610 | RB612 | RB613 | RB614 | RB615 |
| 11' | RB616 | RB618 | RB620 | RB621 | RB622 | RB623 |
| 12' | RB624 | RB626 | RB628 | RB629 | RB630 | RB631 |
| 13' | RB632 | RB634 | RB636 | RB637 | RB638 | RB639 |
| 14' | RB640 | RB642 | RB644 | RB645 | RB646 | RB647 |
| 15' | RB648 | RB650 | RB652 | RB653 | RB654 | RB655 |
| 16' | RB656 | RB658 | RB660 | RB661 | RB662 | RB663 |
| 18' | RB664 | RB666 | RB668 | RB669 | RB670 | RB671 |
| 20' | RB672 | RB674 | RB676 | RB677 | RB678 | RB679 |
| 22' | RB680 | RB682 | RB684 | RB685 | RB686 | RB687 |
| 24' | RB688 | RB690 | RB692 | RB693 | RB694 | RB695 |
| 26' | RB696 | RB697 | RB698 | RB699 | RB700 | RB701 |
| 28' | RB702 | RB703 | RB704 | RB705 | RB706 | RB707 |
| 30' | RB708 | RB709 | RB710 | RB711 | RB712 | RB713 |

## BOX TYPE STRINGERS CAP. LBS. PER PAIR

| LGTH / Height | 48" Model No. | 48" Cap. lbs. | 54" Model No. | 54" Cap. lbs. | 60" Model No. | 60" Cap. lbs. | 66" Model No. | 66" Cap. lbs. | 72" Model No. | 72" Cap. lbs. | 78" Model No. | 78" Cap. lbs. | 84" Model No. | 84" Cap. lbs. | 90" Model No. | 90" Cap. lbs. | 96" Model No. | 96" Cap. lbs. | 102" Model No. | 102" Cap. lbs. | 108" Model No. | 108" Cap. lbs. | 114" Model No. | 114" Cap. lbs. | 120" Model No. | 120" Cap. lbs. | 126" Model No. | 126" Cap. lbs. | 132" Model No. | 132" Cap. lbs. | 138" Model No. | 138" Cap. lbs. | 144" Model No. | 144" Cap. lbs. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2" | RB203 | 5340 | RB204 | 4385 | RB205 | 3551 | RB206 | 2936 | RB207 | 2466 | RB208 | 2101 | RB209 | 1578 | RB210 | 1812 | RB211 | 1388 | RB195 | 1229 | RB196 | 1096 | RB197 | 984 | RB198 | 888 | RB199 | 805 | RB200 | 733 | RB201 | 671 | | | |
| 2 1/2" | RB220 | 7821 | RB221 | 6952 | RB222 | 6078 | RB223 | 5024 | RB224 | 4221 | RB225 | 3596 | RB226 | 3102 | RB227 | 2702 | RB228 | 2374 | RB212 | 2103 | RB213 | 1876 | RB214 | 1684 | RB215 | 1520 | RB216 | 1378 | RB217 | 1255 | RB218 | 1149 | RB219 | 1055 |
| 3" | RB237 | 9397 | RB238 | 8350 | RB239 | 7518 | RB240 | 6839 | RB241 | 6265 | RB242 | 5630 | RB243 | 4855 | RB244 | 4229 | RB245 | 3716 | RB229 | 3293 | RB230 | 2937 | RB231 | 2636 | RB232 | 2379 | RB233 | 2158 | RB234 | 1966 | RB235 | 1799 | RB236 | 1650 |
| 3 1/2" | | | RB254 | 10032 | RB255 | 9389 | RB256 | 8536 | RB257 | 7824 | RB258 | 7222 | RB259 | 6706 | RB260 | 6187 | RB261 | 5438 | RB246 | 4817 | RB247 | 4296 | RB248 | 3856 | RB249 | 3481 | RB250 | 3157 | RB251 | 2876 | RB252 | 2632 | RB253 | 2417 |
| 4" | | | | | | | RB270 | 10016 | RB271 | 9181 | RB272 | 8475 | RB273 | 7870 | RB274 | 7345 | RB275 | 6886 | RB262 | 6476 | RB263 | 5775 | RB264 | 5184 | RB265 | 4670 | RB266 | 4243 | RB267 | 3866 | RB268 | 3538 | RB269 | 3249 |
| 4 1/2" | | | | | | | | | RB284 | 10806 | RB285 | 9975 | RB286 | 9262 | RB287 | 8645 | RB288 | 8105 | RB276 | 7628 | RB277 | 7204 | RB278 | 6825 | RB279 | 6207 | RB280 | 5630 | RB281 | 5130 | RB282 | 4694 | RB283 | 4310 |
| 5" | | | | | | | | | | | | | RB297 | 10727 | RB298 | 10012 | RB299 | 9386 | RB289 | 8834 | RB290 | 8344 | RB291 | 7904 | RB292 | 7509 | RB293 | 7152 | RB294 | 6312 | RB295 | 6050 | RB296 | 5557 |
| 5 1/2" | | | | | | | | | | | | | | | | | | | RB300 | 10100 | RB301 | 9540 | RB302 | 9037 | RB303 | 8585 | RB304 | 8176 | RB305 | 7805 | RB306 | 7466 | RB307 | 6998 |
| 6" | | | | | | | | | | | | | | | | | | | RB308 | 10400 | RB309 | 10338 | RB310 | 9794 | RB311 | 9304 | RB312 | 8861 | RB313 | 8458 | RB314 | 8091 | RB315 | 7754 |
| 6 1/2" | | | | | | | | | | | | | | | | | | | | | | | | | RB316 | 10200 | RB317 | 10372 | RB318 | 9901 | RB319 | 9470 | RB320 | 9076 |

## 7/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR

| LGTH / Height | 48" Model No. | 48" Cap. lbs. | 54" Model No. | 54" Cap. lbs. | 60" Model No. | 60" Cap. lbs. | 66" Model No. | 66" Cap. lbs. | 72" Model No. | 72" Cap. lbs. | 78" Model No. | 78" Cap. lbs. | 84" Model No. | 84" Cap. lbs. | 90" Model No. | 90" Cap. lbs. | 96" Model No. | 96" Cap. lbs. | 102" Model No. | 102" Cap. lbs. | 108" Model No. | 108" Cap. lbs. | 114" Model No. | 114" Cap. lbs. | 120" Model No. | 120" Cap. lbs. | 126" Model No. | 126" Cap. lbs. | 132" Model No. | 132" Cap. lbs. | 138" Model No. | 138" Cap. lbs. | 144" Model No. | 144" Cap. lbs. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 1/2" | RB379 | 7143 | RB381 | 6349 | RB383 | 5714 | RB385 | 4800 | RB387 | 4041 | RB389 | 3443 | RB391 | 2970 | RB393 | 2586 | RB395 | 2273 | RB363 | 2014 | RB365 | 1796 | RB367 | 1612 | RB369 | 1455 | RB371 | 1320 | RB373 | 1206 | RB375 | 1100 | RB377 | 1010 |
| 3" | RB413 | 9115 | RB415 | 8102 | RB417 | 7292 | RB419 | 6629 | RB421 | 6077 | RB423 | 5364 | RB425 | 4625 | RB427 | 4030 | RB429 | 3540 | RB397 | 3137 | RB399 | 2798 | RB401 | 2511 | RB403 | 2266 | RB405 | 2055 | RB407 | 1873 | RB409 | 1719 | RB411 | 1574 |
| 3 1/2" | | | RB447 | 10334 | RB449 | 9310 | RB451 | 8463 | RB453 | 7758 | RB455 | 7161 | RB457 | 6650 | RB459 | 6068 | RB461 | 5333 | RB431 | 4725 | RB433 | 4214 | RB435 | 3782 | RB437 | 3414 | RB439 | 3096 | RB441 | 2821 | RB443 | 2582 | RB445 | 2371 |
| 4" | | | | | RB479 | 10886 | RB481 | 9897 | RB483 | 9272 | RB485 | 8374 | RB487 | 7776 | RB489 | 7258 | RB491 | 6804 | RB463 | 6337 | RB465 | 5652 | RB467 | 5072 | RB469 | 4578 | RB471 | 4153 | RB473 | 3783 | RB475 | 3462 | RB477 | 3179 |
| 4 1/2" | | | | | | | | | RB509 | 10718 | RB511 | 9894 | RB513 | 9187 | RB515 | 8575 | RB517 | 8039 | RB493 | 7565 | RB495 | 7106 | RB497 | 6769 | RB499 | 6140 | RB501 | 5569 | RB503 | 5074 | RB505 | 4642 | RB507 | 4264 |
| 5" | | | | | | | | | | | | | RB535 | 10325 | RB537 | 9637 | RB539 | 9035 | RB519 | 8503 | RB521 | 8030 | RB523 | 7608 | RB525 | 7277 | RB527 | 6884 | RB529 | 6355 | RB531 | 5819 | RB533 | 5343 |
| 5 1/2" | | | | | | | | | | | | | | | | | RB557 | 10382 | RB541 | 9772 | RB543 | 9229 | RB545 | 8743 | RB547 | 8306 | RB549 | 7910 | RB551 | 7500 | RB553 | 7222 | RB555 | 6786 |
| 6" | | | | | | | | | | | | | | | | | | | RB559 | 10416 | RB561 | 9838 | RB563 | 9320 | RB565 | 8853 | RB567 | 8432 | RB569 | 8049 | RB571 | 7699 | RB573 | 7378 |
| 6 1/2" | | | | | | | | | | | | | | | | | | | | | | | | | RB575 | 10593 | RB577 | 10088 | RB579 | 9630 | RB581 | 9210 | RB583 | 8827 |

## 1 5/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR

| LGTH / Height | 48" Model No. | 48" Cap. lbs. | 54" Model No. | 54" Cap. lbs. | 60" Model No. | 60" Cap. lbs. | 66" Model No. | 66" Cap. lbs. | 72" Model No. | 72" Cap. lbs. | 78" Model No. | 78" Cap. lbs. | 84" Model No. | 84" Cap. lbs. | 90" Model No. | 90" Cap. lbs. | 96" Model No. | 96" Cap. lbs. | 102" Model No. | 102" Cap. lbs. | 108" Model No. | 108" Cap. lbs. | 114" Model No. | 114" Cap. lbs. | 120" Model No. | 120" Cap. lbs. | 126" Model No. | 126" Cap. lbs. | 132" Model No. | 132" Cap. lbs. | 138" Model No. | 138" Cap. lbs. | 144" Model No. | 144" Cap. lbs. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 1/2" | RB380 | 7143 | RB382 | 6349 | RB384 | 5714 | RB386 | 4800 | RB388 | 4041 | RB390 | 3443 | RB392 | 2970 | RB394 | 2586 | RB396 | 2273 | RB364 | 2014 | RB366 | 1796 | RB368 | 1612 | RB370 | 1455 | RB372 | 1320 | RB374 | 1206 | RB376 | 1100 | RB378 | 1010 |
| 3" | RB414 | 9115 | RB416 | 8102 | RB418 | 7292 | RB420 | 6629 | RB422 | 6077 | RB424 | 5364 | RB426 | 4625 | RB428 | 4030 | RB430 | 3540 | RB398 | 3137 | RB400 | 2798 | RB402 | 2511 | RB404 | 2266 | RB406 | 2055 | RB408 | 1873 | RB410 | 1719 | RB412 | 1574 |
| 3 1/2" | | | RB448 | 10334 | RB450 | 9310 | RB452 | 8463 | RB454 | 7758 | RB456 | 7161 | RB458 | 6650 | RB460 | 6068 | RB462 | 5333 | RB432 | 4725 | RB434 | 4214 | RB436 | 3782 | RB438 | 3414 | RB440 | 3096 | RB442 | 2821 | RB444 | 2582 | RB446 | 2371 |
| 4" | | | | | RB480 | 10886 | RB482 | 9897 | RB484 | 9272 | RB486 | 8374 | RB488 | 7776 | RB490 | 7258 | RB492 | 6804 | RB464 | 6337 | RB466 | 5652 | RB468 | 5072 | RB470 | 4578 | RB472 | 4153 | RB474 | 3783 | RB476 | 3462 | RB478 | 3179 |
| 4 1/2" | | | | | | | | | RB510 | 10718 | RB512 | 9894 | RB514 | 9187 | RB516 | 8575 | RB518 | 8039 | RB494 | 7565 | RB496 | 7106 | RB498 | 6769 | RB500 | 6140 | RB502 | 5569 | RB504 | 5074 | RB506 | 4642 | RB508 | 4264 |
| 5" | | | | | | | | | | | | | RB536 | 10325 | RB538 | 9637 | RB540 | 9035 | RB520 | 8503 | RB522 | 8030 | RB524 | 7608 | RB526 | 7277 | RB528 | 6884 | RB530 | 6355 | RB532 | 5819 | RB534 | 5343 |
| 5 1/2" | | | | | | | | | | | | | | | | | RB558 | 10382 | RB542 | 9772 | RB544 | 9229 | RB546 | 8743 | RB548 | 8306 | RB550 | 7910 | RB552 | 7500 | RB554 | 7222 | RB556 | 6786 |
| 6" | | | | | | | | | | | | | | | | | | | RB560 | 10416 | RB562 | 9838 | RB564 | 9320 | RB566 | 8853 | RB568 | 8432 | RB570 | 8049 | RB572 | 7699 | RB574 | 7378 |
| 6 1/2" | | | | | | | | | | | | | | | | | | | | | | | | | RB576 | 10593 | RB578 | 10088 | RB580 | 9630 | RB582 | 9210 | RB584 | 8827 |

# CENTENNIAL PROFILE ACCESSORIES

- All accessories are FOB Concord, Ontario

### FLUSH SAFETY BAR FOR BOX BEAMS



| Model No. | Dimensions W" x L" | Wt. Cap. lbs. | Price /Each |
|---|---|---|---|
| RB878 | 2 x 42 | 1100 | |
| RB884 | 6 x 42 | 1200 | |
| RB872 | 12 x 42 | 1200 | |

### DRUM CRADLE

- For positive positioning of cylindrical containers
- Unit fits onto cross bars and provides wedge type security

| Model No. | Description | Price /Each |
|---|---|---|
| RB848 | Drum cradle (Type II - 42") | |

### SKID CHANNELS

- For use with legged skids
- Fits across beams, from front to rear
- Recessed channel provides support for skid legs

| Model No. | Dimensions W" x L" | Price /Each |
|---|---|---|
| RB923 | 6 x 42 | |

### WALL CONNECTORS

- Wall connectors are used to provide a tie between racking and the wall
- Plate is punched to allow lagging

| Model No. | Size" | Price /Each |
|---|---|---|
| RB835 | 6 | |
| RB830 | 12 | |

### ROW CONNECTORS

- Row connectors are used on back to back racking layouts to maintain spacing between rows
- May be located at any level other than where a stringer is located

| Model No. | Size" | Price /Each |
|---|---|---|
| RB327 | 6 | |
| RB328 | 8 | |
| RB322 | 12 | |

# WIRE DECKING

- Easy to install
- Step/Waterfall style
- Three channels sit on the beam to carry the load
- 2500-lb. capacity
- Colour: Grey



| Model No. | Dimensions W" x D" | Price /Each |
|---|---|---|
| RL379 | 46 x 42 | |
| RL380 | 52 x 42 | |
| RL377 | 46 x 36 | |
| RL378 | 52 x 36 | |

# REDIRACK PROFILE ACCESSORIES

### HOOKOVER SAFETY BAR FOR BOX BEAMS

| Model No. | Dimensions W" x L" x H" | Wt. Cap. lbs. | Price /Each |
|---|---|---|---|
| RL034 | 2 x 42 x 4 | 1000 | |

### SAFETY BAR FOR STEP BEAMS

- Sits in pre-slitted Redirack beams
- Prevents pallets from falling between beams
- Galvanized
- Fits 42" frame



| Model No. | Dimensions W" x L" | Wt. Cap. lbs. | Price /Each |
|---|---|---|---|
| RL029 | 2 x 38 | 1000 | |

# PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2", 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- Hardware not included

**KD131**

**ML231**

**Create a pallet rack back guard designed for your application**

1. Choose one or a combination of back guard panels to create the required width and length

| Model No. | Dimensions' | Weight lbs. | Price /Each |
|---|---|---|---|
| KH926 | 1 x 4 | 10 | |
| KH914 | 2 x 4 | 12 | |
| KH930 | 3 x 4 | 20 | |
| KD130 | 4 x 4 | 23 | |
| KD131 | 8 x 4 | 45 | |

2. Choose a mounting bracket that provides the required depth
   - Minimum of four brackets required

| Model No. | Dimensions" | Weight lbs. | Price /Each |
|---|---|---|---|
| ML231 | 4 x 6 | 2 | |
| ML232 | 4 x 9 | 2 | |
| ML233 | 4 x 12 | 3 | |

3. **Hardware required**
   For each additional panel, add: 2 x **MMB721** and 2 x **MMH254**
   For each mounting bracket, add: 3 x **MMP624** and 3 x **MMB721**

# CANTILEVER BAR-STOCK RACKING

## LIGHT-DUTY

- All-welded components assemble easily
- Seven 12" adjustable arms per column side
- Capacity per level: 1000 lbs.
- Dim.: 36" W x 18 1/4"' D x 75" H
- Shipped knocked down
- **FOB Concord, ONT**

## REGULAR-DUTY

- Ideal for storing of steel, iron, aluminum, wood or plastic pipe
- All-welded components assemble easily
- Seven 14" adjustable arms per column side
- Capacity per level: 2000 lbs.
- Dim.: 36" W or 72" W x 21" D x 84" H
- Shipped knocked down
- **FOB Concord, ONT**

### LIGHT-DUTY

| Model No. | Description | Capacity lbs/column | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **RL730** | Single Sided | 7000 | 306 | |
| **RL731** | Double Sided | 14 000 | 434 | |

### REGULAR-DUTY

| Model No. | Description | Capacity Width" | Capacity lbs./column | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| STARTER | | | | | |
| **RL732** | Single-Sided | 36 | 14 000 | 315 | |
| **RL734** | Double-Sided | 36 | 28 000 | 452 | |
| **RL736** | Single-Sided | 72 | 14 000 | 329 | |
| **RL738** | Double-Sided | 72 | 28 000 | 466 | |
| ADD-ON | | | | | |
| **RL733** | Single-Sided | 36 | 7000 | 168 | |
| **RL735** | Double-Sided | 36 | 14 000 | 236 | |
| **RL737** | Single-Sided | 72 | 7000 | 182 | |
| **RL739** | Double-Sided | 72 | 14 000 | 250 | |

# HEAVY-DUTY ADJUSTABLE CANTILEVER RACKING

- Pre-designed and engineered free-standing systems
- Each kit consist of 3 basic components: single or double sided columns, arms and braces
- Column centres are set at 51"
- 3 arms per column for single sided units and 6 arms per column double sided units
- All welded components that are easily assembled
- Tapered columns eliminate deflection of rack into the aisles
- Tapered arms never deflect below horizontal
- Arms easily adjust to any vertical height on 3" centres
- **FOB Concord, Ontario**

| Column Height' | Number of Columns | Arm Length" | Length of Material Stored' | Capacity Per /Level | Single Sided Unit Model No. | Price /Each | Double Sided Unit Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| 8 | 2 | 24 | 5 to 8 | 4500 | **RL676** | | **RL703** | |
| 8 | 3 | 24 | 9 to 12 | 5500 | **RL677** | | **RL704** | |
| 8 | 4 | 24 | 13 to 16 | 8000 | **RL678** | | **RL705** | |
| 8 | 2 | 36 | 5 to 8 | 4000 | **RL685** | | **RL712** | |
| 8 | 3 | 36 | 9 to 12 | 4500 | **RL686** | | **RL713** | |
| 8 | 4 | 36 | 13 to 16 | 6500 | **RL687** | | **RL714** | |
| 8 | 2 | 48 | 5 to 8 | 3000 | **RL694** | | **RL721** | |
| 8 | 3 | 48 | 9 to 12 | 3500 | **RL695** | | **RL722** | |
| 8 | 4 | 48 | 13 to 16 | 5000 | **RL696** | | **RL723** | |
| 10 | 2 | 24 | 5 to 8 | 4500 | **RL679** | | **RL706** | |
| 10 | 3 | 24 | 9 to 12 | 5500 | **RL680** | | **RL707** | |
| 10 | 4 | 24 | 13 to 16 | 8000 | **RL681** | | **RL708** | |
| 10 | 2 | 36 | 5 to 8 | 4000 | **RL688** | | **RL715** | |
| 10 | 3 | 36 | 9 to 12 | 4500 | **RL689** | | **RL716** | |
| 10 | 4 | 36 | 13 to 16 | 6500 | **RL690** | | **RL717** | |
| 10 | 2 | 48 | 5 to 8 | 3000 | **RL697** | | **RL724** | |
| 10 | 3 | 48 | 9 to 12 | 3500 | **RL698** | | **RL725** | |
| 10 | 4 | 48 | 13 to 16 | 5000 | **RL699** | | **RL726** | |
| 12 | 2 | 24 | 5 to 8 | 4500 | **RL682** | | **RL709** | |
| 12 | 3 | 24 | 9 to 12 | 5500 | **RL683** | | **RL710** | |
| 12 | 4 | 24 | 13 to 16 | 8000 | **RL684** | | **RL711** | |
| 12 | 2 | 36 | 5 to 8 | 4000 | **RL691** | | **RL718** | |
| 12 | 3 | 36 | 9 to 12 | 4500 | **RL692** | | **RL719** | |
| 12 | 4 | 36 | 13 to 16 | 6500 | **RL693** | | **RL720** | |
| 12 | 2 | 48 | 5 to 8 | 3000 | **RL700** | | **RL727** | |
| 12 | 3 | 48 | 9 to 12 | 3500 | **RL701** | | **RL728** | |
| 12 | 4 | 48 | 13 to 16 | 5000 | **RL702** | | **RL729** | |

**SINGLE SIDED**




**DOUBLE SIDED**




## OTHER OPTIONAL ARMS

**Lip Stop**

Flat plate front end lip stops prevent loose materials from rolling off.

**Removable Pipes & Sockets**

Safely contain broken bundles for elevations that are safely reached from the ground only.

**Reel Adapters**

- Available for reels with diameters of up to 80" and 15 000 lbs.
- Allows easy access to load and unload the coils
- Can be used with automated wire/cable puller equipment

**Custom sizes available. Contact your Material Handling Specialist today for the most efficient and economical rack design and layout with thousands of possible column and arm combinations to suit your specific application.**

## BAR STORAGE RACKS

All-steel vertical and horizontal racks are ideal for storing bars, tube, pipe and angle.



### HORIZONTAL BAR RACKS

- Horizontally stores bars up to 10' long 9" deep arms with 9 storage levels at 6" intervals
- O.A. Dim.: 18" W x 40" D x 84" H
- Capacity: 1800 lbs.
- Weight: 68 lbs.
- Durable Kleton blue enamel finish
- Shipped knocked down

**Model No. RB958**
**Price/Each $**

### COMBINATION VERTICAL RACKS

- Vertically stores bars up to 12' long
- 3 shelves for extra storage of small parts
- 8" deep arms divided into 3 sections
- O.A. Dim.: 36" W x 24" D x 84" H
- Capacity: 3000 lbs.
- Weight: 128 lbs.
- Durable Kleton blue enamel finish
- Shipped knocked down

**Model No. RL922**
**Price/Each $**

### VERTICAL BAR RACKS

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four - 24" deep dividers
- O.A. Dim.: 48" W x 24" D x 60" H
- 3000 lbs. capacity
- Weight: 100 lbs.
- Durable Kleton blue enamel finish

**Model No. RL383**
**Price/Each $**

### MOBILE PIPE & BAR RACKS

- All-welded steel construction, ready to use
- 3 double sided storage levels with 7" high uprights to secure load
- Useable space per side 6"-11"-15" (top-middle-bottom)
- Durable Kleton blue enamel finish
- Capacity: 3000 lbs.
- Capacity is based on evenly distributed weight
- Wheel Material: Polyurethane

| Model No. | Overall Dim. W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| M0248 | 48 | x | 36 | x | 60 | 205 | |
| M0249 | 72 | x | 36 | x | 60 | 245 | |

## STANDARD VERTICAL SHEET RACKS

- All-welded steel construction
- Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- O.A. Dim.: 84" W x 50" L x 36 3/4" H
- Number of bays: 4
- Distance between bays: 10"
- Weight: 200 lbs.
- Durable Kleton blue enamel finish

**Model No. RL384**
**Price/Each $**



## VERTICAL SHEET STORAGE RACKS

- Accommodates multiple sheet sizes
- All-welded steel construction, 1 1/4" OD round tube dividers
- Two 27" H uprights, two 36" H uprights and one 42" H upright
- Four equal size openings of 7 1/2" clear
- Holes for anchoring to the floor recommended
- Overall dimensions: 36" x 48" x 43 1/2"
- Capacity: 750 lbs. per bay; total of 3000 lbs.
- Shipping weight: 72 lbs.
- Durable Kleton blue enamel finish

**Model No. RN014**
**Price/Each $**

## HORIZONTAL SHEET RACKS

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and a open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.

| Model No. | Overall Dim. L" | x | W" | x | H" | Number of Shelves | Net Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| RL923 | 103 | x | 55 | x | 48 | 5 | 575 | |

## BUILT TO YOUR SPECIFIC DIMENSIONS

**Kleton** specializes in custom requests, be it a small modification to existing designs or a unique requirement. Our team of design specialists can help you get from concept, to drawings, to a finished product. From quantities of one to one thousand, Kleton treats your request with the same attention to detail that has become synonymous with the Kleton name.

## STACKING RACKS

- Rugged all-welded 2" sq. tubing steel construction
- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Holds 4000 lbs. per rack and can be stacked 4 high
- Durable Kleton blue enamel finish
- Posts and bases are sold separately

RL416


RL414


Model RL414
w/2 Model RL419


Model RL414
w/4 Model RL421

| Model No. | Inside Dimensions W" x D" | O.A. Dimensions W" x D" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **OPEN BASE FRAME** | | | | |
| **RL414** | 44 x 38 | 48 x 42 | 85 | |
| **RL415** | 44 x 44 | 48 x 48 | 90 | |
| **CLOSED BASE FRAME** | | | | |
| **RL416** | 44 x 38 | 48 x 42 | 110 | |
| **RL417** | 44 x 44 | 48 x 48 | 115 | |

### ACCESSORIES

| Model No. | Description | O.A. Dimensions W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **RL418** | 42" Side Rail | 42 x 48 | 30 | |
| **RL419** | 48" Side Rail | 48 x 48 | 32 | |
| **RL420** | 42" Upright Post-Pack of 4 | 2 x 42 | 35 | |
| **RL421** | 48" Upright Post-Pack of 4 | 2 x 48 | 40 | |
| **RL422** | 60" Upright Post-Pack of 4 | 2 x 60 | 50 | |

## RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Colour: Safety yellow
- Material: Steel

RN059

| Model No. | Description | O.A. Dimensions L" x W" x H" | Fits Upright | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **RN059** | Single Wrap - Left | 46 1/2 x 3 x 12 | 42 W | 38 | |
| **RN060** | Single Wrap - Right | 46 1/2 x 3 x 12 | 42 W | 38 | |
| **RN061** | Single Wrap - Left | 52 1/2 x 3 x 12 | 48 W | 41 | |
| **RN062** | Single Wrap - Right | 52 1/2 x 3 x 12 | 48 W | 41 | |
| **RN063** | Double Wrap | 50 1/4 x 3 x 12 | 42 W | 46 | |
| **RN064** | Double Wrap | 56 1/4 x 3 x 12 | 48 W | 46 | |

## FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Colour: Safety yellow
- Material: Steel

| Model No. | O.A. Dimensions L" x W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RN065** | 48 x 3 x 5 | 26 | |
| **RN066** | 60 x 3 x 5 | 33 | |
| **RN067** | 120 x 3 x 5 | 66 | |

## SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish


KD127

KD128

| Model No. | Dimensions L" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **KD127** | 24 x 18 | 65 | |
| **KH855** | 36 x 18 | 75 | |
| **KD128** | 48 x 18 | 85 | |
| **KD136** | 24 x 42 | 95 | |
| **KD139** | 48 x 42 | 115 | |

## UPRIGHT PROTECTORS

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish

| Model No. | O.A. Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **KH858** | 7 x 7 x 12 | 12 | |
| **RB925** | 7 x 7 x 18 1/4 | 15 | |

## HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

| Model No. | Height" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **KD125** | 24 | 30 | |
| **KH857** | 36 | 40 | |
| **KD126** | 48 | 50 | |

# EXTRA HEAVY-DUTY SHELVING

**DESIGNED TO HOLD THE HEAVIEST LOADS**

- Clear access on all four sides
- Excellent for storage of dies, fixtures, jigs or any heavy material
- Formed angle 2" x 2" uprights are constructed of 13 gauge steel, punched on 1" centres for quick and easy shelf adjustment
- Grey powder coat finish
- Shelf capacities are based on loads that are evenly distributed
- Extra shelves and 96" high units are available
- Each unit includes 5 shelves

| Model No. | Dimensions W" x D" x H" | Cap /Shelf lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **RC524** | 36 x 18 x 72 | 3000 | 167 | |
| **RC525** | 48 x 18 x 72 | 3000 | 212 | |
| **RC526** | 60 x 18 x 72 | 3000 | 252 | |
| **RC527** | 36 x 24 x 72 | 3000 | 197 | |
| **RC528** | 48 x 24 x 72 | 3000 | 242 | |
| **RC529** | 60 x 24 x 72 | 3000 | 292 | |



**Shelves:**

14-gauge, 2" deep channels on all four sides

An extra channel welded to the bottom of shelf to prevent flexing under heavy loads.

# HEAVY-DUTY BULK STORAGE RACKS

- These racks bridge the gap between pallet racking and conventional industrial racking
- Engineered for hand loading of intermediate \weight bulky items
- Constructed of all welded 14-gauge steel upright frames punched on 2" centres
- 14-gauge "Z" step beam design provides maximum weight capacity
- Comes with 5/8" thick particle board decking (steel decking also available)
- Additional shelves include 2 beams and a deck
- Other dimensions also available

**Innovative "Z" Beam Design**

| Rack Height' | Rack Width" | Cap. lbs. per shelf | Starter Model No. | Wt. lbs. | Price /Each | Add-on Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **STANDARD 3 SHELF UNITS - 24" DEEP UNIT** | | | | | | | | |
| 6 | 60 | 4000 | **RK028** | 181 | | **RK046** | 158 | |
| | 72 | 3500 | **RK029** | 205 | | **RK047** | 182 | |
| | 96 | 2800 | **RK030** | 253 | | **RK048** | 230 | |
| 8 | 60 | 4000 | **RK031** | 199 | | **RK049** | 167 | |
| | 72 | 3500 | **RK032** | 223 | | **RK050** | 191 | |
| | 96 | 2800 | **RK033** | 271 | | **RK051** | 239 | |
| **STANDARD 3 SHELF UNITS - 36" DEEP UNIT** | | | | | | | | |
| 6 | 60 | 4000 | **RK040** | 221 | | **RK052** | 196 | |
| | 72 | 3500 | **RK041** | 254 | | **RK053** | 229 | |
| | 96 | 2800 | **RK042** | 317 | | **RK054** | 292 | |
| 8 | 60 | 4000 | **RK043** | 243 | | **RK055** | 207 | |
| | 72 | 3500 | **RK044** | 276 | | **RK056** | 240 | |
| | 96 | 2800 | **RK045** | 339 | | **RK057** | 303 | |

**ADDITIONAL SHELVES**

| Rack Width" | 24" Deep unit | Wt. lbs. | Price /Each | 36" Deep unit | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| 60 | **RK058** | 45 | | **RK061** | 57 | |
| 72 | **RK059** | 53 | | **RK062** | 68 | |
| 96 | **RK060** | 69 | | **RK063** | 89 | |

# ULTRARACK HEAVY-DUTY BOLTLESS SHELVING

- Modular Design; use as storage shelving, a work centre or assemble as a workbench
- Heavy-duty 16-gauge steel construction provides maximum weight carrying capacity
- Each shelf supports 600 - 1800 lbs. based on evenly distributed loads
- Double riveted beams lock into heavy-duty corner post to form a structurally secure unit
- Includes five particleboard shelves that adjust easily on 1 1/2" centres
- Convenient access from all four sides
- Tough baked enamel finish

| Model No. | Mfg. No. | Dimensions W" x D" x H" | Cap/Shelf lbs. | Price /Each |
|---|---|---|---|---|
| **RL894** | UR1836 | 36 x 18 x 72 | 1200 | |
| **RL895** | UR2436 | 36 x 24 x 72 | 1800 | |
| **RL896** | UR1848 | 48 x 18 x 72 | 1000 | |
| **RL897** | UR2448 | 48 x 24 x 72 | 1400 | |

# ECONOMICAL COMMERCIAL SHELVING

- For light duty applications, this is the perfect shelving for your office, storeroom, garage or shop
- Capacity: 300 lbs. per shelf evenly distributed
- Shelves can be adjusted on 1" centres without disturbing shelves in each adjoining unit
- The use of a Kwik Klip system will allow for a quick and easy shelf installation
- All steel construction with a baked enamel tan finish
- Available in an open or closed style
- Each unit includes 5 shelves
- Also available with 6 or 8 shelves

| Model No. | Size W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **OPEN STYLE** | | | |
| **RB971** | 36 x 12 x 75 | 47 | |
| **RB973** | 36 x 15 x 75 | 54 | |
| **RB975** | 36 x 18 x 75 | 60 | |
| **RB977** | 36 x 24 x 75 | 66 | |
| **CLOSED STYLE** | | | |
| **RB972** | 36 x 12 x 75 | 84 | |
| **RB974** | 36 x 15 x 75 | 95 | |
| **RB976** | 36 x 18 x 75 | 105 | |
| **RB978** | 36 x 24 x 75 | 120 | |

# PRONTO BULK STORAGE RACKS

- Shelving units are ideal for storage of heavy/bulk merchandise
- Feature a maximum capacity of 8000 lbs./section and 2000 lbs./shelf
- Easy and quick installation, only 4 components involved: beams, frames, shelving and safety bars
- Vertical adjustability of beams in 4" increments provides the flexibility to suit your changing warehousing needs
- Frames and beams lock easily and securely
- Each Pronto bulk storage rack starter unit is comprised of two all-welded end frames, and three 5/8" presswood shelves flush-fitted into positive locking steel shelf beams (2 per shelf)
- Add-on units include only one end frame
- Additional shelves may be added into any unit at 4" vertical centres
- Order one starter unit, and multiple add-ons for a continuous racking set-up
- For extra stability and rigidity all units feature 3 safety bars per shelf
- Various other dimensions are available in Pronto racking
- Rack only units (no wood shelves) are available upon inquiry
- Centennial blue enamel finish

**Note:** Not recommended for powered lift truck applications.






| Size W' x H' | Description | Cap. per level lbs. | 24" SHELF DEPTH Model No. | Wt. lbs. | Price /Each | 36" SHELF DEPTH Model No. | Wt. lbs. | Price /Each | 48" SHELF DEPTH Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 7 x 8 | Starter | 1400 | **RA443** | 245 | | **RA475** | 288 | | **RA507** | 331 | |
| 7 x 8 | Add-on | 1400 | **RA441** | 217 | | **RA473** | 258 | | **RA505** | 299 | |
| 7 - | Add'l shelf | 1400 | **RA470** | 63 | | **RA502** | 76 | | **RA534** | 89 | |
| 8 x 10 | Starter | 2000 | **RA453** | 302 | | **RA485** | 351 | | **RA517** | 400 | |
| 8 x 10 | Add-on | 2000 | **RA451** | 268 | | **RA483** | 315 | | **RA515** | 362 | |
| 8 - | Add'l shelf | 2000 | **RA471** | 78 | | **RA503** | 93 | | **RA535** | 108 | |
| 8 x 12 | Starter | 2000 | **RA463** | 316 | | **RA495** | 365 | | **RA527** | 414 | |
| 8 x 12 | Add-on | 2000 | **RA461** | 275 | | **RA493** | 322 | | **RA525** | 369 | |
| 8 - | Add'l shelf | 2000 | **RA471** | 78 | | **RA503** | 93 | | **RA535** | 108 | |

22-GA. GALVANIZED SHELF PANELS

| 7/8" Model No. | 1 3/8" Model No. | Size" | Cap. lbs. | Price /Each |
|---|---|---|---|---|
| **RB889** | **RB020** | 6 x 24 | 258 | |
| **RB890** | **RB021** | 6 x 30 | 200 | |
| **RB891** | **RB022** | 6 x 36 | 165 | |
| **RB892** | **RB023** | 6 x 42 | 139 | |
| **RB893** | **RB024** | 6 x 48 | 120 | |

# BULK STORAGE RACKS

- Ideal solution for storage of large and bulky items
- Designed to work without nuts and bolts allows for assembly in minutes
- Shelves are adjustable in 1 1/2" increments
- Optional particle board deck panels combine economy and strength and are easy to install
- Units come standard with sturdy 84" high, 14-gauge posts and left to right beams as well as 16-gauge front to back beams
- Double riveted beams lock into corner posts to eliminate back and side sway
- Durable baked gray enamel finish to resist rust and corrosion
- Shipped knocked down

**Easy assembly: Only a mallet is needed**

edsal

| Dimensions W" x D" x H" | Shelf cap lbs. | 3 LEVELS Model No. | Wt. lbs. | Price /Each | 4 LEVELS Model No. | Wt. lbs. | Price /Each | PARTICLE BOARD DECK Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| 48 x 24 x 84 | 1200 | **RL124** | 50 | | **RL139** | 60 | | **RL154** | 20 | |
| 48 x 36 x 84 | 1200 | **RL125** | 57 | | **RL140** | 68 | | **RL155** | 29 | |
| 48 x 48 x 84 | 1200 | **RL126** | 70 | | **RL141** | 87 | | **RL156** | 39 | |
| 60 x 24 x 84 | 1000 | **RL127** | 62 | | **RL142** | 75 | | **RK016** | 25 | |
| 60 x 36 x 84 | 1000 | **RL128** | 68 | | **RL143** | 83 | | **RK019** | 37 | |
| 60 x 48 x 84 | 1000 | **RL129** | 82 | | **RL144** | 102 | | **RL157** | 49 | |
| 72 x 24 x 84 | 750 | **RL130** | 62 | | **RL145** | 75 | | **RK017** | 29 | |
| 72 x 36 x 84 | 750 | **RL131** | 68 | | **RL146** | 83 | | **RK020** | 44 | |
| 72 x 48 x 84 | 750 | **RL132** | 82 | | **RL147** | 101 | | **RL158** | 59 | |
| 96 x 24 x 84 | 600 | **RL133** | 83 | | **RL148** | 106 | | **RK018** | 39 | |
| 96 x 36 x 84 | 600 | **RL134** | 93 | | **RL149** | 117 | | **RK021** | 59 | |
| 96 x 48 x 84 | 600 | **RL135** | 112 | | **RL150** | 142 | | **RL159** | 78 | |
| 96 x 24 x 84 | 800 | **RL136** | 90 | | **RL151** | 112 | | **RK018** | 3 | |
| 96 x 36 x 84 | 800 | **RL137** | 100 | | **RL152** | 126 | | **RK021** | 59 | |
| 96 x 48 x 84 | 800 | **RL138** | 130 | | **RL153** | 151 | | **RL159** | 78 | |

## WIDE SPAN RECORD STORAGE SHELVING

- Efficiently organize and store all records in a single information retrieval center
- Record management is facilitated with easy to identify printed storage boxes
- 12-gauge steel posts and beams and warp free particle board decks provides maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily maneuverable box, a perfect choice for economical storage
- Order complete units, including shelving, deck and boxes, or shelving with deck only
- Colour: Grey

RN009

RN004

METALWARE STEEL SHELVING corporation

| Model No. | Unit Type | No. of Shelves | Size L" | x | D" | x | H" | No. of Boxes | Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| **SHELVING & DECK ONLY (WITHOUT BOXES)** | | | | | | | | | | |
| **RL997** | Starter | 3 | 72 | x | 18 | x | 60 | - | 800 | |
| **RL998** | Starter | 3 | 72 | x | 32 | x | 60 | - | 800 | |
| **RL999** | Starter | 4 | 72 | x | 18 | x | 84 | - | 800 | |
| **RN001** | Starter | 4 | 72 | x | 32 | x | 84 | - | 800 | |
| **RN136** | Add-on | 3 | 72 | x | 18 | x | 60 | - | 800 | |
| **RN137** | Add-on | 3 | 72 | x | 32 | x | 60 | - | 800 | |
| **RN138** | Add-on | 4 | 72 | x | 18 | x | 84 | - | 800 | |
| **RN139** | Add-on | 4 | 72 | x | 32 | x | 84 | - | 800 | |
| **RN002** | Starter | 3 | 42 | x | 18 | x | 60 | - | 1340 | |
| **RN003** | Starter | 3 | 42 | x | 32 | x | 60 | - | 1340 | |
| **RN004** | Starter | 4 | 42 | x | 18 | x | 84 | - | 1340 | |
| **RN005** | Starter | 4 | 42 | x | 32 | x | 84 | - | 1340 | |
| **RN140** | Add-on | 3 | 42 | x | 18 | x | 60 | - | 1340 | |
| **RN141** | Add-on | 3 | 42 | x | 32 | x | 60 | - | 1340 | |
| **RN142** | Add-on | 4 | 42 | x | 18 | x | 84 | - | 1340 | |
| **RN143** | Add-on | 4 | 42 | x | 32 | x | 84 | - | 1340 | |

| Model No. | Unit Type | No. of Shelves | Size L" | x | D" | x | H" | No. of Boxes | Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| **COMPLETE UNITS (INCLUDES SHELVING, DECK & BOXES)** | | | | | | | | | | |
| **RN006** | Starter | 3 | 72 | x | 18 | x | 60 | 30 | 800 | |
| **RN007** | Starter | 3 | 72 | x | 32 | x | 60 | 60 | 800 | |
| **RN008** | Starter | 4 | 72 | x | 18 | x | 84 | 40 | 800 | |
| **RN009** | Starter | 4 | 72 | x | 32 | x | 84 | 80 | 800 | |
| **RN144** | Add-on | 3 | 72 | x | 18 | x | 60 | 30 | 800 | |
| **RN145** | Add-on | 3 | 72 | x | 32 | x | 60 | 60 | 800 | |
| **RN146** | Add-on | 4 | 72 | x | 18 | x | 84 | 40 | 800 | |
| **RN147** | Add-on | 4 | 72 | x | 32 | x | 84 | 80 | 800 | |
| **RN010** | Starter | 3 | 42 | x | 18 | x | 60 | 18 | 1340 | |
| **RN011** | Starter | 3 | 42 | x | 32 | x | 60 | 36 | 1340 | |
| **RN012** | Starter | 4 | 42 | x | 18 | x | 84 | 24 | 1340 | |
| **RN013** | Starter | 4 | 42 | x | 32 | x | 84 | 48 | 1340 | |
| **RN148** | Add-on | 3 | 42 | x | 18 | x | 60 | 18 | 1340 | |
| **RN149** | Add-on | 3 | 42 | x | 32 | x | 60 | 36 | 1340 | |
| **RN150** | Add-on | 4 | 42 | x | 18 | x | 84 | 24 | 1340 | |
| **RN151** | Add-on | 4 | 42 | x | 32 | x | 84 | 48 | 1340 | |

## EASY-UP 5000 SHELVING

- Offers the look of office shelving, the strength of industrial shelving and the economy of commercial shelving
- All shelving features 14 gauge beams front and back that adjust on 1" centres
- No cross braces required
- Loads can be accessed from all sides
- Designed for easy, trouble-free installation
- Beam and side braces hook into post slots to form a rigid frame
- No nuts, bolts nor clips required, thereby saving installation time and cost
- Shelves can easily be adjusted or added to your system at any time

### COMPONENTS:

- End frames have slots on 1" centres, covering 3 sides with a clean front view
- Marked on 6" centres for quick beam installation. Half slots on top for flush mounted top shelf
- Frame connectors designed with a patented locking tab to be turned into the upright for safety and rigidity
- Beams have a double locking clip V-type design to support the particle board shelf
- Finished with a baked-on alkyd enamel over corrosion resistant phosphate undercoat
- Colour: Almond beige

**Model No. RH907** Foot plate
**Price/Each $**

### 5-SHELF UNITS

| Shelf Size D" x W" | Cap. per shelf lbs. | 74" H Model No. | Price /Each | 86" H Model No. | Price /Each | 98" H Model No. | Price /Each |
|---|---|---|---|---|---|---|---|
| STARTER UNITS | | | | | | | |
| 12 x 36 | 400 | **RH798** | | **RH807** | | **RH816** | |
| 12 x 48 | 300 | **RH799** | | **RH808** | | **RH817** | |
| 18 x 36 | 400 | **RH801** | | **RH810** | | **RH819** | |
| 18 x 48 | 300 | **RH802** | | **RH811** | | **RH820** | |
| 24 x 36 | 400 | **RH804** | | **RH813** | | **RH822** | |
| 24 x 48 | 300 | **RH805** | | **RH814** | | **RH823** | |
| ADD-ON UNITS | | | | | | | |
| 12 x 36 | 400 | **RH825** | | **RH834** | | **RH843** | |
| 12 x 48 | 300 | **RH826** | | **RH835** | | **RH844** | |
| 18 x 36 | 400 | **RH828** | | **RH837** | | **RH846** | |
| 18 x 48 | 300 | **RH829** | | **RH838** | | **RH847** | |
| 24 x 36 | 400 | **RH831** | | **RH840** | | **RH849** | |
| 24 x 48 | 300 | **RH832** | | **RH841** | | **RH850** | |

### 6-SHELF UNITS

| Shelf Size D" x W" | Cap. per shelf lbs. | 74" H Model No. | Price /Each | 86" H Model No. | Price /Each | 98" H Model No. | Price /Each |
|---|---|---|---|---|---|---|---|
| STARTER UNITS | | | | | | | |
| 12 x 36 | 400 | **RH852** | | **RH861** | | **RH870** | |
| 12 x 48 | 300 | **RH853** | | **RH862** | | **RH871** | |
| 18 x 36 | 400 | **RH855** | | **RH864** | | **RH873** | |
| 18 x 48 | 300 | **RH856** | | **RH865** | | **RH874** | |
| 24 x 36 | 400 | **RH858** | | **RH867** | | **RH876** | |
| 24 x 48 | 300 | **RH859** | | **RH868** | | **RH877** | |
| ADD-ON UNITS | | | | | | | |
| 12 x 36 | 400 | **RH879** | | **RH888** | | **RH897** | |
| 12 x 48 | 300 | **RH880** | | **RH889** | | **RH898** | |
| 18 x 36 | 400 | **RH882** | | **RH891** | | **RH900** | |
| 18 x 48 | 300 | **RH883** | | **RH892** | | **RH901** | |
| 24 x 36 | 400 | **RH885** | | **RH894** | | **RH903** | |
| 24 x 48 | 300 | **RH886** | | **RH895** | | **RH904** | |

# HEAVY-DUTY ULTRACAP™ STEEL SHELVING

- Industrial-grade shelving made from 20-gauge steel is available in starter and add-on units for a wide variety of storage solutions
- Six 20-gauge welded tubular box shelves with lapped and welded corners provide for total capacity from 650 to 1100 lbs. per shelf based on evenly distributed loads
- 14-gauge box formed front posts provide full shelf access and assembly time when joining multiple units
- Posts are punched on 1" centres for easy shelf adjustment and a variety of configurations
- Powder coat grey finish provides added protection from chipping and rust
- Shipped knocked down

edsal

### EXTRA SHELVES

| Model No | Dimensions Width" | Depth" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| RL244 | 36 | 18 | 8 | |
| RL245 | 36 | 18 | 10 | |
| RL246 | 36 | 24 | 13 | |
| RL247 | 48 | 12 | 10 | |
| RL248 | 48 | 18 | 13 | |
| RL308 | 48 | 24 | 15 | |

### SHELVING UNITS

| Model No | Unit Type | Dimensions Width" | Depth" | Height" | Shelf Capacity lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| RL220 | Starter Open | 36 | 12 | 85 | 1000 | 89 | |
| RL221 | Starter Open | 36 | 18 | 85 | 1050 | 102 | |
| RL222 | Starter Open | 36 | 24 | 85 | 1100 | 124 | |
| RL223 | Starter Open | 48 | 12 | 85 | 650 | 102 | |
| RL224 | Starter Open | 48 | 18 | 85 | 675 | 124 | |
| RL225 | Starter Open | 48 | 24 | 85 | 750 | 149 | |
| RL226 | Add-on Open | 36 | 12 | 85 | 1000 | 76 | |
| RL227 | Add-on Open | 36 | 18 | 85 | 1050 | 89 | |
| RL228 | Add-on Open | 36 | 24 | 85 | 1100 | 110 | |
| RL229 | Add-on Open | 48 | 12 | 85 | 650 | 89 | |
| RL230 | Add-on Open | 48 | 18 | 85 | 675 | 110 | |
| RL231 | Add-on Open | 48 | 24 | 85 | 750 | 135 | |

| Model No | Unit Type | Dimensions Width" | Depth" | Height" | Shelf Capacity lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| RL232 | Starter Closed | 36 | 12 | 85 | 1000 | 126 | |
| RL233 | Starter Closed | 36 | 18 | 85 | 1050 | 147 | |
| RL234 | Starter Closed | 36 | 24 | 85 | 1100 | 178 | |
| RL235 | Starter Closed | 48 | 12 | 85 | 650 | 147 | |
| RL236 | Starter Closed | 48 | 18 | 85 | 675 | 177 | |
| RL237 | Starter Closed | 48 | 24 | 85 | 750 | 211 | |
| RL238 | Add-on Closed | 36 | 12 | 85 | 1000 | 107 | |
| RL239 | Add-on Closed | 36 | 18 | 85 | 1050 | 124 | |
| RL240 | Add-on Closed | 36 | 24 | 85 | 1100 | 150 | |
| RL241 | Add-on Closed | 48 | 12 | 85 | 650 | 128 | |
| RL242 | Add-on Closed | 48 | 18 | 85 | 675 | 153 | |
| RL243 | Add-on Closed | 48 | 24 | 85 | 750 | 182 | |

# COUNTER SHELVING

LYON®

- Features a rugged 14-gauge steel countertop to provide a practical, useful work surface
- Each section is 36" wide, 18" or 24" deep and 39" high
- Available in 3 shelf open or closed and 4 shelf closed
- All shelves are adjustable up or down on 1 1/2" centres
- Shelf capacity, 900 lbs evenly distributed
- Tops are 21 7/16" deep for 18" counters, and 27 7/16" deep for 24" counters
- Open counter shelving is ideal for packing, assembly and inspection work, where bin openings are not required
- Closed-counter design offers barrier-separations for partitioning off areas, plus concealed storage under top
- Ideal for toolrooms, repair shops, auto parts stores, warehouses etc.
- Colour: Dove grey, other colours available
- Shipped knocked down

Open Shelf Unit

Closed Shelf Unit

| SHELF TYPE | Steel Gauge | 18" DEEP Starter Model No. | Price /Each | 18" DEEP Add-on Model No. | Price /Each | 24" DEEP Starter Model No. | Price /Each | 24" DEEP Add-on Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| 3 SHELF OPEN | | | | | | | | | |
| Heavy Duty | 20 | RG597 | | RG598 | | RG601 | | RG602 | |
| Standard | 18 | RG599 | | RG600 | | RG603 | | RG604 | |
| 3 SHELF CLOSED | | | | | | | | | |
| Heavy Duty | 20 | RG605 | | RG606 | | RG609 | | RG610 | |
| Standard | 18 | RG607 | | RG608 | | RG611 | | RG612 | |
| 4 SHELF CLOSED | | | | | | | | | |
| Heavy Duty | 20 | RG613 | | RG614 | | RG617 | | RG618 | |
| Standard | 18 | RG615 | | RG616 | | RG619 | | RG620 | |

## MAGNUM BIN SHELVING UNITS

QUANTUM™ STORAGE SYSTEMS

- Dimensions: 42" W x 18" D x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down

**SERIES QMS531**

- 27 QMS531 open hopper bins 19 3/4" L x 12 3/8" W x 5 7/8" H
- 10 heavy-duty grey enamel shelves

**SERIES QMS532**

- 21 QMS532 open hopper bins, 19 3/4" L x 12 3/8" W x 7 7/8" H
- 8 heavy-duty grey enamel shelves

| Model No. | | | | | |
|---|---|---|---|---|---|
| Red | Blue | Yellow | Green | Description | Price /Each |
| QMS532 SERIES BIN SHELF UNIT | | | | | |
| CF072 | CF073 | CF074 | CF075 | Starter | |
| CF089 | CF090 | CF091 | CF092 | Add-on | |
| QMS531 SERIES BIN SHELF UNIT | | | | | |
| CF188 | CF185 | CF186 | CF187 | Starter | |
| CF784 | CF785 | CF786 | CF787 | Add-on | |

CF187



CF074

## MAGNUM BIN SHELVING UNITS

- Dimensions: 42" W x 18" D x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down

**SERIES QMS516**

- 4 QMS543 red, 3 QMS533 blue, 6 QMS532 yellow and 3 QMS531 blue open hopper bins
- 7 heavy-duty grey enamel shelves

**SERIES QMS533**

- 15 QMS533 open hopper bins 19 3/4" W x 12 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves

| Model No. | | | | | |
|---|---|---|---|---|---|
| Red | Blue | Yellow | Green | Description | Price /Each |
| QMS533 SERIES BIN SHELF UNIT | | | | | |
| CF080 | CF081 | CF082 | CF083 | Starter | |
| CF097 | CF098 | CF099 | CF100 | Add-on | |
| QMS516 SERIES BIN SHELF UNIT | | | | | |
| CF189* | - | - | - | Starter | |
| CF788* | - | - | - | Add-on | |

* Mixed colours

CF189

CF081

## OPEN HOPPER STORAGE SHELF UNITS

**QUS239 SERIES**

- 28 QUS239 Series bins 11" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

**QUS240 SERIES**

- 28 QUS240 Series bins 14 3/4" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

| Model No. | | | | | | | No. of | Price |
|---|---|---|---|---|---|---|---|---|
| Black | Blue | Yellow | Red | Ivory | Green | Description | Shelves | /Each |
| QUS239 SERIES BINS SHELF UNIT | | | | | | | | |
| CF176 | CF118 | CF119 | CF120 | CF121 | CF122 | Starter | 8 | |
| CF180 | CF140 | CF141 | CF142 | CF143 | CF144 | Add-On | 8 | |
| QUS240 SERIES BINS SHELF UNIT | | | | | | | | |
| CF178 | CF123 | CF124 | CF125 | CF126 | CF127 | Starter | 8 | |
| CF182 | CF150 | CF151 | CF152 | CF153 | CF154 | Add-On | 8 | |

CF118

CF126

## WIDE SPAN SHELVING WITH JUMBO PLASTIC BINS

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Capacity is 800 lbs. per shelf evenly distributed
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required

RL984

RL989

| Model No. | Shelving Size W" x D" x H" | No. of Shelves | No. of Bins | Colour | Price /Each |
|---|---|---|---|---|---|
| RL984 | 66 x 18 x 60 | 3 | 12 | Red | |
| RL985 | 66 x 18 x 60 | 3 | 12 | Blue | |
| RL986 | 66 x 18 x 60 | 3 | 12 | Green | |
| RL987 | 66 x 18 x 60 | 3 | 12 | Yellow | |
| RL988 | 66 x 18 x 60 | 3 | 12 | Red, Blue, Yellow | |
| RL980 | 66 x 18 x 72 | 4 | 16 | Red | |
| RL981 | 66 x 18 x 72 | 4 | 16 | Blue | |
| RL982 | 66 x 18 x 72 | 4 | 16 | Green | |
| RL983 | 66 x 18 x 72 | 4 | 16 | Yellow | |
| RL989 | 66 x 18 x 72 | 4 | 16 | Red, Blue, Yellow, Green | |

## GIANT STACK CONTAINER SHELF UNITS

- Includes 10 QGH700 storage bins and heavy-duty grey enamel shelves
- 42" W x 18" D x 76" H
- Capacity: 500 lbs. per shelf
- Shipped knocked down

| Model No. Grey | Blue | Ivory | Black | Red | Description | No. of Shelves | Price /Each |
|---|---|---|---|---|---|---|---|
| CF056 | CF057 | CF059 | CF060 | CF066 | Starter | 6 | |
| CF061 | CF062 | CF064 | CF065 | CF067 | Add-On | 6 | |

## OPEN HOPPER STORAGE SHELF UNITS

### QUS 250 SERIES

- 14 QUS 250 Series bins 14 3/4" L x 16 1/2" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

### QUS 240 & 230 SERIES

- 8 QUS 240 Series bins 14 3/4" L x 8 1/4" W x 7" H
- 36 QUS 230 Series bins 11" L x 5 1/2" W x 5" H
- 9 heavy-duty grey enamel shelves
- 36" L x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

CF132

CF135

| Model No. Black | Blue | Yellow | Red | Ivory | Green | Description | No. of Shelves | Price /Each |
|---|---|---|---|---|---|---|---|---|
| QUS 250 SERIES BINS SHELF UNIT | | | | | | | | |
| CF177 | CF128 | CF129 | CF130 | CF131 | CF132 | Starter | 8 | |
| CF181 | CF145 | CF146 | CF147 | CF148 | CF149 | Add-On | 8 | |
| QUS 240 & 230 SERIES BINS SHELF UNIT | | | | | | | | |
| CF179 | CF133 | CF134 | CF135 | CF136 | CF137 | Starter | 9 | |
| CF183 | CF175 | CF155 | CF156 | CF157 | CF158 | Add-On | 9 | |

# BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

RK550
"T" Post

RN361
RN305
Side and back braces

RK521
End Panel



RN450
Base Plate

## "T" POSTS

- For open style shelving includes slots every 1" for shelf or brace installation
- 1 1/2" x 2" x 1/8" double-formed steel in a "T" style with a smooth unperforated face
- Capacity 11000 lbs.

| Model No. | Height | Wt. lbs. | Price /Each |
|---|---|---|---|
| RK549 | 3'4" | 4 | |
| RK550 | 6'4" | 8 | |
| RK551 | 7'4" | 9 | |
| RK548 | 8'4" | 10 | |
| RK544 | 9'4" | 11 | |

RN344
Shelf



RN028
Doors

RK470
Back panel

## SHELVES

- Shelves are easily installed using four clips
- Constructed from 18-gauge steel
- 4 clips included with each shelf

| Model No. | Dimensions W" | x | D" | Capacity lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| RN344 | 36 | x | 12 | 630 | 8 | |
| RN345 | 42 | x | 12 | 480 | 9 | |
| RN346 | 48 | x | 12 | 315 | 10.5 | |
| RN347 | 36 | x | 15 | 630 | 9.75 | |
| RN348 | 42 | x | 15 | 480 | 11.5 | |
| RN349 | 48 | x | 15 | 315 | 12.5 | |
| RN350 | 36 | x | 18 | 630 | 11.5 | |
| RN351 | 42 | x | 18 | 480 | 13 | |
| RN353 | 48 | x | 18 | 315 | 15 | |
| RN355 | 36 | x | 24 | 630 | 14.75 | |
| RN356 | 42 | x | 24 | 480 | 16.5 | |
| RN358 | 48 | x | 24 | 315 | 19 | |
| RN359 | 36 | x | 30 | 560 | 18 | |

## DOORS

- Lockable swinging doors installs easily on closed style shelving
- Includes **RN032** base plate

| Model No. | Dimensions W | x | H | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RN028 | 36" | x | 6'4" | 43 | |
| RN029 | 36" | x | 7'4" | 50 | |
| RN032* | Replacement Base Plate | | | 2 | |

*Only for units with doors

## BASE PLATES

- Install at floor level to close openings
- Not compatible when installing doors

| Model No. | Dimensions W" | x | H" | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RN450 | 36 | x | 3 | 2 | |
| RN452 | 42 | x | 3 | 2.25 | |
| RN454 | 48 | x | 3 | 2.5 | |

## END PANELS

- For closed style shelving
- Each panel incorporates two sloted post

| Model No. | Dimensions D | x | H | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RK521 | 12" | x | 3'4" | 10.5 | |
| RK522 | 12" | x | 6'4" | 20.75 | |
| RK523 | 12" | x | 7'4" | 23.5 | |
| RK520 | 12" | x | 8'4" | 26.25 | |
| RK525 | 15" | x | 3'4" | 11.5 | |
| RK526 | 15" | x | 6'4" | 22.5 | |
| RK527 | 15" | x | 7'4" | 25.5 | |
| RK524 | 15" | x | 8'4" | 28.5 | |
| RK537 | 18" | x | 6'4" | 24 | |
| RK538 | 18" | x | 7'4" | 27 | |
| RK519 | 18" | x | 8'4" | 30.5 | |
| RK529 | 24" | x | 3'4" | 14 | |
| RK530 | 24" | x | 6'4" | 27 | |
| RK531 | 24" | x | 7'4" | 31 | |
| RK528 | 24" | x | 8'4" | 34.5 | |
| RK532 | 30" | x | 8'4" | 38.75 | |

## BACK PANELS

- For closed style shelving
- Attach easily to end panels using back brackets provided

| Model No. | Dimensions W | x | H | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RK470 | 36" | x | 6'4" | 19 | |
| RK471 | 36" | x | 7'4" | 22 | |
| RK460 | 36" | x | 8'4" | 25 | |
| RK465 | 42" | x | 7'4" | 25.5 | |
| RK462 | 42" | x | 8'4" | 29 | |
| RK947 | 48" | x | 3'4" | 13.5 | |
| RK468 | 48" | x | 6'4" | 25.5 | |
| RK469 | 48" | x | 7'4" | 29.5 | |
| RK466 | 48" | x | 8'4" | 33.5 | |

## SIDE & BACK BRACES

- Provide stability to open style shelving units
- Sold in pairs

| Model No. | Description | Wt. lbs | Price /Each |
|---|---|---|---|
| RN305 | Back Brace | 4 | |
| RN361 | Side Brace | 2 | |

# BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

RN328
Dividers

RN341
Label Holder

RN307
Bin Front

RN441
Shelf Box

RN340
Gusset

RN464
48" Hanger Bar

RK949
Foot Plate

## DIVIDERS

- Separate shelves into bin compartments
- Constructed of 20 gauge steel

| Model No. | Dimensions D" | x | H" | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RN328 | 12 | x | 6 | 0.5 | |
| RN329 | 15 | x | 6 | 0.75 | |
| RN330 | 18 | x | 6 | 1 | |
| RN331 | 24 | x | 6 | 1.5 | |
| RN332 | 12 | x | 8 | 0.75 | |
| RN333 | 15 | x | 8 | 1 | |
| RN334 | 18 | x | 8 | 1.5 | |
| RN335 | 24 | x | 8 | 2 | |
| RN313 | 12 | x | 10 | 1 | |
| RN314 | 15 | x | 10 | 1.25 | |
| RN315 | 18 | x | 10 | 1.75 | |
| RN316 | 24 | x | 10 | 2.25 | |
| RN317 | 12 | x | 12 | 1.25 | |
| RN318 | 15 | x | 12 | 1.75 | |
| RN319 | 18 | x | 12 | 2 | |
| RN320 | 24 | x | 12 | 2.75 | |
| RN321 | 12 | x | 14 | 1.5 | |
| RN322 | 15 | x | 14 | 2 | |
| RN323 | 18 | x | 14 | 2.25 | |
| RN324 | 24 | x | 14 | 3.25 | |
| RN325 | 18 | x | 16 | 2.5 | |
| RN326 | 18 | x | 18 | 2.75 | |

## BIN FRONTS

- Used in conjunction with bin dividers

| Model No. | Dimensions W" | x | H" | Wt. lbs | Price /Each |
|---|---|---|---|---|---|
| RN307 | 36 | x | 1 | 1.75 | |
| RN309 | 36 | x | 2 | 2 | |
| RN311 | 36 | x | 3 | 2.25 | |
| RN308 | 42 | x | 1 | 2 | |
| RN310 | 42 | x | 2 | 2.25 | |
| RN312 | 42 | x | 3 | 2.5 | |

## LABEL HOLDERS

- Install on shelf front to identify contents of shelves

| Model No. | Width" | Wt. lbs. | Price /Each |
|---|---|---|---|
| RN341 | 36 | 0.3 | |
| RN343 | 48 | 0.3 | |

## SHELF BOXES

- Slide onto properly spaced shelving
- Extends 100% without spills
- Constructed of 20 gauge steel

| Model No. | Dimensions W" | x | D" | x | H" | Wt. lbs | Price /Each |
|---|---|---|---|---|---|---|---|
| RN441 | 5 5/8 | x | 12 | x | 2 3/4 | 2.5 | |
| RN443 | 5 5/8 | x | 18 | x | 2 3/4 | 3.5 | |
| RN447 | 5 5/8 | x | 12 | x | 4 3/4 | 3.5 | |
| RN448 | 5 5/8 | x | 15 | x | 4 3/4 | 4 | |
| RN462 | 5 5/8 | x | 18 | x | 4 3/4 | 4.5 | |
| RN445 | 11 | x | 18 | x | 4 3/4 | 5 | |
| RN444 | 12 | x | 12 | x | 4 3/4 | 5.5 | |

## MISCELLANEOUS

| Model No. | Description | Wt. lbs | Price /Each |
|---|---|---|---|
| RK949 | Foot Plate | 0.3 | |
| RN340 | Gusset (Pairs) | 1 | |
| RN464 | 48" Hanger Bar | 3.5 | |
| RL757 | 24" Hanging Bar Bracket | 0.05 | |
| RC515 | Shelf Clip | 0.01 | |
| RN306 | Back to Back Brackets | 0.01 | |
| RC505 | Back Panel Clip | 0.2 | |

## BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

### 36" W X 6'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK205 | 12 | |
| RK207 | 18 | |
| RK209 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK204 | 12 | |
| RK206 | 18 | |
| RK208 | 24 | |

### 36" W X 6'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK217 | 12 | |
| RK219 | 18 | |
| RK221 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK216 | 12 | |
| RK218 | 18 | |
| RK220 | 24 | |

### 36" W X 6'4" H

10 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK229 | 12 | |
| RK231 | 18 | |
| RK233 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK228 | 12 | |
| RK230 | 18 | |
| RK232 | 24 | |

### 36" W X 6'4" H

13 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK241 | 12 | |
| RK243 | 18 | |
| RK245 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK240 | 12 | |
| RK242 | 18 | |
| RK244 | 24 | |

### 36" W X 7'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK309 | 12 | |
| RK311 | 18 | |
| RK313 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK308 | 12 | |
| RK310 | 18 | |
| RK312 | 24 | |

### 36" W X 7'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK333 | 12 | |
| RK335 | 18 | |
| RK337 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK332 | 12 | |
| RK334 | 18 | |
| RK336 | 24 | |

### 36" W X 7'4" H

8 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK321 | 12 | |
| RK323 | 18 | |
| RK325 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK320 | 12 | |
| RK322 | 18 | |
| RK324 | 24 | |

### 36" W X 7'4" H

15 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK345 | 12 | |
| RK347 | 18 | |
| RK349 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK344 | 12 | |
| RK346 | 18 | |
| RK348 | 24 | |

### 48" W X 7'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK285 | 12 | |
| RK287 | 18 | |
| RK289 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK284 | 12 | |
| RK286 | 18 | |
| RK288 | 24 | |

### 48" W X 7'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK297 | 12 | |
| RK299 | 18 | |
| RK301 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK296 | 12 | |
| RK298 | 18 | |
| RK300 | 24 | |

### 36" W X 8'4" H

5 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK425 | 12 | |
| RK427 | 18 | |
| RK429 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK424 | 12 | |
| RK426 | 18 | |
| RK428 | 24 | |

### 36" W X 8'4" H

9 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK401 | 12 | |
| RK403 | 18 | |
| RK405 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK400 | 12 | |
| RK402 | 18 | |
| RK404 | 24 | |

# BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

### 36" W X 6'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK211 | 12 | |
| RK213 | 18 | |
| RK215 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK210 | 12 | |
| RK212 | 18 | |
| RK214 | 24 | |

### 36" W X 6'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK223 | 12 | |
| RK225 | 18 | |
| RK227 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK222 | 12 | |
| RK224 | 18 | |
| RK226 | 24 | |

### 36" W X 6'4" H

10 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK235 | 12 | |
| RK237 | 18 | |
| RK239 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK234 | 12 | |
| RK236 | 18 | |
| RK238 | 24 | |

### 36" W X 7'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK315 | 12 | |
| RK317 | 18 | |
| RK319 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK314 | 12 | |
| RK316 | 18 | |
| RK318 | 24 | |

### 36" W X 7'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK339 | 12 | |
| RK341 | 18 | |
| RK343 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK338 | 12 | |
| RK340 | 18 | |
| RK342 | 24 | |

### 36" W X 7'4" H

8 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK327 | 12 | |
| RK329 | 18 | |
| RK331 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK326 | 12 | |
| RK328 | 18 | |
| RK330 | 24 | |

### 36" W X 7'4" H

15 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK351 | 12 | |
| RK353 | 18 | |
| RK355 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK350 | 12 | |
| RK352 | 18 | |
| RK354 | 24 | |

### 48" W X 7'4" H

4 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK291 | 12 | |
| RK293 | 18 | |
| RK295 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK290 | 12 | |
| RK292 | 18 | |
| RK294 | 24 | |

### 48" W X 7'4" H

7 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK303 | 12 | |
| RK305 | 18 | |
| RK307 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK302 | 12 | |
| RK304 | 18 | |
| RK306 | 24 | |

### 36" W X 8'4" H

5 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK431 | 12 | |
| RK433 | 18 | |
| RK435 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK430 | 12 | |
| RK432 | 18 | |
| RK434 | 24 | |

### 36" W X 8'4" H

9 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK407 | 12 | |
| RK409 | 18 | |
| RK411 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK406 | 12 | |
| RK408 | 18 | |
| RK410 | 24 | |

### 36" W X 8'4" H

13 SHELVES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK419 | 12 | |
| RK421 | 18 | |
| RK423 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK418 | 12 | |
| RK420 | 18 | |
| RK422 | 24 | |

## BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

### 36" W X 6'4" H

4 SHELVES W/DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK849 | 12 | |
| RK850 | 18 | |
| RK851 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK852 | 12 | |
| RK853 | 18 | |
| RK854 | 24 | |

### 36" W X 7'4" H

4 SHELVES W/ DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK893 | 12 | |
| RK894 | 18 | |
| RK895 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK896 | 12 | |
| RK897 | 18 | |
| RK898 | 24 | |

### 36" W X 6'4" H

7 SHELVES W/DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK855 | 12 | |
| RK856 | 18 | |
| RK857 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK858 | 12 | |
| RL013 | 18 | |
| RL015 | 24 | |

### 36" W X 7'4" H

7 SHELVES W/DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK899 | 12 | |
| RK900 | 18 | |
| RK989 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK902 | 12 | |
| RK903 | 18 | |
| RK904 | 24 | |

### 36" W X 7'4" H

10 COMPARTMENTS W/DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK911 | 12 | |
| RK912 | 18 | |
| RK913 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK914 | 12 | |
| RK915 | 18 | |
| RK916 | 24 | |

### 36" W X 7'4" H

21 COMPARTMENTS W/DOORS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK921 | 12 | |
| RK922 | 18 | |
| RK923 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK924 | 12 | |
| RK925 | 18 | |
| RK926 | 24 | |

### 36" W X 6'4" H

14 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK259 | 12 | |
| RK261 | 18 | |
| RK263 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK258 | 12 | |
| RK260 | 18 | |
| RK262 | 24 | |

### 36" W X 6'4" H

18 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK265 | 12 | |
| RK267 | 18 | |
| RK269 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK264 | 12 | |
| RK266 | 18 | |
| RK268 | 24 | |

### 36" W X 6'4" H

72 COMPARTMENTS W/BIN FRONTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK271 | 12 | |
| RK273 | 18 | |
| RK275 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK270 | 12 | |
| RK272 | 18 | |
| RK274 | 24 | |

### 36" W X 7'4" H

14 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK363 | 12 | |
| RK365 | 18 | |
| RK367 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK362 | 12 | |
| RK364 | 18 | |
| RK366 | 24 | |

### 36" W X 7'4" H

21 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK369 | 12 | |
| RK371 | 18 | |
| RK373 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK368 | 12 | |
| RK370 | 18 | |
| RK372 | 24 | |

### 36" W X 7'4" H

84 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK905 | 12 | |
| RK906 | 18 | |
| RK907 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK908 | 12 | |
| RK909 | 18 | |
| RK910 | 24 | |

# BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a sloted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down

METALWARE STEEL SHELVING corporation

### 36" W X 7'4" H

84 COMPARTMENTS W/BIN FRONTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK383 | 12 | |
| RK385 | 18 | |
| RK387 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK382 | 12 | |
| RK384 | 18 | |
| RK386 | 24 | |

### 36" W X 8'4" H

24 COMPARTMENTS

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK443 | 12 | |
| RK445 | 18 | |
| RK447 | 24 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK442 | 12 | |
| RK444 | 18 | |
| RK446 | 24 | |

### 36" W X 6'4" H

36 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK277 | 12 | |
| RK886 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK276 | 12 | |
| RK983 | 18 | |

### 36" W X 6'4" H

57 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK986 | 12 | |
| RK890 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK891 | 12 | |
| RK987 | 18 | |

### 36" W X 6'4" H

72 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK877 | 12 | |
| RK878 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK879 | 12 | |
| RK880 | 18 | |

### 36" W X 6'4" H

108 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK980 | 12 | |
| RK982 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK979 | 12 | |
| RK981 | 18 | |

### 36" W X 7'4" H

42 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK935 | 12 | |
| RK936 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK937 | 12 | |
| RK938 | 18 | |

### 36" W X 7'4" H

69 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK939 | 12 | |
| RK940 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK941 | 12 | |
| RK942 | 18 | |

### 36" W X 7'4" H

84 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK927 | 12 | |
| RK928 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK929 | 12 | |
| RK930 | 18 | |

### 36" W X 7'4" H

126 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK931 | 12 | |
| RK932 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK933 | 12 | |
| RK934 | 18 | |

### 36" W X 6'4" H

24 COMPARTMENTS & 30 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK970 | 12 | |
| RK868 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK969 | 12 | |
| RK971 | 18 | |

### 36" W X 7'4" H

27 COMPARTMENTS & 30 BOXES

| Starter Unit | Depth" | Price /Each |
|---|---|---|
| RK917 | 12 | |
| RK918 | 18 | |

| Add-On Unit | Depth" | Price /Each |
|---|---|---|
| RK919 | 12 | |
| RK920 | 18 | |

# INTEGRATED SHELVING DRAWER INSERTS

**FOR METALWARE SHELVING**

- Integrated drawer inserts allow easy install directly into existing or new shelving units
- Maximize available storage space in shelving unit and reduce need for additional shelving for storage of small parts
- Unique frame system mounts easily to shelving uprights and guarantees smooth drawer functionality
- Drawers extend fully for easy access to furthest corners
- Drawers have weight capacity of 200lbs. (3") or 400lbs. (4"-8")
- Store small-to-medium sized items in drawers, and large, bulkier items on existing shelves
- Converter system can be easily removed, re-installed or added to
- Compatible only with Metalware shelving units; similar systems available for other shelving units on request
- Material: Steel
- Colour: Light Grey

LISTA
making workspace work®

## OVERALL HEIGHT: 18"

Drawer Height
3"
3"
4"
4"
4"

5 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN364 | 18 | x | 30 | 90 | |
| RN371 | 24 | x | 30 | 105 | |
| RN378 | 18 | x | 36 | 100 | |
| RN385 | 24 | x | 36 | 75 | |
| RN392 | 18 | x | 42 | 100 | |
| RN399 | 24 | x | 42 | 75 | |
| RN406 | 18 | x | 48 | 120 | |
| RN413 | 24 | x | 48 | 90 | |

Drawer Height
3"
4"
5"
6"

4 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN363 | 18 | x | 30 | 72 | |
| RN370 | 24 | x | 30 | 60 | |
| RN377 | 18 | x | 36 | 64 | |
| RN384 | 24 | x | 36 | 54 | |
| RN391 | 18 | x | 42 | 76 | |
| RN398 | 24 | x | 42 | 54 | |
| RN405 | 18 | x | 48 | 84 | |
| RN412 | 24 | x | 48 | 60 | |

Drawer Height
4"
6"
8"

3 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN362 | 18 | x | 30 | 48 | |
| RN369 | 24 | x | 30 | 36 | |
| RN376 | 18 | x | 36 | 44 | |
| RN383 | 24 | x | 36 | 36 | |
| RN390 | 18 | x | 42 | 53 | |
| RN397 | 24 | x | 42 | 36 | |
| RN404 | 18 | x | 48 | 58 | |
| RN411 | 24 | x | 48 | 42 | |

## OVERALL HEIGHT: 24"

Drawer Height
3"
3"
3"
3"
4"
4"
4"

7 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN368 | 18 | x | 30 | 126 | |
| RN375 | 24 | x | 30 | 147 | |
| RN382 | 18 | x | 36 | 140 | |
| RN389 | 24 | x | 36 | 105 | |
| RN396 | 18 | x | 42 | 140 | |
| RN403 | 24 | x | 42 | 105 | |
| RN410 | 18 | x | 48 | 168 | |
| RN417 | 24 | x | 48 | 126 | |

Drawer Height
3"
3"
4"
4"
5"
5"

6 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN367 | 18 | x | 30 | 108 | |
| RN374 | 24 | x | 30 | 102 | |
| RN381 | 18 | x | 36 | 104 | |
| RN388 | 24 | x | 36 | 84 | |
| RN395 | 18 | x | 42 | 116 | |
| RN402 | 24 | x | 42 | 84 | |
| RN409 | 18 | x | 48 | 132 | |
| RN416 | 24 | x | 48 | 96 | |

Drawer Height
4"
5"
5"
5"
5"

5 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN366 | 18 | x | 30 | 90 | |
| RN373 | 24 | x | 30 | 57 | |
| RN380 | 18 | x | 36 | 68 | |
| RN387 | 24 | x | 36 | 63 | |
| RN394 | 18 | x | 42 | 92 | |
| RN401 | 24 | x | 42 | 63 | |
| RN408 | 18 | x | 48 | 96 | |
| RN413 | 24 | x | 48 | 66 | |

Drawer Height
6"
6"
6"
6"

4 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN365 | 18 | x | 30 | 72 | |
| RN372 | 24 | x | 30 | 36 | |
| RN379 | 18 | x | 36 | 48 | |
| RN386 | 24 | x | 36 | 48 | |
| RN393 | 18 | x | 42 | 72 | |
| RN400 | 24 | x | 42 | 48 | |
| RN407 | 18 | x | 48 | 72 | |
| RN414 | 24 | x | 48 | 48 | |

Can't find what you're looking for?

Call us today!

# INTEGRATED SHELVING DRAWER INSERTS (CONT'D)

**Other colours available upon request**

LISTA making workspace work®

## OVERALL HEIGHT: 36"

Drawer Height
3"
3"
3"
3"
4"
4"
4"
4"
4"
4"

10 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN467 | 18 | x | 30 | 180 | |
| RN474 | 24 | x | 30 | 210 | |
| RN481 | 18 | x | 36 | 200 | |
| RN488 | 24 | x | 36 | 150 | |
| RN495 | 18 | x | 42 | 200 | |
| RN502 | 24 | x | 42 | 150 | |
| RN509 | 18 | x | 48 | 240 | |
| RN516 | 24 | x | 48 | 180 | |

Drawer Height
4"
4"
4"
4"
5"
5"
5"
5"

8 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN466 | 18 | x | 30 | 144 | |
| RN473 | 24 | x | 30 | 120 | |
| RN480 | 18 | x | 36 | 128 | |
| RN487 | 24 | x | 36 | 108 | |
| RN494 | 18 | x | 42 | 152 | |
| RN501 | 24 | x | 42 | 108 | |
| RN508 | 18 | x | 48 | 168 | |
| RN515 | 24 | x | 48 | 120 | |

Drawer Height
4"
4"
4"
6"
8"
8"

6 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN465 | 18 | x | 30 | 96 | |
| RN472 | 24 | x | 30 | 72 | |
| RN479 | 18 | x | 36 | 88 | |
| RN486 | 24 | x | 36 | 72 | |
| RN493 | 18 | x | 42 | 106 | |
| RN500 | 24 | x | 42 | 72 | |
| RN507 | 18 | x | 48 | 116 | |
| RN411 | 24 | x | 48 | 84 | |

## OVERALL HEIGHT: 48"

Drawer Height
3"
3"
3"
3"
3"
3"
3"
3"
4"
4"
4"
4"
4"
4"

14 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN471 | 18 | x | 30 | 252 | |
| RN478 | 24 | x | 30 | 294 | |
| RN485 | 18 | x | 36 | 280 | |
| RN492 | 24 | x | 36 | 210 | |
| RN499 | 18 | x | 42 | 280 | |
| RN506 | 24 | x | 42 | 210 | |
| RN513 | 18 | x | 48 | 336 | |
| RN520 | 24 | x | 48 | 252 | |

Drawer Height
4"
4"
4"
4"
4"
4"
4"
5"
5"
5"
5"

11 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN470 | 18 | x | 30 | 198 | |
| RN477 | 24 | x | 30 | 183 | |
| RN484 | 18 | x | 36 | 188 | |
| RN491 | 24 | x | 36 | 153 | |
| RN498 | 18 | x | 42 | 212 | |
| RN505 | 24 | x | 42 | 153 | |
| RN512 | 18 | x | 48 | 240 | |
| RN519 | 24 | x | 48 | 174 | |

Drawer Height
6"
6"
6"
6"
6"
6"
6"
6"

8 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN469 | 18 | x | 30 | 144 | |
| RN476 | 24 | x | 30 | 72 | |
| RN483 | 18 | x | 36 | 96 | |
| RN490 | 24 | x | 36 | 96 | |
| RN497 | 18 | x | 42 | 144 | |
| RN504 | 24 | x | 42 | 96 | |
| RN511 | 18 | x | 48 | 144 | |
| RN518 | 24 | x | 48 | 96 | |

Drawer Height
6"
6"
6"
6"
8"
8"
8"

7 DRAWERS

| Model No. | Dimensions D" | x | W" | Number of Compartments | Price /Each |
|---|---|---|---|---|---|
| RN468 | 18 | x | 30 | 108 | |
| RN475 | 24 | x | 30 | 54 | |
| RN482 | 18 | x | 36 | 84 | |
| RN489 | 24 | x | 36 | 75 | |
| RN496 | 18 | x | 42 | 117 | |
| RN503 | 24 | x | 42 | 75 | |
| RN510 | 18 | x | 48 | 120 | |
| RN517 | 24 | x | 48 | 84 | |

# SLOTTED ANGLE SHELVING UNITS

- Cost-effective storage solution
- Shelving is easy to assemble, sturdy and long-lasting
- Boltless design allows for quick and easy adjustability
- Kit Type: Starter
- Material: Galvanized Steel
- Shelving Type: Open
- Assembly required



RN199

METALWARE STEEL SHELVING corporation

| No. of Shelves | Shelf Capacity lbs. | Dimensions W" x D" x H" | Starter Model No. | Price/ Each | Add-On Model No. | Price/ Each |
|---|---|---|---|---|---|---|
| 6 | 400 | 36 x 12 x 72 | RN199 | | RN224 | |
| 6 | 400 | 36 x 15 x 72 | RN200 | | RN225 | |
| 6 | 400 | 36 x 18 x 72 | RN201 | | RN226 | |
| 6 | 400 | 36 x 24 x 72 | RN202 | | RN227 | |
| 6 | 300 | 48 x 12 x 72 | RN203 | | RN228 | |
| 6 | 300 | 48 x 15 x 72 | RN204 | | RN229 | |
| 6 | 275 | 48 x 18 x 72 | RN205 | | RN230 | |
| 6 | 275 | 48 x 24 x 72 | RN206 | | RN231 | |
| 7 | 400 | 36 x 12 x 84 | RN207 | | RN232 | |
| 7 | 400 | 36 x 15 x 84 | RN208 | | RN233 | |
| 7 | 400 | 36 x 18 x 84 | RN209 | | RN234 | |
| 7 | 400 | 36 x 24 x 84 | RN210 | | RN235 | |
| 7 | 300 | 48 x 12 x 84 | RN211 | | RN236 | |
| 7 | 300 | 48 x 15 x 84 | RN212 | | RN237 | |
| 7 | 275 | 48 x 18 x 84 | RN213 | | RN238 | |
| 7 | 275 | 48 x 24 x 84 | RN214 | | RN239 | |
| 8 | 400 | 36 x 12 x 96 | RN215 | | RN240 | |
| 8 | 400 | 36 x 15 x 96 | RN216 | | RN241 | |
| 8 | 400 | 36 x 18 x 96 | RN217 | | RN242 | |
| 8 | 400 | 36 x 24 x 96 | RN218 | | RN243 | |
| 8 | 300 | 48 x 12 x 96 | RN219 | | RN244 | |
| 8 | 300 | 48 x 15 x 96 | RN220 | | RN245 | |
| 8 | 275 | 48 x 18 x 96 | RN221 | | RN246 | |
| 8 | 275 | 48 x 24 x 96 | RN222 | | RN247 | |

## SLOTTED ANGLE SHELVES

| Model No. | Dimensions D" x W" | Shelf Capacity lbs. | Price/ Each |
|---|---|---|---|
| RN152 | 12 x 36 | 400 | |
| RN153 | 15 x 36 | 400 | |
| RN154 | 18 x 36 | 400 | |
| RN155 | 24 x 36 | 400 | |
| RN156 | 32 x 42 | 300 | |
| RN157 | 12 x 48 | 300 | |
| RN158 | 15 x 48 | 300 | |
| RN159 | 18 x 48 | 275 | |
| RN160 | 24 x 48 | 275 | |

## SLOTTED ANGLE POSTS

- Versatile post can be cut or bolted into workbenches, shelves, or tables
- Can also be used as top tie with Metalware Widespan and Interlock product line
- Angle Gauge: 14

RN166
Type 225
1-1/2 x 2-1/4

RN161
Type 125
1-3/8 x 1-3/8

| Model No. | Height" | Type | Slotted Angle Dimensions" | Price /Each |
|---|---|---|---|---|
| RN161 | 72 | 125 | 1-3/8 x 1-3/8 | |
| RN162 | 84 | 125 | 1-3/8 x 1-3/8 | |
| RN163 | 96 | 125 | 1-3/8 x 1-3/8 | |
| RN164 | 120 | 125 | 1-3/8 x 1-3/8 | |
| RN165 | 144 | 125 | 1-3/8 x 1-3/8 | |
| RN166 | 72 | 225 | 1-1/2 x 2-1/4 | |
| RN167 | 84 | 225 | 1-1/2 x 2-1/4 | |
| RN168 | 96 | 225 | 1-1/2 x 2-1/4 | |
| RN169 | 120 | 225 | 1-1/2 x 2-1/4 | |
| RN170 | 144 | 225 | 1-1/2 x 2-1/4 | |

## SLOTTED ANGLE SIDE BRACES

| Model No. | Length" | Price/ Each |
|---|---|---|
| RN171 | 18 | |
| RN172 | 21 | |
| RN173 | 33 | |
| RN174 | 39 | |

## SLOTTED ANGLE BACK BRACES

| Model No. | Length" | Price/ Each |
|---|---|---|
| RN175 | 51 | |

## SLOTTED ANGLE END PANELS

| Model No. | Dimensions D" x H" | Price /Each |
|---|---|---|
| RN178 | 12 x 72 | |
| RN179 | 12 x 84 | |
| RN180 | 12 x 96 | |
| RN181 | 15 x 72 | |
| RN182 | 15 x 84 | |
| RN183 | 15 x 96 | |

| Model No. | Dimensions D" x H" | Price /Each |
|---|---|---|
| RN184 | 18 x 72 | |
| RN185 | 18 x 84 | |
| RN186 | 18 x 96 | |
| RN187 | 24 x 72 | |
| RN188 | 24 x 84 | |
| RN189 | 24 x 96 | |

## SLOTTED ANGLE BACK PANELS

| Model No. | Dimensions W" x H" | Price /Each |
|---|---|---|
| RN190 | 36 x 72 | |
| RN191 | 48 x 72 | |
| RN192 | 36 x 84 | |
| RN193 | 48 x 84 | |
| RN194 | 36 x 96 | |
| RN195 | 48 x 96 | |

# SLOTTED ANGLE ACCESSORIES

## CORNER GUSSET PLATES

- Add strength and rigidity to your slotted angle assembly
- 3" W x 3" L

## PLASTIC FEET

- 1 3/8" x 1 3/8" angle posts

RG994

RG996

RL344

## ACCESSORIES

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| RG994 | Corner Gusset Plate 3" | 0.70 | |
| RG995 | Nut and Bolt | 0.05 | |
| RG996 | Boltless Shelf Clip | 0.60 | |
| RL344* | Plastic Foot for Single Post | 0.02 | |

*For 1 3/8" X 1 3/8" posts

# WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the Kleton chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- NSE certified
- Assembly required
- Unit's total capacity should not exceed 2000-lb.

RL815

RL820

RL826

RL837

| Model No. | Shelving Size W" x D" x H" | No. of Shelves | Bin Size W" x D" x H" | No. of Bins | Colour | Price /Each |
|---|---|---|---|---|---|---|
| RL815 | 36 x 14 x 74 | 8 | 8 3/16 x 14 x 6 3/16 | 28 | Blue | |
| RL816 | 36 x 14 x 74 | 8 | 8 3/16 x 14 x 6 3/16 | 28 | Yellow | |
| RL817 | 36 x 14 x 74 | 8 | 8 3/16 x 14 x 6 3/16 | 28 | Green | |
| RL818 | 36 x 14 x 74 | 8 | 8 3/16 x 14 x 6 3/16 | 28 | Red | |
| RL819 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Blue | |
| RL820 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Yellow | |
| RL821 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Green | |
| RL822 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Red | |
| RL823 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Blue | |
| RL824 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Yellow | |
| RL825 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Green | |
| RL826 | 36 x 24 x 74 | 5 | 15 1/2 x 25 x 13 | 8 | Red | |
| RL827 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Blue | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 7 | Blue | |
| RL828 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Yellow | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 7 | Yellow | |
| RL829 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Green | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 7 | Green | |
| RL830 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 28 | Red | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 7 | Red | |
| RL831 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Blue | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 21 | Blue | |
| RL832 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Yellow | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 21 | Yellow | |
| RL833 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Green | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 21 | Green | |
| RL834 | 48 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Red | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 21 | Red | |
| RL835 | 48 x 24 x 74 | 5 | 7 7/8 x 17 11/16 x 7 | 4 | Blue | |
| | | 5 | 11 13/16 x 17 11/16 x 7 | 7 | Blue | |
| | | 5 | 15 1/2 x 25 x 13 | 6 | Blue | |
| RL836 | 48 x 24 x 74 | 5 | 7 7/8 x 17 11/16 x 7 | 4 | Yellow | |
| | | 5 | 11 13/16 x 17 11/16 x 7 | 7 | Yellow | |
| | | 5 | 15 1/2 x 25 x 13 | 6 | Yellow | |
| RL837 | 48 x 24 x 74 | 5 | 7 7/8 x 17 11/16 x 7 | 4 | Green | |
| | | 5 | 11 13/16 x 17 11/16 x 7 | 7 | Green | |
| | | 5 | 15 1/2 x 25 x 13 | 6 | Green | |
| RL838 | 48 x 24 x 74 | 5 | 7 7/8 x 17 11/16 x 7 | 4 | Red | |
| | | 5 | 11 13/16 x 17 11/16 x 7 | 7 | Red | |
| | | 5 | 15 1/2 x 25 x 13 | 6 | Red | |
| RL839 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Blue | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 14 | Blue | |
| RL840 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Yellow | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 14 | Yellow | |
| RL841 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Green | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 14 | Green | |
| RL842 | 36 x 18 x 74 | 8 | 7 7/8 x 17 11/16 x 7 | 7 | Red | |
| | | 8 | 11 13/16 x 17 11/16 x 7 | 14 | Red | |

## WIRE-RAC™

- Snap on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included
- **ON767** snaps onto wire shelf at 3 different angles; 90° (flat), 60° or 30°
- 25 per box

| Model No. | Dimensions W" | x | L" | Price /Each |
|---|---|---|---|---|
| RH683 | 1 5/16 | x | 3 | |
| RH684 | 1 5/16 | x | 6 | |
| RH685 | 1 5/16 | x | 12 | |
| RH686 | 1 5/16 | x | 24 | |
| ON767 | 1 1/4 | x | 3 | |

AIGNER LABEL HOLDER



## CHROMATE WIRE SHELVING

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required

KLETON

**Kleton wire shelving can be assembled as you wish: End to End, at Right Angles or any combination.**



### 4 SHELVES

| Model No. | Type | Dimensions W" x D" x H" | Cap. lbs /Shelf* | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **63" POSTS** | | | | | |
| **RL907** | Starter | 30 x 14 x 63 | 800 | 39 | |
| **RL908** | Add-on | 30 x 14 x 63 | 800 | 32 | |
| **RL632** | Starter | 36 x 14 x 63 | 800 | 43 | |
| **RL633** | Add-on | 36 x 14 x 63 | 800 | 35.5 | |
| **RL634** | Starter | 48 x 14 x 63 | 800 | 49 | |
| **RL635** | Add-on | 48 x 14 x 63 | 800 | 42 | |
| **RL636** | Starter | 60 x 14 x 63 | 600 | 64.75 | |
| **RL637** | Add-on | 60 x 14 x 63 | 600 | 57.75 | |
| **RL638** | Starter | 72 x 14 x 63 | 600 | 71.5 | |
| **RL639** | Add-on | 72 x 14 x 63 | 600 | 64 | |
| **RL059** | Starter | 36 x 18 x 63 | 800 | 48 | |
| **RL060** | Add-on | 36 x 18 x 63 | 800 | 35 | |
| **RL061** | Starter | 48 x 18 x 63 | 800 | 58 | |
| **RL062** | Add-on | 48 x 18 x 63 | 800 | 53.5 | |
| **RL063** | Starter | 60 x 18 x 63 | 600 | 81 | |
| **RL064** | Add-on | 60 x 18 x 63 | 600 | 76.5 | |
| **RL065** | Starter | 72 x 18 x 63 | 600 | 91 | |
| **RL066** | Add-on | 72 x 18 x 63 | 600 | 86.5 | |
| **RL067** | Starter | 36 x 24 x 63 | 800 | 62 | |
| **RL068** | Add-on | 36 x 24 x 63 | 800 | 57.5 | |
| **RL069** | Starter | 48 x 24 x 63 | 800 | 74 | |
| **RL070** | Add-on | 48 x 24 x 63 | 800 | 69.5 | |
| **RL071** | Starter | 60 x 24 x 63 | 600 | 95 | |
| **RL072** | Add-on | 60 x 24 x 63 | 600 | 90.5 | |
| **RL073** | Starter | 72 x 24 x 63 | 600 | 117 | |
| **RL074** | Add-on | 72 x 24 x 63 | 600 | 112.5 | |

* Evenly distributed weight

### 5 SHELVES

| Model No. | Type | Dimensions W" x D" x H" | Cap. lbs /Shelf* | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **74" POSTS** | | | | | |
| **RL909** | Starter | 30 x 14 x 74 | 800 | 46.5 | |
| **RL910** | Add-On | 30 x 14 x 74 | 800 | 39 | |
| **RL640** | Starter | 36 x 14 x 74 | 800 | 51 | |
| **RL641** | Add-on | 36 x 14 x 74 | 800 | 44 | |
| **RL642** | Starter | 48 x 14 x 74 | 800 | 59 | |
| **RL643** | Add-on | 48 x 14 x 74 | 800 | 42.8 | |
| **RL644** | Starter | 60 x 14 x 74 | 600 | 78.75 | |
| **RL645** | Add-on | 60 x 14 x 74 | 600 | 71 | |
| **RL646** | Starter | 72 x 14 x 74 | 600 | 87 | |
| **RL647** | Add-on | 72 x 14 x 74 | 600 | 79.5 | |
| **RL075** | Starter | 36 x 18 x 74 | 800 | 67.75 | |
| **RL076** | Add-on | 36 x 18 x 74 | 800 | 58.25 | |
| **RL077** | Starter | 48 x 18 x 74 | 800 | 80.25 | |
| **RL078** | Add-on | 48 x 18 x 74 | 800 | 70.75 | |
| **RL079** | Starter | 60 x 18 x 74 | 600 | 109 | |
| **RL080** | Add-on | 60 x 18 x 74 | 600 | 99.5 | |
| **RL081** | Starter | 72 x 18 x 74 | 600 | 121.5 | |
| **RL082** | Add-on | 72 x 18 x 74 | 600 | 112 | |
| **RL083** | Starter | 36 x 24 x 74 | 800 | 85.25 | |
| **RL084** | Add-on | 36 x 24 x 74 | 800 | 75.75 | |
| **RL085** | Starter | 48 x 24 x 74 | 800 | 100.25 | |
| **RL086** | Add-on | 48 x 24 x 74 | 800 | 90.75 | |
| **RL087** | Starter | 60 x 24 x 74 | 600 | 126.5 | |
| **RL088** | Add-on | 60 x 24 x 74 | 600 | 117 | |
| **RL089** | Starter | 72 x 24 x 74 | 600 | 154 | |
| **RL090** | Add-on | 72 x 24 x 74 | 600 | 144.5 | |
| **86" POSTS** | | | | | |
| **RL448** | Starter | 36 x 18 x 86 | 800 | 62 | |
| **RL449** | Add-on | 36 x 18 x 86 | 800 | 53 | |
| **RL450** | Starter | 48 x 18 x 86 | 800 | 69 | |
| **RL451** | Add-on | 48 x 18 x 86 | 800 | 60 | |
| **RL452** | Starter | 60 x 18 x 86 | 600 | 91.5 | |
| **RL453** | Add-on | 60 x 18 x 86 | 600 | 82 | |
| **RL454** | Starter | 72 x 18 x 86 | 600 | 96 | |
| **RL455** | Add-on | 72 x 18 x 86 | 600 | 87 | |
| **RL456** | Starter | 36 x 24 x 86 | 800 | 74 | |
| **RL457** | Add-on | 36 x 24 x 86 | 800 | 65 | |
| **RL458** | Starter | 48 x 24 x 86 | 800 | 90 | |
| **RL459** | Add-on | 48 x 24 x 86 | 800 | 80 | |
| **RL460** | Starter | 60 x 24 x 86 | 600 | 107 | |
| **RL461** | Add-on | 60 x 24 x 86 | 600 | 97 | |
| **RL462** | Starter | 72 x 24 x 86 | 600 | 129 | |
| **RL463** | Add-on | 72 x 24 x 86 | 600 | 120 | |

* Evenly distributed weight

# WIRE SHELVING COMPONENTS

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required

### WIRE SHELVES

| Model No. | Dimensions W" x D" | Cap lbs.* | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **RL606** | 30 x 14 | 800 | 7.5 | |
| **RL607** | 36 x 14 | 800 | 8.25 | |
| **RL608** | 48 x 14 | 800 | 10.5 | |
| **RL609** | 60 x 14 | 600 | 14.25 | |
| **RL610** | 72 x 14 | 600 | 17.5 | |
| **RL035** | 30 x 18 | 800 | 8.5 | |
| **RL036** | 36 x 18 | 800 | 9.75 | |
| **RL037** | 48 x 18 | 800 | 12.5 | |
| **RL038** | 60 x 18 | 600 | 18 | |
| **RL039** | 72 x 18 | 600 | 20.5 | |
| **RL040** | 36 x 24 | 800 | 13.25 | |
| **RL041** | 48 x 24 | 800 | 16.25 | |
| **RL042** | 60 x 24 | 600 | 21.5 | |
| **RL043** | 72 x 24 | 600 | 27 | |

* Evenly distributed weight

### POSTS

| Model No. | Height" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RL611** | 33 | 4 | |
| **RL330** | 54 | 6.3 | |
| **RL331** | 63 | 7 | |
| **RL332** | 74 | 8 | |
| **RL333** | 86 | 8.8 | |

KLETON

# ACCESSORIES

**RL048**

**RL049**

**RL050** Divider

**RL054** Split Sleeve

**RL055** "S" Hook

Use S hooks to eliminate two posts per adjacent shelf. Two required per shelf.

**RL056** Leveling Foot

**RL614** Ledge for Shelf

**RL330** Posts

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RL048** | Caster, 5", no brake | 2.8 | |
| **RL049** | Caster, 5", with brake | 2.7 | |
| **RL050** | Divider for shelf, 18" | 1.7 | |
| **RL051** | Divider for shelf, 24" | 2.2 | |
| **RL052** | Handle 18" - For utility carts | 3.9 | |
| **RL053** | Handle 24" - For utility carts | 4.4 | |

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RL054** | Split Sleeves, black 4 Pc/bag | 0.1 | |
| **RL055** | S-Hook for attaching Add-On | 0.1 | |
| **RL056** | Leveling feet (Die cast and foot bolt) | 0.2 | |
| **RL057** | Die cast for leveling feet | 0.1 | |
| **RL058** | Foot bolt for leveling feet | 0.1 | |

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RL614** | Ledge for shelf, 14" | 0.6 | |
| **RL615** | Ledge for shelf, 18" | 0.75 | |
| **RL616** | Ledge for shelf, 24" | 1 | |
| **RL617** | Ledge for shelf, 30" | 2 | |
| **RL618** | Ledge for shelf, 36" | 2.5 | |
| **RL619** | Ledge for shelf, 48" | 3.5 | |
| **RL620** | Ledge for shelf, 60" | 3.75 | |
| **RL621** | Ledge for shelf, 72" | 4 | |

# DIRECT WALL MOUNTS FOR WIRE SHELVING

**SAME GREAT FEATURES AS THE KLETON CHROMATE WIRE SHELVING, BUT WITH THE ADDED CONVENIENCE OF DIRECTLY MOUNTING ON A WALL**

- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system )

**RL612**
Single Shelf Support

**RL613**
Double Shelf Support

KLETON

| Model No. | Shelf Support | Shelf Depth" | Price /Each |
|---|---|---|---|
| **RL612** | Single | 14 | |
| **RL898** | Single | 18 | |
| **RL900** | Single | 24 | |
| **RL613** | Double | 14 | |
| **RL899** | Double | 18 | |
| **RL901** | Double | 24 | |

# WALL MOUNT WIRE SHELVING KITS

- Kit includes shelves and supports

**RL911**
Shelf and Support Kit

KLETON

| Model No. | Description | Shelf Dimensions" | Price /Each |
|---|---|---|---|
| **RL911** | 1 Shelf | 30 x 14 | |
| **RL912** | 2 Shelves | 30 x 14 | |

## GREEN EPOXY FINISH WIRE SHELVING

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified

### POSTS

| Model No. | Height" | Price/Each |
|---|---|---|
| RL629 | 63 | |
| RL630 | 74 | |
| RL631 | 86 | |

### WIRE SHELVES

| Model No. | Dimensions W" x D" | Cap lbs. /Shelf* | Price /Each |
|---|---|---|---|
| RN082 | 30 x 14 | 800 | |
| RN083 | 36 x 14 | 800 | |
| RN084 | 48 x 14 | 800 | |
| RN085 | 60 x 14 | 600 | |
| RN086 | 72 x 14 | 600 | |
| RN087 | 30 x 18 | 800 | |
| RL622 | 36 x 18 | 800 | |
| RL623 | 48 x 18 | 800 | |
| RL624 | 60 x 18 | 600 | |
| RL625 | 72 x 18 | 600 | |
| RL626 | 36 x 24 | 800 | |
| RL627 | 48 x 24 | 800 | |
| RL628 | 60 x 24 | 600 | |
| RN077 | 72 x 24 | 600 | |

* Evenly distributed weight

### COMPLETE SHELVING UNITS

| Model No. | Type | Dimensions W" x D" x H" | Cap lbs. /Shelf* | Price /Each |
|---|---|---|---|---|
| **4 SHELVES** | | | | |
| RN089 | Starter | 30 x 14 x 63 | 800 | |
| RN090 | Add-on | 30 x 14 x 63 | 800 | |
| RN091 | Starter | 36 x 14 x 63 | 800 | |
| RN092 | Add-on | 36 x 14 x 63 | 800 | |
| RN093 | Starter | 48 x 14 x 63 | 800 | |
| RN094 | Add-on | 48 x 14 x 63 | 800 | |
| RN095 | Starter | 60 x 14 x 63 | 600 | |
| RN096 | Add-on | 60 x 14 x 63 | 600 | |
| RN097 | Starter | 72 x 14 x 63 | 600 | |
| RN098 | Add-on | 72 x 14 x 63 | 600 | |
| RL648 | Starter | 36 x 18 x 63 | 800 | |
| RL649 | Add-on | 36 x 18 x 63 | 800 | |
| RL650 | Starter | 48 x 18 x 63 | 800 | |
| RL651 | Add-on | 48 x 18 x 63 | 800 | |
| RL652 | Starter | 60 x 18 x 63 | 600 | |
| RL653 | Add-on | 60 x 18 x 63 | 600 | |
| RL654 | Starter | 72 x 18 x 63 | 600 | |
| RL655 | Add-on | 72 x 18 x 63 | 600 | |
| RL656 | Starter | 36 x 24 x 63 | 800 | |
| RL657 | Add-on | 36 x 24 x 63 | 800 | |
| RL658 | Starter | 48 x 24 x 63 | 800 | |
| RL659 | Add-on | 48 x 24 x 63 | 800 | |
| RL660 | Starter | 60 x 24 x 63 | 600 | |
| RL661 | Add-on | 60 x 24 x 63 | 600 | |
| RN099 | Starter | 72 x 24 x 63 | 600 | |
| RN100 | Add-on | 72 x 24 x 63 | 600 | |
| **5 SHELVES** | | | | |
| RN101 | Starter | 30 x 14 x 74 | 800 | |
| RN102 | Add-on | 30 x 14 x 74 | 800 | |
| RN103 | Starter | 36 x 14 x 74 | 800 | |
| RN104 | Add-on | 36 x 14 x 74 | 800 | |
| RN105 | Starter | 48 x 14 x 74 | 800 | |
| RN106 | Add-on | 48 x 14 x 74 | 800 | |
| RN107 | Starter | 60 x 14 x 74 | 600 | |
| RN108 | Add-on | 60 x 14 x 74 | 600 | |
| RN109 | Starter | 72 x 14 x 74 | 600 | |
| RN110 | Add-on | 72 x 14 x 74 | 600 | |
| RL662 | Starter | 36 x 18 x 74 | 800 | |
| RL663 | Add-on | 36 x 18 x 74 | 800 | |
| RL664 | Starter | 48 x 18 x 74 | 800 | |
| RL665 | Add-on | 48 x 18 x 74 | 800 | |
| RL666 | Starter | 60 x 18 x 74 | 600 | |
| RL667 | Add-on | 60 x 18 x 74 | 600 | |
| RL668 | Starter | 72 x 18 x 74 | 600 | |
| RL669 | Add-on | 72 x 18 x 74 | 600 | |
| RL670 | Starter | 36 x 24 x 74 | 800 | |
| RL671 | Add-on | 36 x 24 x 74 | 800 | |
| RL672 | Starter | 48 x 24 x 74 | 800 | |
| RL673 | Add-on | 48 x 24 x 74 | 800 | |
| RL674 | Starter | 60 x 24 x 74 | 600 | |
| RL675 | Add-on | 60 x 24 x 74 | 600 | |
| RN111 | Starter | 72 x 24 x 74 | 600 | |
| RN112 | Add-on | 72 x 24 x 74 | 600 | |
| RN113 | Starter | 36 x 18 x 86 | 800 | |
| RN114 | Add-on | 36 x 18 x 86 | 800 | |
| RN115 | Starter | 48 x 18 x 86 | 800 | |
| RN116 | Add-on | 48 x 18 x 86 | 800 | |
| RN117 | Starter | 60 x 18 x 86 | 600 | |
| RN118 | Add-on | 60 x 18 x 86 | 600 | |
| RN119 | Starter | 72 x 18 x 86 | 600 | |
| RN120 | Add-on | 72 x 18 x 86 | 600 | |
| RN121 | Starter | 36 x 24 x 86 | 800 | |
| RN122 | Add-on | 36 x 24 x 86 | 800 | |
| RN123 | Starter | 48 x 24 x 86 | 800 | |
| RN124 | Add-on | 48 x 24 x 86 | 800 | |
| RN125 | Starter | 60 x 24 x 86 | 600 | |
| RN126 | Add-on | 60 x 24 x 86 | 600 | |
| RN127 | Starter | 72 x 24 x 86 | 600 | |
| RN128 | Add-on | 72 x 24 x 86 | 600 | |

* Evenly distributed weight

## GREEN EPOXY FINISH WIRE SHELF CARTS

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Capacity: 600 lbs. evenly distributed
- Includes: 5" resilient rubber casters, two swivel, two with brake
- NSF certified
- One year limited warranty
- Shipped knocked down

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **4 SHELVES** | | |
| RN129 | 36 x 18 x 63 | |
| RN130 | 48 x 18 x 63 | |
| RN131 | 60 x 18 x 63 | |
| RN132 | 36 x 24 x 63 | |
| RN133 | 48 x 24 x 63 | |
| RN134 | 60 x 24 x 63 | |
| RL803 | 18 x 36 x 74 | |
| RL804 | 18 x 48 x 74 | |
| RL805 | 18 x 60 x 74 | |
| RL806 | 24 x 36 x 74 | |
| RL807 | 24 x 48 x 74 | |
| RL808 | 24 x 60 x 74 | |

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **5 SHELVES** | | |
| RL809 | 18 x 36 x 86 | |
| RL810 | 18 x 48 x 86 | |
| RL811 | 18 x 60 x 86 | |
| RL812 | 24 x 36 x 86 | |
| RL813 | 24 x 48 x 86 | |
| RL814 | 24 x 60 x 86 | |

# SUPER ADJUSTABLE SUPER ERECTA SHELF®

- **Super Adjustable Super Erecta® Wire Shelving™** is the most advanced and innovative wire storage system available
- Super Adjustable Shelving works in conjunction with the entire Super Erecta™ System of shelves and accessories

- **Easily Adjustable:** Unique Corner Release and SiteSelect™ Posts, create a total system that offers tool-free, fast and easy adjustment at 1" (25 mm) intervals along the entire height of posts

- **Easily Assembled:** The Corner Release System and SiteSelect™ Posts, combined with the original bottom up assembly process, creates a complete shelving system in minutes
- SiteSelect™ Posts with the triple-groove visual guide feature, have circular grooves at 1" intervals and are numbered at 2" intervals
- Shelves simply snap into place using the Corner Release

- **Unique Shelf Design:** The open wire design of these heavy-gauge shelves minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration
- Shelf ribs run front to back allowing you to slide items on and off easily
- Shelves can be loaded and unloaded from all sides

- **Unique Post Design:** New SiteSelect™ post design provides a visual guide for positioning and adjusting shelves, saving considerable time during assembly and adjustment
- An easy-to-identify triple groove, every 8 inches, offers a quick way to align all shelves
- Bolt leveller on post bottom compensates for uneven surface

- **Fast, Easy Reconfiguration:** Super Adjustable Super Erecta Shelf® can change as quickly as your needs change
- By using various accessories available, hundreds of shelving configurations become possible

- **Choice of Finishes:** Super Adjustable Super Super Erecta Shelf® Wire Shelving™ is available in two options: Chrome-plated for dry storage and Metroseal III™ for corrosive environments

- Microban® antimicrobial product protection helps keep products cleaner and fresher by inhibiting the growth of bacteria, mold, mildew and fungi that cause stains and odours

- **Microban® is safe, clean, fresh and effective, and provides peace of mind!**

Includes Microban® antimicrobial product protection

METRO®

| Super Adjustable Super Erecta® Chrome Shelving | | | | | | | | | | Super Adjustable Super Erecta® Metroseal III™ Shelving | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Dimensions | | | | | No. of | Starter | Price | Add-on | Price | Dimensions | | | | | No. of | Starter | Price | Add-on | Price |
| W" | x | D" | x | H" | Shelves | Model No. | /Each | Model No. | /Each | W" | x | D" | x | H" | Shelves | Model No. | /Each | Model No. | /Each |
| 36 | x | 18 | x | 62 9/16 | 4 | **RL464** | | **RL465** | | 36 | x | 18 | x | 62 9/16 | 4 | **RL512** | | **RL513** | |
| 48 | x | 18 | x | 62 9/16 | 4 | **RL466** | | **RL467** | | 48 | x | 18 | x | 62 9/16 | 4 | **RL514** | | **RL515** | |
| 60 | x | 18 | x | 62 9/16 | 4 | **RL468** | | **RL469** | | 60 | x | 18 | x | 62 9/16 | 4 | **RL516** | | **RL517** | |
| 72 | x | 18 | x | 62 9/16 | 4 | **RL470** | | **RL471** | | 72 | x | 18 | x | 62 9/16 | 4 | **RL518** | | **RL519** | |
| 36 | x | 18 | x | 74 5/8 | 5 | **RL480** | | **RL481** | | 36 | x | 18 | x | 74 5/8 | 5 | **RL528** | | **RL529** | |
| 48 | x | 18 | x | 74 5/8 | 5 | **RL482** | | **RL483** | | 48 | x | 18 | x | 74 5/8 | 5 | **RL530** | | **RL531** | |
| 60 | x | 18 | x | 74 5/8 | 5 | **RL484** | | **RL485** | | 60 | x | 18 | x | 74 5/8 | 5 | **RL532** | | **RL533** | |
| 72 | x | 18 | x | 74 5/8 | 5 | **RL486** | | **RL487** | | 72 | x | 18 | x | 74 5/8 | 5 | **RL534** | | **RL535** | |
| 36 | x | 18 | x | 86 5/8 | 5 | **RL496** | | **RL497** | | 36 | x | 18 | x | 86 5/8 | 5 | **RL544** | | **RL545** | |
| 48 | x | 18 | x | 86 5/8 | 5 | **RL498** | | **RL499** | | 48 | x | 18 | x | 86 5/8 | 5 | **RL546** | | **RL547** | |
| 60 | x | 18 | x | 86 5/8 | 5 | **RL500** | | **RL501** | | 60 | x | 18 | x | 86 5/8 | 5 | **RL548** | | **RL549** | |
| 72 | x | 18 | x | 86 5/8 | 5 | **RL502** | | **RL503** | | 72 | x | 18 | x | 86 5/8 | 5 | **RL550** | | **RL551** | |
| 36 | x | 24 | x | 62 9/16 | 4 | **RL472** | | **RL473** | | 36 | x | 24 | x | 62 9/16 | 4 | **RL520** | | **RL521** | |
| 48 | x | 24 | x | 62 9/16 | 4 | **RL474** | | **RL475** | | 48 | x | 24 | x | 62 9/16 | 4 | **RL522** | | **RL523** | |
| 60 | x | 24 | x | 62 9/16 | 4 | **RL476** | | **RL477** | | 60 | x | 24 | x | 62 9/16 | 4 | **RL524** | | **RL525** | |
| 72 | x | 24 | x | 62 9/16 | 4 | **RL478** | | **RL479** | | 72 | x | 24 | x | 62 9/16 | 4 | **RL526** | | **RL527** | |
| 36 | x | 24 | x | 74 5/8 | 5 | **RL488** | | **RL489** | | 36 | x | 24 | x | 74 5/8 | 5 | **RL536** | | **RL537** | |
| 48 | x | 24 | x | 74 5/8 | 5 | **RL490** | | **RL491** | | 48 | x | 24 | x | 74 5/8 | 5 | **RL538** | | **RL539** | |
| 60 | x | 24 | x | 74 5/8 | 5 | **RL492** | | **RL493** | | 60 | x | 24 | x | 74 5/8 | 5 | **RL540** | | **RL541** | |
| 72 | x | 24 | x | 74 5/8 | 5 | **RL494** | | **RL495** | | 72 | x | 24 | x | 74 5/8 | 5 | **RL542** | | **RL543** | |
| 36 | x | 24 | x | 86 5/8 | 5 | **RL504** | | **RL505** | | 36 | x | 24 | x | 86 5/8 | 5 | **RL552** | | **RL553** | |
| 48 | x | 24 | x | 86 5/8 | 5 | **RL506** | | **RL507** | | 48 | x | 24 | x | 86 5/8 | 5 | **RL554** | | **RL555** | |
| 60 | x | 24 | x | 86 5/8 | 5 | **RL508** | | **RL509** | | 60 | x | 24 | x | 86 5/8 | 5 | **RL556** | | **RL557** | |
| 72 | x | 24 | x | 86 5/8 | 5 | **RL510** | | **RL511** | | 72 | x | 24 | x | 86 5/8 | 5 | **RL558** | | **RL559** | |

## METROMAX I® STORAGE SYSTEMS

- The most versatile storage system ever introduced
- Open shelf mats are easy to remove for cleaning
- Solid shelf mats, dividers, ledges, drop-in wire baskets, and an array of accessories, can easily be added or removed in seconds
- **Completely Mobile** with the addition of 5" casters
- **Strong and Durable:** Reinforced polymers give MetroMax I® incredible strength; 800 lbs. per shelf up to 42" in length and 600 lbs. per shelf up to 72" in length Also, shelves won't mark or crease
- **Corrosion and Rust Proof:** MetroMax I® has a lifetime warranty against corrosion and rust, so it's perfect for damp, humid conditions as well as dry storage
- **Fast, Easy Assembly:** MetroMax I® assembles easily in minutes, without tools
- Posts have numbered grooves at 1" increments, with 1/2" increment adjustment
- Wedge lock connectors, with window and pointer to locate desired post groove, snap onto posts
- Simply attach the wedge lock connectors at the desired post height and lower the shelf into place
- With unit complete, solid shelf and open-grid mats can be removed and/or interchanged at any time

### METROMAX I® SHELVES*

| Shelf Size W" x L" | Open Grid Model No. | Wt. lbs. | Price /Each | Solid Shelf Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| 18 x 24 | RC538 | 9 | | RC537 | 11 | |
| 18 x 30 | RC540 | 11 | | RC539 | 12 | |
| 18 x 36 | RC542 | 12 | | RC541 | 14 | |
| 18 x 42 | RC549 | 14 | | RC548 | 16 | |
| 18 x 48 | RC551 | 15 | | RC550 | 18 | |
| 18 x 54 | RC558 | 17 | | RC557 | 20 | |
| 18 x 60 | RC560 | 18 | | RC559 | 22 | |
| 18 x 72 | RC561 | 18 | | - | - | - |
| 24 x 24 | RC563 | 11 | | RC562 | 13 | |
| 24 x 30 | RC565 | 13 | | RC564 | 15 | |
| 24 x 36 | RC567 | 14 | | RC566 | 17 | |
| 24 x 42 | RC569 | 16 | | RC568 | 19 | |
| 24 x 48 | RC571 | 18 | | RC570 | 22 | |
| 24 x 54 | RC573 | 20 | | RC572 | 24 | |
| 24 x 60 | RC575 | 22 | | RC574 | 26 | |

* Shelf c/w frame, mat and wedge lock connectors.

Includes Microban® antimicrobial product protection

**Microban® antimicrobial product protection helps keep products cleaner and fresher by inhibiting the growth of bacteria, mold, mildew and fungi that cause stains and odors.**

### METROMAX I® POSTS

| Model No. | Height" | Wt. lbs. | Price /Each |
|---|---|---|---|
| RC536 | 13 | 0.5 | |
| RC579 | 33 | 1 | |
| RC582 | 54 | 1.5 | |
| RC585 | 63 | 2 | |
| RC588 | 74 | 2.25 | |
| RC589 | 86 | 2.5 | |

## METROMAX I® STEM CASTER CARTS

- Ideal system for cooler/freezer applications, designed to withstand years of use
- Corrosion-proof materials provide a lifetime of worry-free use
- Removeable and dishwasher safe polymer shelf mats make cleaning this system quick and efficient
- Mobile MetroMax I® storage carts come complete with 4 shelves (open grid or solid mat), four 63" posts, wedge connectors and four 5" poly casters (two swivel /two with brake)
- Approximate height of cart: 69"
- Capacity/unit: 900 lbs.

RG484

| Model No. | Shelf W" | x | L" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| WITH OPEN GRID SHELVES | | | | | |
| RG484 | 18 | x | 36 | 74 | |
| RG485 | 18 | x | 48 | 86 | |
| RG486 | 18 | x | 60 | 98 | |
| RG487 | 24 | x | 36 | 82 | |
| RG488 | 24 | x | 48 | 98 | |
| RG489 | 24 | x | 60 | 114 | |
| WITH SOLID MAT SHELVES | | | | | |
| RG490 | 18 | x | 36 | 74 | |
| RG492 | 18 | x | 60 | 106 | |
| RG493 | 24 | x | 36 | 86 | |
| RG494 | 24 | x | 48 | 106 | |
| RG495 | 24 | x | 60 | 122 | |

**Note:** Units also available with rubber casters (capacity: 600 lbs.)

## CANTILEVER SHELVES

- Add convenient shelving space above a storage unit
- Drop mat design creates a retaining edge around the entire 12" deep shelf
- Standard Super Erecta® posts available separately
- Can also be used as an extension to an already mounted shelf for additional space
- Also available in the following colours: smoked glass, white and a wide assortment of designer colours

| Length" | Wt. lbs. | Model No. Chrome | Price /Each | Model No. Black | Price /Each |
|---|---|---|---|---|---|
| SHELVES | | | | | |
| 24 | 4 1/2 | RH347 | | RH353 | |
| 30 | 5 | RH348 | | RH354 | |
| 36 | 5 3/4 | RH349 | | RH355 | |
| 42 | 6 3/4 | RH350 | | RH356 | |
| 48 | 7 3/4 | RH351 | | RH357 | |
| 60 | 9 1/2 | RH352 | | RH358 | |

| Height" | Wt. lbs. | Model No. Chrome | Price /Each | Model No. Black | Price /Each |
|---|---|---|---|---|---|
| POSTS | | | | | |
| 34 1/2 | 2 | RC827 | | RH293 | |
| 54 1/2 | 3 | RC850 | | RH294 | |
| 62 1/2 | 3 1/2 | RC895 | | RG797 | |
| 74 5/8 | 4 | RC924 | | RG798 | |
| 86 1/2 | 5 | RC932 | | RG799 | |

## WALL MOUNT WIRE SHELVING KITS

- Kit includes shelves and supports

| Model No. | Description | Shelf Dimensions" | Price /Each |
|---|---|---|---|
| RL911 | 1 Shelf | 14 x 30 | |
| RL912 | 2 Shelves | 14 x 30 | |

**RL911**
Shelf and Support Kit

## DIRECT WALL MOUNTS FOR WIRE SHELVING

**SAME GREAT FEATURES AS THE KLETON CHROMATE WIRE SHELVING, BUT WITH THE ADDED CONVENIENCE OF DIRECTLY MOUNTING ON A WALL.**

- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system )

**RL612**
Single Shelf Support

**RL613**
Double Shelf Support

| Model No. | Shelf Support | Shelf Depth" | Price /Each |
|---|---|---|---|
| RL612 | Single | 14 | |
| RL898 | Single | 18 | |
| RL900 | Single | 24 | |
| RL613 | Double | 14 | |
| RL899 | Double | 18 | |
| RL901 | Double | 24 | |

## UTILITY CARTS

- Durable, dependable transport solution that is easy to manoeuvre
- Highly rigid construction that is easily adjustable at 1" increments
- Two handles, indicated number of shelves, and casters
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**

MJ543

KLETON

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **2 SHELVES** | | |
| **MK781** | 30 x 18 x 39 | |
| **MK782** | 36 x 18 x 39 | |
| **MK783** | 48 x 18 x 39 | |
| **MK784** | 60 x 18 x 39 | |
| **MK785** | 36 x 24 x 39 | |
| **MK786** | 48 x 24 x 39 | |
| **MK787** | 60 x 24 x 39 | |
| **3 SHELVES** | | |
| **MJ539** | 30 x 18 x 39 | |
| **MJ540** | 36 x 18 x 39 | |
| **MJ541** | 48 x 18 x 39 | |
| **MJ542** | 60 x 18 x 39 | |
| **MJ543** | 36 x 24 x 39 | |
| **MJ544** | 48 x 24 x 39 | |
| **MJ545** | 60 x 24 x 39 | |

## PUSH CARTS

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**

RL915

KLETON

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **4 SHELVES** | | |
| **RL914** | 30 x 14 x 54 | |
| **RL915** | 36 x 14 x 54 | |
| **RL916** | 48 x 14 x 54 | |
| **RL917** | 60 x 14 x 54 | |
| **5 SHELVES** | | |
| **RL918** | 30 x 14 x 54 | |
| **RL919** | 36 x 14 x 54 | |
| **RL920** | 48 x 14 x 54 | |
| **RL921** | 60 x 14 x 54 | |

## WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate shelves and posts prevent corrosion
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**

MJ536

KLETON

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **4 SHELVES** | | |
| **RL600** | 36 x 18 x 63 | |
| **RL601** | 48 x 18 x 63 | |
| **RL602** | 60 x 18 x 63 | |
| **RL603** | 36 x 24 x 63 | |
| **RL604** | 48 x 24 x 63 | |
| **RL605** | 60 x 24 x 63 | |
| **MJ527** | 36 x 18 x 74 | |
| **MJ528** | 48 x 18 x 74 | |
| **MJ529** | 60 x 18 x 74 | |
| **MJ530** | 36 x 24 x 74 | |
| **MJ531** | 48 x 24 x 74 | |
| **MJ532** | 60 x 24 x 74 | |
| **5 SHELVES** | | |
| **MJ533** | 36 x 18 x 86 | |
| **MJ534** | 48 x 18 x 86 | |
| **MJ535** | 60 x 18 x 86 | |
| **MJ536** | 36 x 24 x 86 | |
| **MJ537** | 48 x 24 x 86 | |
| **MJ538** | 60 x 24 x 86 | |

## GREEN EPOXY WIRE SHELF CARTS

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 600 lbs. evenly distributed
- Shipped knocked down
- **One-year limited warranty**

KLETON

RL803

| Model No. | Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| **4 SHELVES** | | |
| **RN129** | 36 x 18 x 63 | |
| **RN130** | 48 x 18 x 63 | |
| **RN131** | 60 x 18 x 63 | |
| **RN132** | 36 x 24 x 63 | |
| **RN133** | 48 x 24 x 63 | |
| **RN134** | 60 x 24 x 63 | |
| **RL803** | 18 x 36 x 74 | |
| **RL804** | 18 x 48 x 74 | |
| **RL805** | 18 x 60 x 74 | |
| **RL806** | 24 x 36 x 74 | |
| **RL807** | 24 x 48 x 74 | |
| **RL808** | 24 x 60 x 74 | |
| **5 SHELVES** | | |
| **RL809** | 18 x 36 x 86 | |
| **RL810** | 18 x 48 x 86 | |
| **RL811** | 18 x 60 x 86 | |
| **RL812** | 24 x 36 x 86 | |
| **RL813** | 24 x 48 x 86 | |
| **RL814** | 24 x 60 x 86 | |

# WIRE SHELVING

## SECURITY CARTS

- Security carts are ideal for safety storing and transporting of valuable goods
- Open wire construction allows for visibility into the unit so items can be checked at any time
- Double door design that allows for each door to open 270 degrees and can be secured along the side
- Shipped knocked-down

RL399

RL408

METRO

| Model No | Overall Dimensions W" x D" x H" | No. of Shelves | Price /Each |
|---|---|---|---|
| **STATIONARY** | | | |
| **RL399** | 38.5 x 21.5 x 66 13/16 | 4 | |
| **RL400** | 50.5 x 21.5 x 66 13/16 | 4 | |
| **RL402** | 38.5 x 21.5 x 66 13/16 | 5 | |
| **RL403** | 50.5 x 21.5 x 66 13/16 | 5 | |
| **MOBILE** | | | |
| **RL408** | 38.5 x 21.5 x 68 1/2 | 4 | |
| **RL409** | 50.5 x 21.5 x 68 1/2 | 4 | |
| **RL411** | 38.5 x 21.5 x 68 1/2 | 5 | |
| **RL412** | 50.5 x 21.5 x 68 1/2 | 5 | |

## COVERS FOR SHELF TRUCKS & CARTS

- Protect contents from dust and other air-borne contaminants
- Covers deter pilferage and allow units to be loaded prior to transport
- Available in either uncoated nylon or coated waterproof vinyl, with an aluminum zippered closure
- Colour: White.
  **Please note:** Axll covers are non-returnable

RG460

METRO

| Nylon Size L" x H" | Uncoated Model No. | Price /Each | Vinyl Coated Model No. | Price /Each |
|---|---|---|---|---|
| **FOR SHELF TRUCKS AND CARTS 18" WIDE** | | | | |
| 36 x 54 | **RG460** | | **RG466** | |
| 36 x 62 | **RG461** | | **RG467** | |
| 48 x 54 | **RG462** | | **RG468** | |
| 48 x 62 | **RG463** | | **RG469** | |
| 60 x 54 | **RG464** | | **RG470** | |
| 60 x 62 | **RG465** | | **RG471** | |
| **FOR SHELF TRUCKS AND CARTS 24" WIDE** | | | | |
| 36 x 54 | **RG472** | | **RG478** | |
| 36 x 62 | **RG473** | | **RG479** | |
| 48 x 54 | **RG474** | | **RG480** | |
| 48 x 62 | **RG475** | | **RG481** | |
| 60 x 54 | **RG476** | | **RG482** | |
| 60 x 62 | **RG477** | | **RG483** | |

**Note:** Other colours available.

## WIRE MESH STACK & HANG BINS

- Innovative mesh design offers nickel-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of bin contents
- This unique mesh pattern provides a dust and dirt free storage environment
- Mesh Bins feature a rear hanger that allows them to hang from any louvered wall panel or rail system
- Optional side hangers allow bin to stack one on top of the other
- The open hopper design allows for easy picking while allowing visual access to stored contents
- Material: Wire mesh
- Colour: Nickel-chrome
- Capacity: 100 lbs. Hang/175 lbs. Stack

QUANTUM™ STORAGE SYSTEMS




CF751

CF755

### BINS

| Model No. | Mfg. No. | Outside Dimensions W" x D" x H" | Inside Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|---|
| **CF751** | QMB510C | 4 1/4 x 5 1/4 x 3 | 4 x 4 3/4 x 2 7/8 | |
| **CF752** | QMB520C | 4 1/4 x 7 1/4 x 3 | 4 x 6 3/4 x 2 7/8 | |
| **CF753** | QMB530C | 5 1/2 x 10 3/4 x 5 | 5 1/2 x 10 1/4 x 4 3/4 | |
| **CF754** | QMB535C | 11 x 10 3/4 x 5 | 10 3/4 x 10 1/4 x 4 3/4 | |
| **CF755** | QMB539C | 8 x 10 1/2 x 7 | 7 1/2 x 10 x 6 3/4 | |
| **CF756** | QMB540C | 8 x 14 1/2 x 7 | 7 2/5 x 14 x 6 3/4 | |
| **CF757** | QMB550C | 16 1/4 x 14 1/2 x 7 | 15 3/4 x 14 x 6 3/4 | |
| **CF758** | QMB560C | 11 x 18 1/2 x 10 1/8 | 10 5/8 x 18 1/16 x 10 | |
| **CF759** | QMB570C | 17 1/8 x 18 1/2 x 11 1/8 | 16 5/8 x 18 1/8 x 11 | |

### DIVIDERS

| Model No. | Mfg. No. | Price /Each |
|---|---|---|
| **CF766** | DMB510C | |
| **CF767** | DMB520C | |
| **CF768** | DMB530/535C | |
| **CF768** | DMB530/535C | |
| **CF769** | DMB539C | |
| **CF770** | DMB540/550C | |
| **CF770** | DMB540/550C | |
| **CF771** | DMB560/570C | |
| **CF771** | DMB560/570C | |

### SIDE HANGERS*

| Model No. | Mfg. No. | Description | Price /Each |
|---|---|---|---|
| **CF760** | HMB510C | For Bin **CF751** | |
| **CF761** | HMB520C | For Bin **CF752** | |
| **CF762** | HMB530/535C | For Bin **CF753/CF754** | |
| **CF763** | HMB539C | For Bin **CF755** | |
| **CF764** | HMB540/550C | For Bin **CF756/CF757** | |
| **CF765** | HMB560/570C | For Bin **CF758/CF759** | |

*Hangers sold per pair

CF760

## STAINLESS STEEL SOLID RIVET SHELVING

- High quality stainless steel solid shelving made of type 304 stainless steel construction with brushed finish
- 18-gauge thick shelves adjustable in 1 1/2" increments
- Two-piece corner posts design includes plastic connectors
- **Includes:** Five adjustable shelves with a capacity of 600 lbs. per shelf
- Shipped knocked down, easy assembly

| Model No. | Mfg. No. | Dimensions W" x D" x H" | Cap lbs. /Shelf | Price /Each |
|---|---|---|---|---|
| **RL853** | LWSS-1836 | 36 x 18 x 72 | 600 | |
| **RL854** | LWSS-1848 | 48 x 18 x 72 | 600 | |
| **RL855** | LWSS-2436 | 36 x 24 x 72 | 600 | |
| **RL856** | LWSS-2448 | 48 x 24 x 72 | 600 | |

## WELDED FRAME TIRE RACKS

- Ideal solution for all sizes of tires
- No nuts or bolts required for assembly
- Shelves can be loaded and are accessible from both the front and the back
- Easily adjustable on 2" increments
- Consists of 2 welded frames and 3 pairs of 2" front mount step beams

**RN068**

| Model No | Rack Type | Tire Capacity | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| **RN068** | Starter | 21 | 60 x 18 x 72 | 111 | |
| **RN069** | Starter | 27 | 72 x 18 x 72 | 123 | |
| **RN070** | Starter | 36 | 96 x 18 x 72 | 147 | |
| **RN071** | Add-on | 21 | 60 x 18 x 72 | 90 | |
| **RN072** | Add-on | 27 | 72 x 18 x 72 | 102 | |
| **RN073** | Add-on | 36 | 96 x 18 x 72 | 126 | |

## E-Z GLIDE ROLL-OUT SHELVING

- Designed for heavy-duty loading and easy retrieval of hard-to-handle items
- Stores up to 2000 lbs. per shelf (evenly distributed)
- Every shelf extends 100%
- Adjustable shelf height based on 2" centres
- 3-shelf models available on the 84 1/2" H units
- Shipped knocked down



**Starter & Add-on**

**Starter**

| Shelf Size" | Overall Height" | No. of shelves | Starter Model No. | Wt. lbs. | Price /Each | Add-on Model No. | Wt. lbs | Price /Each | Additional Shelves | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 36 x 36 | 62 1/2 | 3 | **RK064** | 911 | | **RK073** | 831 | | **RK082** | 210 | |
| 48 x 36 | 62 1/2 | 3 | **RK065** | 1053 | | **RK074** | 973 | | **RK083** | 248 | |
| 48 x 48 | 62 1/2 | 3 | **RK066** | 1260 | | **RK075** | 1174 | | **RK084** | 303 | |
| 36 x 36 | 72 1/2 | 3 | **RK067** | 932 | | **RK076** | 842 | | **RK082** | 210 | |
| 48 x 36 | 72 1/2 | 3 | **RK068** | 1074 | | **RK077** | 984 | | **RK083** | 248 | |
| 48 x 48 | 72 1/2 | 3 | **RK069** | 1281 | | **RK078** | 1185 | | **RK084** | 303 | |
| 36 x 36 | 84 1/2 | 4 | **RK070** | 1166 | | **RK079** | 1063 | | **RK082** | 210 | |
| 48 x 36 | 84 1/2 | 4 | **RK071** | 1348 | | **RK080** | 1245 | | **RK083** | 248 | |
| 48 x 48 | 84 1/2 | 4 | **RK072** | 1510 | | **RK081** | 1501 | | **RK084** | 303 | |

## HEAVY-DUTY REEL RACKS

- Ideal for storing or dispensing wire, rope, chain and hose
- Provides quick and uncluttered access to reels
- 24" maximum reel dimension
- Comes standard with four sets of rack axle brackets, adjustable on 2" centers, that accept axels up to 2" diameter
- Capacity: 2000 lbs. per level with 10 000-lb. maximum capacity per rack
- **Axels (support rods for wire spools) and wire spools are not included**

### ACCESSORIES

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **MK968** | Extra Set of Axel Brackets | 7 | |

Recommended that unit be secured to floor for stability (Anchors not included).

| Model No. | Unit Type | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **MK944** | Starter | 24 x 24 x 96 | 236 | |
| **MK956** | Add-on | 24 x 24 x 96 | 149 | |
| **MK946** | Starter | 36 x 24 x 96 | 252 | |
| **MK958** | Add-on | 36 x 24 x 96 | 165 | |
| **MK948** | Starter | 48 x 24 x 96 | 268 | |
| **MK960** | Add-on | 48 x 24 x 96 | 181 | |
| **MK945** | Starter | 24 x 36 x 96 | 254 | |
| **MK957** | Add-on | 24 x 36 x 96 | 158 | |
| **MK947** | Starter | 36 x 36 x 96 | 270 | |
| **MK959** | Add-on | 36 x 36 x 96 | 174 | |
| **MK949** | Starter | 48 x 36 x 96 | 286 | |
| **MK961** | Add-on | 48 x 36 x 96 | 190 | |
| **MK950** | Starter | 24 x 24 x 120 | 269 | |
| **MK962** | Add-on | 24 x 24 x 120 | 165 | |
| **MK951** | Starter | 36 x 24 x 120 | 285 | |
| **MK963** | Add-on | 36 x 24 x 120 | 181 | |
| **MK952** | Starter | 48 x 24 x 120 | 301 | |
| **MK964** | Add-on | 48 x 24 x 120 | 197 | |
| **MK953** | Starter | 24 x 36 x 120 | 344 | |
| **MK965** | Add-on | 24 x 36 x 120 | 175 | |
| **MK954** | Starter | 36 x 36 x 120 | 248 | |
| **MK966** | Add-on | 36 x 36 x 120 | 191 | |
| **MK955** | Starter | 48 x 36 x 120 | 321 | |
| **MK967** | Add-on | 48 x 36 x 120 | 207 | |

EYEWEAR

SPILL CONTROL

# SAFETY

TRAFFIC CONTROL

GLOVES

ZENITH®

Safety Products

**Contact us today!**

# PIPE FITTINGS

There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Kee Klamp® fittings are galvanized malleable iron castings designed to suit eight sizes of tube.

A standard hex key and tube cutters are the only tools required to create strong, rigid structures.

Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting.
The set screw is manufactured in case hardened steel and is coated to protect against corrosion.

**KEE KLAMP®**

- Simple method of constructing tubular structures
- Cost effective alternative to welding
- Galvanized to resist corrosion

## SHORT TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK597 | 1.05 | |
| RK598 | 1.315 | |
| RK599 | 1.66 | |
| RK600 | 1.90 | |
| RK601 | 2.375 | |

## LONG TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK602 | 1.05 | |
| RK603 | 1.315 | |
| RK604 | 1.66 | |
| RK605 | 1.90 | |
| RK606 | 2.375 | |

## SIDE OUTLET TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK607 | 1.05 | |
| RK608 | 1.315 | |
| RK609 | 1.66 | |
| RK610 | 1.90 | |
| RK611 | 2.375 | |

## TWO SOCKET CROSSES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK612 | 1.05 | |
| RK613 | 1.315 | |
| RK614 | 1.66 | |
| RK615 | 1.90 | |
| RK616 | 2.375 | |

## 90° ELBOWS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK617 | 1.05 | |
| RK618 | 1.315 | |
| RK619 | 1.66 | |
| RK620 | 1.90 | |
| RK621 | 2.375 | |

## ANGLE CROSSES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK622 | 1.315 | |
| RK623 | 1.66 | |
| N/A | 1.90 | - |
| N/A | 2.375 | - |

## ANGLE TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK625 | 1.315 | |
| RK626 | 1.66 | |
| RK627 | 1.90 | |
| N/A | 2.375 | - |

## 3 WAY 90° ELBOWS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK628 | 1.05 | |
| RK629 | 1.315 | |
| RK630 | 1.66 | |
| RK631 | 1.90 | |
| N/A | 2.375 | - |

## ADJUSTABLE SHORT TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK632 | 1.315 | |
| RK633 | 1.66 | |
| RK634 | 1.90 | |
| N/A | 2.375 | - |

## ADJUSTABLE TWO SOCKET CROSSES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK635 | 1.315 | |
| RK636 | 1.66 | |
| RK637 | 1.90 | |
| N/A | 2.375 | - |

## BASE FLANGES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK638 | 1.05 | |
| RK639 | 1.315 | |
| RK640 | 1.66 | |
| RK641 | 1.90 | |
| RK642 | 2.375 | |

## RAILING BASE FLANGES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK643 | 1.05 | |
| RK644 | 1.315 | |
| RK645 | 1.66 | |
| RK646 | 1.90 | |
| RK647 | 2.375 | |

## PLASTIC END PLUGS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RA179 | 1.05 | |
| RA180 | 1.315 | |
| RA181 | 1.66 | |
| RA182 | 1.90 | |
| RA183 | 2.375 | |

## GROUND SOCKETS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK648 | 1.315 | |
| RK649 | 1.66 | |
| RK650 | 1.90 | |
| N/A | 2.375 | - |

## CLAMP-ON TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK651 | 1.05 | |
| RK652 | 1.315 | |
| RK653 | 1.66 | |
| RK654 | 1.90 | |
| N/A | 2.375 | - |

## GATE EYES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK655 | 1.05 | |
| RK656 | 1.315 | |
| RK657 | 1.66 | |
| RK658 | 1.90 | |
| N/A | 2.375 | - |

## PIPE FITTINGS

### GATE HINGES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK659 | 1.05 | |
| RK660 | 1.315 | |
| RK661 | 1.66 | |
| RK662 | 1.90 | |
| N/A | 2.375 | - |

### HANDRAIL BRACKETS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK663 | 1.05 | |
| RK664 | 1.315 | |
| RK665 | 1.66 | |
| RK666 | 1.90 | |
| N/A | 2.375 | - |

### VERTICAL RAILING SUPPORTS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK667 | 1.315 | |
| RK668 | 1.66 | |
| RK669 | 1.90 | |
| N/A | 2.375 | - |

### HORIZONTAL RAILING SUPPORTS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK670 | 1.315 | |
| N/A | 1.66 | - |
| N/A | 1.90 | - |
| N/A | 2.375 | - |

### SIDE PALM FIXINGS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK671 | 1.315 | |
| RK672 | 1.66 | |
| RK673 | 1.90 | |
| N/A | 2.375 | - |

### INTERNAL SWIVEL TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK674 | 1.315 | |
| RK675 | 1.66 | |
| RK676 | 1.90 | |
| N/A | 2.375 | - |

### SHORT SWIVEL TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK677 | 1.05 | |
| RK678 | 1.315 | |
| RK679 | 1.66 | |
| RK680 | 1.90 | |
| N/A | 2.375 | - |

### SLEEVE JOINTS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK681 | 1.05 | |
| RK682 | 1.315 | |
| RK683 | 1.66 | |
| RK684 | 1.90 | |
| RK685 | 2.375 | |

### INTERNAL JOINTS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK686 | 1.315 | |
| RK687 | 1.66 | |
| RK688 | 1.90 | |
| N/A | 2.375 | - |

### 4-WAY CROSSES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK689 | 1.05 | |
| RK690 | 1.315 | |
| RK691 | 1.66 | |
| RK692 | 1.90 | |
| N/A | 2.375 | - |

### CLAMP-ON CROSSOVERS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK693 | 1.05 | |
| RK694 | 1.315 | |
| RK695 | 1.66 | |
| RK696 | 1.90 | |
| N/A | 2.375 | - |

### 90° CROSSOVERS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK697 | 1.05 | |
| RK698 | 1.315 | |
| RK699 | 1.66 | |
| RK700 | 1.90 | |
| RK701 | 2.375 | |

### TEE/CROSSOVER COMBINATIONS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK702 | 1.05 | |
| RK703 | 1.315 | |
| RK704 | 1.66 | |
| RK705 | 1.90 | |
| RK706 | 2.375 | |

### DOUBLE SWIVELS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK707 | 1.05 | |
| RK709 | 1.315 | |
| RK711 | 1.66 | |
| RK713 | 1.90 | |
| RK715 | 2.375 | |

### MALE DOUBLE SWIVELS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK708 | 1.05 | |
| RK710 | 1.315 | |
| RK712 | 1.66 | |
| RK714 | 1.90 | |
| RK716 | 2.375 | |

### MALE CORNER SWIVELS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK718 | 1.315 | |
| RK720 | 1.66 | |
| RK722 | 1.90 | |
| N/A | 2.375 | - |

### CORNER SWIVELS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK717 | 1.315 | |
| RK719 | 1.66 | |
| RK721 | 1.90 | |
| N/A | 2.375 | - |

### BASE PLATES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK728 | 1.05 | |
| N/A | 1.315 | - |
| N/A | 1.66 | - |
| N/A | 1.90 | - |
| N/A | 2.375 | - |

### SWIVEL BASES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK723 | 1.05 | |
| RK724 | 1.315 | |
| RK725 | 1.66 | |
| RK726 | 1.90 | |
| RK727 | 2.375 | |

### MESH PANEL CLIPS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK729 | 1.05 | |
| RK730 | 1.315 | |
| RK731 | 1.66 | |
| RK732 | 1.90 | |
| N/A | 2.375 | - |

# PIPE FITTINGS

## SINGLE SWIVEL SOCKETS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK739 | 1.05 | |
| RK742 | 1.315 | |
| RK745 | 1.66 | |
| RK748 | 1.90 | |
| RK751 | 2.375 | |

## FEMALE SWIVEL SOCKETS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK738 | 1.05 | |
| RK741 | 1.315 | |
| RK744 | 1.66 | |
| RK747 | 1.90 | |
| RK750 | 2.375 | |

## SINGLE SWIVEL COMBINATIONS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK737 | 1.05 | |
| RK740 | 1.315 | |
| RK743 | 1.66 | |
| RK746 | 1.90 | |
| RK749 | 2.375 | |

## OUTLET TEES

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK752 | 1.05 | |
| RK753 | 1.315 | |
| RK754 | 1.66 | |
| RK755 | 1.90 | |
| RK756 | 2.375 | |

## LOCKING COLLARS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| RK757 | 1.05 | |
| RK758 | 1.315 | |
| RK759 | 1.66 | |
| RK760 | 1.90 | |
| N/A | 2.375 | - |

## HOOKS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK761 | 1.315 | |
| RK821 | 1.66 | |
| RK763 | 1.90 | |
| N/A | 2.375 | - |

## EAVES FITTINGS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| N/A | 1.315 | - |
| N/A | 1.66 | - |
| RA301 | 1.90 | |
| N/A | 2.375 | - |

## WEATHER CAPS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| RK766 | 1.315 | |
| RK767 | 1.66 | |
| RK768 | 1.90 | |
| N/A | 2.375 | - |

## ADJUSTABLE FIXING BRACKETS

| Model No. | Pipe O.D." | Price /Each |
|---|---|---|
| N/A | 1.05 | - |
| N/A | 1.315 | - |
| N/A | 1.66 | - |
| RK817 | 1.90 | |
| N/A | 2.375 | - |

## TOOLS

| Model No. | Description | Price /Each |
|---|---|---|
| TX413 | T-Handle hex key for 1.05", 1.315" and 1.66" pipes | |
| TX414 | T-Handle hex key for 1.90" and 2.375" pipes | |

# PIPES

Build an unlimited array of strong rigid structures combining standard black iron (unthreaded) pipe or galvanized (threaded - on one side) pipe (**schedule 40**), with any combination of corresponding sized Kee Klamp® fittings.
Pipe sizes are available from 1.05" to 2.375" (outside diameter).
Standard pipe length is 21 ft., with cut lengths available upon request.
A cutting charge will be added per cut length of piping.

**Call for pricing.**

| Pipe O.D." | Pipe I.D." | Pipe Length' | Black Iron Model No. | Galvanized Iron Model No. |
|---|---|---|---|---|
| 1.05 | 0.75 | 21 | RA109 | RA110 |
| 1.215 | 1 | 21 | RA111 | RA112 |
| 1.66 | 1.25 | 21 | RA113 | RA114 |
| 1.90 | 1.5 | 21 | RA115 | RA116 |
| 2.375 | 2 | 21 | RA117 | RA118 |

**Model No. RG259** Cutting charge per cut length
**Price/Each $**

Kee Klamp®

## GALVANIZED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 14-gauge steel folding gates
- Constructed of galvanized steel U channels riveted using aircraft quality rivets for durability
- With double folding gates center drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates
- Durable 2" steel zinc-plated and welded to the frame, rubber casters that fully retract when not in use
- Installation hardware included

**Note:** Middle drop pin not included for models with a useable width of 7' and below

ILLINOIS ENGINEERED PRODUCTS

### SINGLE FOLDING GATES

| Lock on Left Model No. | Lock on Right Model No. | Usable Width' | Height Collapsed' | Height Expanded' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| KA035 | KA036 | 3 to 4 | 6.5 | 6 | 69 | |
| KA037 | KA038 | 3 to 4 | 7 | 6.5 | 73 | |
| KA039 | KA040 | 3 to 4 | 7.5 | 7 | 77 | |
| KA041 | KA042 | 3 to 4 | 8 | 7.5 | 80 | |
| KA043 | KA044 | 3 to 4 | 8.5 | 8 | 84 | |
| KA045 | KA046 | 4 to 5 | 6.5 | 6 | 73 | |
| KA047 | KA048 | 4 to 5 | 7 | 6.5 | 74 | |
| KA049 | KA050 | 4 to 5 | 7.5 | 7 | 78 | |
| KA051 | KA052 | 4 to 5 | 8 | 7.5 | 80 | |
| KA053 | KA054 | 4 to 5 | 8.5 | 8 | 82 | |
| KA055 | KA056 | 5 to 6 | 6.5 | 6 | 76 | |
| KA057 | KA058 | 5 to 6 | 7 | 6.5 | 79 | |
| KA059 | KA060 | 5 to 6 | 7.5 | 7 | 81 | |
| KA061 | KA062 | 5 to 6 | 8 | 7.5 | 84 | |
| KA063 | KA064 | 5 to 6 | 8.5 | 8 | 86 | |
| KA065 | KA066 | 6 to 7 | 6.5 | 6 | 82 | |
| KA067 | KA068 | 6 to 7 | 7 | 6.5 | 85 | |
| KA069 | KA070 | 6 to 7 | 7.5 | 7 | 87 | |
| KA071 | KA072 | 6 to 7 | 8 | 7.5 | 90 | |
| KA073 | KA074 | 6 to 7 | 8.5 | 8 | 92 | |
| KA075 | KA076 | 7 to 8 | 6.5 | 6 | 88 | |
| KA077 | KA078 | 7 to 8 | 7 | 6.5 | 92 | |
| KA079 | KA080 | 7 to 8 | 7.5 | 7 | 96 | |
| KA081 | KA082 | 7 to 8 | 8 | 7.5 | 99 | |
| KA083 | KA084 | 7 to 8 | 8.5 | 8 | 104 | |
| KA085 | KA086 | 8 to 9 | 7 | 6.5 | 102 | |
| KA087 | KA088 | 8 to 9 | 7.5 | 7 | 104 | |
| KA089 | KA090 | 8 to 9 | 8 | 7.5 | 106 | |
| KA031 | KA032 | 9 to 10 | 7 | 6.5 | 109 | |
| KA033 | KA034 | 9 to 10 | 8 | 7.5 | 112 | |

### DOUBLE FOLDING GATES

| Model No. | Usable Width' | Height Collapsed' | Height Expanded' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| KA026 | 6 to 8 | 6.5 | 6 | 120 | |
| KA027 | 6 to 8 | 7 | 6.5 | 124 | |
| KA028 | 6 to 8 | 7.5 | 7 | 129 | |
| KA029 | 6 to 8 | 8 | 7.5 | 134 | |
| KA030 | 6 to 8 | 8.5 | 8 | 139 | |
| KA001 | 8 to 10 | 6.5 | 6 | 144 | |
| KA002 | 8 to 10 | 7 | 6.5 | 148 | |
| KA003 | 8 to 10 | 7.5 | 7 | 153 | |
| KA004 | 8 to 10 | 8 | 7.5 | 158 | |
| KA005 | 8 to 10 | 8.5 | 8 | 162 | |
| KA006 | 10 to 12 | 6.5 | 6 | 168 | |
| KA007 | 10 to 12 | 7 | 6.5 | 172 | |
| KA008 | 10 to 12 | 7.5 | 7 | 177 | |
| KA009 | 10 to 12 | 8 | 7.5 | 182 | |
| KA010 | 10 to 12 | 8.5 | 8 | 187 | |
| KA011 | 12 to 14 | 6.5 | 6 | 180 | |
| KA012 | 12 to 14 | 7 | 6.5 | 184 | |
| KA013 | 12 to 14 | 7.5 | 7 | 189 | |
| KA014 | 12 to 14 | 8 | 7.5 | 196 | |
| KA015 | 12 to 14 | 8.5 | 8 | 199 | |
| KA016 | 14 to 16 | 6.5 | 6 | 192 | |
| KA017 | 14 to 16 | 7 | 6.5 | 196 | |
| KA018 | 14 to 16 | 7.5 | 7 | 199 | |
| KA019 | 14 to 16 | 8 | 7.5 | 201 | |
| KA020 | 14 to 16 | 8.5 | 8 | 206 | |
| KA021 | 16 to 18 | 7 | 6.5 | 204 | |
| KA022 | 16 to 18 | 7.5 | 7 | 208 | |
| KA023 | 16 to 18 | 8 | 7.5 | 211 | |
| KA024 | 18 to 20 | 7 | 6.5 | 216 | |
| KA025 | 18 to 20 | 8 | 7.5 | 230 | |

## HEAVY-DUTY DOOR GATES

ILLINOIS ENGINEERED PRODUCTS

- Folding door gates can be installed in any doorway up to 48" wide inside or outside the jamb
- Gates pivot on a hinge so that they can open in or out, just like a door
- All folding door gates come with a locking bar that when padlocked provides maximum security
- Frame is constructed from 1 1/2" x 1 1/2", 12-gauge angle iron, zinc-plated
- Channel constructed from 3/8" x 3/4", 14-gauge steel
- Installation hardware not included

| Model No. | Usable Width' | Collapsed Height' | Expanded Height' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| KH873 | 4 | 6.08 | 5.8 | 44 | |
| KH874 | 4 | 6.6 | 6.3 | 49 | |
| KH875 | 4 | 6.75 | 6.5 | 50 | |

## STOREFRONT WINDOW GATES

- Retail store front security gates provides the highest quality loss prevention and security solutions
- Frame constructed from 1 1/2" x 1 1/2", 12-gauge angle iron, zinc-plated
- Channel constructed from 3/8" x 3/4", 14-gauge galvanised steel
- For added security, add an H bracket to each gate

ILLINOIS ENGINEERED PRODUCTS

| Model No. | Height Collapsed' | Height Expanded' | Width' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| SINGLE GATES | | | | | |
| KH876 | 6.4 | 6 | 3 | 64 | |
| KH877 | 6.4 | 6 | 6 | 76 | |
| KH878 | 6.4 | 6 | 9 | 98 | |
| DOUBLE GATES | | | | | |
| KH879 | 6.4 | 6 | 10 | 124 | |
| KH880 | 6.4 | 6 | 12 | 136 | |
| KH881 | 6.4 | 6 | 16 | 172 | |
| KH882 | 6.4 | 6 | 18 | 196 | |
| OPTIONS | | | | | |
| KH883 | H bracket for single gate | - | - | 2.5 | |
| KH884 | H bracket for double gate | - | - | 2.5 | |

**CUSTOM SIZES AVAILABLE. CONTACT US TODAY!**

# EXTRA HEAVY-DUTY FOLDING TRACK GATES

- Extra heavy-duty folding track gates provide access control and front-line security
- While locked they provide one of the strongest physical and visual barrier to potential would-be intruders
- While closed or stacked, these gates slide discretely out of the way or completely hide-away within cabinets
- Main vertical channel is constructed from 1 7/8" x 1 3/8", 11-gauge galvanized steel
- Shear and intermediate vertical is constructed from 3/16" thick x 5/8" wide galvanized steel
- Installation hardware not included

| Model No. | Height' | Width' | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| KH990 | 7.6 | 8 | 334 | |
| KH991 | 7.6 | 10 | 418 | |
| KH992 | 7.6 | 12 | 502 | |

ILLINOIS ENGINEERED PRODUCTS

# PORTABLE EXPANDING GATES

- Great for many applications: Blocking equipment, personnel and entrances
- Gates expand and lock to close off any opening
- When not in use, simply fold up, roll away and store
- Purchase optional add-on section to create larger barriers

ILLINOIS ENGINEERED PRODUCTS

| Model No. | Collapsed Width" | Collapsed Height" | Expanded Width" | Expanded Height" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| KA091 | 78 | 79.5 | 144 | 73.5 | 144 | |
| KA126 | Add-on section 6' long when expanded | | 72 | - | - | |

**CUSTOM SIZES AVAILABLE. CONTACT US TODAY!**

# EXPANDABLE BARRIERS

- Steel and aluminum construction
- Collapsible design allows for easy storage when not in use
- Lightweight and free standing for easy setup when needed
- Side hook allows multiple units to be used together
- Expanded width: 11'
- Height: 37"
- Weight: 20 lbs.
- Colour: Black and yellow
- Optional caster kit: **SDK991**

ZENITH® Safety Products

**Model No. SDK990**
**Price/Each $**

# PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall size is 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.



ZENITH® Safety Products

| Model No. | Description | Price /Each |
|---|---|---|
| SEE395 | Galvanized Finish | |
| SEE396 | Safety Yellow Finish | |

## SELF-CLOSING SAFETY SWING GATES

- Suitable to use at any access point on a mezzanine or any fixed ladders
- Standard universal hinge assembly is versatile, fitting various railing types up to 2" O.D. or flat surface mounting
- Each gate has a 3 3/4" adjustment of gate width from nominal size
- Includes two stainless steel torsion spring self-closing mechanisms
- Economical, reliable, ships fully assembled and installs in minutes

PS DOORS SAFETY PRODUCT GROUP

**POWDER COAT SAFETY YELLOW**

| Model No. | Dimensions of Opening" | Price /Each |
|---|---|---|
| ML349 | 16 3/4 - 20 1/2 | |
| ML350 | 19 3/4 - 23 1/2 | |
| ML351 | 22 3/4 - 26 1/2 | |
| ML352 | 25 3/4 - 29 1/2 | |
| ML353 | 28 3/4 - 32 1/2 | |
| ML354 | 31 3/4 - 35 1/2 | |
| ML355 | 34 3/4 - 38 1/2 | |

**HOT-DIP GALVANIZED**

| Model No. | Dimensions of Opening" | Price /Each |
|---|---|---|
| ML376 | 16 3/4 - 20 1/2 | |
| ML377 | 19 3/4 - 23 1/2 | |
| ML378 | 22 3/4 - 26 1/2 | |
| ML379 | 25 3/4 - 29 1/2 | |
| ML380 | 28 3/4 - 32 1/2 | |
| ML381 | 31 3/4 - 35 1/2 | |
| ML382 | 34 3/4 - 38 1/2 | |

**Note:** All models are available in stainless steel.

## INDUSTRIAL SAFETY GUARDRAILS

- Modular design of barrier guards allows you to design a system that meets specific equipment and property safeguarding needs
- 12-gauge steel rails offer enough strength to withstand a 10 000-lb load from breaking through at 6 km/h when properly installed
- Posts are available in single and double height and are 5" x 5" with 10" x 10" base plates
- Single posts are 17" high and double are 44" high, rails are 12" high
- Powder coat safety yellow finish for durability and visibility
- All necessary installation hardware included except for anchors

**F.O.B. TERREBONNE, QC**

**RAILS**

| Model No. | Guardrail Height" | Nominal Length" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| KH833 | 12 | 24 | 18 | |
| KH832 | 12 | 36 | 24 | |
| KH831 | 12 | 48 | 30 | |
| KH830 | 12 | 60 | 37 | |
| KH829 | 12 | 72 | 43 | |
| KH828 | 12 | 84 | 50 | |
| KH827 | 12 | 96 | 58 | |
| KH826 | 12 | 108 | 64 | |
| KH825 | 12 | 120 | 70 | |

**POSTS**

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| KH834 | Modular Guardrail Post Single 17" Height | 35 | |
| KH835 | Modular Guardrail Post Double 44" Height | 60 | |

## PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2", 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- Hardware not included

**KD131**

**ML231**

**Create a pallet rack back guard designed for your application**

1. Choose one or a combination of back guard panels to create the required width and length

| Model No. | Dimensions' | Weight lbs. | Price /Each |
|---|---|---|---|
| KH926 | 1 x 4 | 10 | |
| KH914 | 2 x 4 | 12 | |
| KH930 | 3 x 4 | 20 | |
| KD130 | 4 x 4 | 23 | |
| KD131 | 8 x 4 | 45 | |

2. Choose a mounting bracket that provides the required depth
   - Minimum of four brackets required

| Model No. | Dimensions" | Weight lbs. | Price /Each |
|---|---|---|---|
| ML231 | 4 x 6 | 2 | |
| ML232 | 4 x 9 | 2 | |
| ML233 | 4 x 12 | 3 | |

3. **Hardware required**
   For each additional panel, add: 2 x **MMB721** and 2 x **MMH254**
   For each mounting bracket, add: 3 x **MMP624** and 3 x **MMB721**

## RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included • Overall Width: 3"
- Overall Height: 12" • Colour: Safety Yellow
- Material: Steel • All welded construction

**RN063**

| Model No. | Description | Overall Length" | Fits Racking Uprights | Price /Each |
|---|---|---|---|---|
| RN059 | Single Wrap - Left | 46-1/2 | 42" W | |
| RN060 | Single Wrap - Right | 46-1/2 | 42" W | |
| RN061 | Single Wrap - Left | 52-1/2 | 48" W | |
| RN062 | Single Wrap - Right | 52-1/2 | 48" W | |
| RN063 | Double Wrap | 50-1/4 | 42" W | |
| RN064 | Double Wrap | 56-1/4 | 48" W | |

## PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish

Mesh style



Tubular style perimeter guards

### MESH STYLE KITS

| Description | Dimensions W" x H" | Wt. lbs. | Blue Model No. | Price /Each | Yellow Model No. | Price /Each |
|---|---|---|---|---|---|---|
| Starter Section | 48 x 48 | 46 | **KH945** | | **RL848** | |
| Add-On Section | 48 x 48 | 34 | **KH946** | | **RL849** | |
| Starter Section | 96 x 48 | 65 | **KH947** | | **RL850** | |
| Add-On Section | 96 x 48 | 53 | **KH948** | | **RL851** | |

**Note:** Includes assembly fasteners, floor anchors and post caps

### MESH STYLE INDIVIDUAL COMPONENTS

| Description | Dimensions W x H | Wt. lbs. | Blue Model No. | Price /Each | Yellow Model No. | Price /Each |
|---|---|---|---|---|---|---|
| Mesh Panel | 4' x 4' | 20 | **KD036** | | **KD130** | |
| Mesh Panel | 8' x 4' | 39 | **KD037** | | **KD131** | |
| Post Universal | 49 1/2" H | 13 | **KH861** | | **KD129** | |
| Post Universal | 99" H | 22 | **KD053** | | **KH860** | |

### HARDWARE REQUIRED

| Model No. | Description | Price /Each |
|---|---|---|
| **KD001** | Floor Anchors (Two per Post) | |
| **MMH262** | 5/16" x 3" Carriage Bolt (Four per Frame) | |
| **MMB721** | 5/16" Hex Nut (One Nut for Each **MLK389**) | |
| **KD116** | Post Caps (One per Post) | |

## BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

| Model No. | Height" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **KD125** | 24 | 30 | |
| **KH857** | 36 | 40 | |
| **KD126** | 48 | 50 | |

## UPRIGHT PROTECTOR

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish

| Model No. | O.A. Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| **KH858** | 7 | x | 7 | x | 12 | 12 | |
| **RB925** | 7 | x | 7 | x | 18 1/4 | 15 | |

### TUBULAR STYLE

| Model No. | Description | Dimensions W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **KD132** | Starter Section | 48 x 49 1/2 | 45 | |
| **KD133** | Add-On Section * | 46 x 49 1/2 | 32 | |
| **KD134** | Starter Section | 96 x 49 1/2 | 66 | |
| **KD135** | Add-On Section * | 94 x 49 1/2 | 53 | |

*Hardware to attach add-on section is included

### HARDWARE REQUIRED

| Model No. | Description | Price /Each |
|---|---|---|
| **KD001** | Floor Anchors (2 per post) | |
| **KD116** | Post Caps (1 per post) | |

## SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish

KD128

KD127

| Model No. | Dimensions W" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **KD127** | 24 x 18 | 65 | |
| **KH855** | 36 x 18 | 75 | |
| **KD128** | 48 x 18 | 85 | |
| **KD136** | 24 x 42 | 95 | |
| **KD856** | 36 x 42 | 110 | |
| **KD139** | 48 x 42 | 115 | |

## FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 5"
- Colour: Safety Yellow
- Material: Steel
- All welded construction

| Model No. | Overall Length" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **RN065** | 48 | 26 | |
| **RN066** | 60 | 33 | |
| **RN067** | 120 | 66 | |

## COLUMN PROTECTORS

- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Colour: Yellow
- Dimensions: 23-1/2" L x 23-1/2" W x 39-1/2" H
- Material: Linear low density polyethylene (LLDPE)
- Weight: 42 lbs.

DPI

| Model No. | Inside Opening" | Opening Shape | Description | Price /Each |
|---|---|---|---|---|
| RN047 | 6 x 6 | Square | Fits square or round columns up to 6" sq. | |
| RN048 | 8 x 8 | Square | Fits square or round columns from 6" sq. to 8" sq. | |
| RN049 | 9 Dia. | Round | Fits round columns up to 9" sq. | |
| RN050 | 10 x 10 | Square | Fits square or round columns up to 10" sq. | |
| RN051 | 8 x 10 | Rectangular | Fits rectangular columns only 8" x 10" | |
| RN052 | 12 x 12 | Square | Fits square or round columns up to 12" sq. | |

## COLUMN PROTECTORS

- Affordable protection for warehouse and factory columns and beams
- Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury
- Blown-moulded (HDPE) protectors are resistant to most chemicals
- Feature key-lock to prevent slippage and assist with installation alignment
- Two halves attach with easy-to-install black straps (included)
- No tools required
- Colour: Yellow
- Material: High-density polyethylene (HDPE)

EAGLE

| Model No. | Inside Opening" | Dimensions L" | x | W" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| RN041 | 4-6 | 13 | x | 13 | x | 42 | 16 | |
| RN040 | 6 x 6 | 24 | x | 24 | x | 42 | 40 | |
| RN039 | 8 x 8 | 24 | x | 24 | x | 42 | 40 | |
| RN037 | 10 x 10 | 24 | x | 24 | x | 42 | 40 | |
| RN038 | 12 x 12 | 24 | x | 24 | x | 42 | 40 | |

## SLIM COLUMN PROTECTOR

- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Slim column protectors are great for smaller beams such as mezzanine uprights
- Opening Shape: Square
- Dimensions L x W x H: 12" x 12" x 42"
- Colour: Yellow
- Material: Linear low density polyethylene (LLDPE)
- Weight: 17 lbs.

DPI

| Model No. | Inside Opening" | Price /Each |
|---|---|---|
| M0036 | 3x3 | |
| M0037 | 4x4 | |
| M0038 | 5x5 | |
| M0039 | 6x6 | |

## SHORT COLUMN PROTECTOR

- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Designed for where lower impact points are the issue
- Opening Shape: Square
- Dimensions L x W x H: 24" x 24" x 24"
- Colour: Yellow
- Material: Linear low density polyethylene (LLDPE)
- Weight: 20 lbs.

DPI

| Model No. | Inside Opening" | Price /Each |
|---|---|---|
| M0040 | 6 x 6 | |
| M0041 | 8 x 8 | |
| M0042 | 10 x 10 | |
| M0043 | 12 x 12 | |

## CORNER PROTECTORS

- Corner Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guard high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chipp resist
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- **Sold in sets of 2 proctectors**

EAGLE

| Model No. | Dimensions L" | x | W" | x | H" | Wt. lbs. | Price /Set |
|---|---|---|---|---|---|---|---|
| KH994 | 10 | x | 6 | x | 21 | 10 | |
| KH995 | 10 | x | 6 | x | 42 | 20 | |

## WALL PROTECTORS

EAGLE

- Wall Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guard high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chipp resist
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- **Sold in sets of 2 proctectors**

| Model No. | Dimensions L" | x | W" | x | H" | Wt. lbs. | Price /Set |
|---|---|---|---|---|---|---|---|
| KH996 | 42 | x | 2 | x | 6 | 8 | |
| KH997 | 42 | x | 2 | x | 10 | 14 | |

## STEEL SAFETY BOLLARDS

- Bollards can be used both indoors and outdoors to protect work areas, racking and personnel
- Colour: Yellow

| Model No. | Overall Lenght" | Overall Width" | Overall Height" | Price /Each |
|---|---|---|---|---|
| KA102 | 4.5 | 4.5 | 24 | |
| KA105 | 5.5 | 5.5 | 24 | |
| KA103 | 4.5 | 4.5 | 36 | |
| KA106 | 5.5 | 5.5 | 36 | |
| KA104 | 4.5 | 4.5 | 42 | |
| KA107 | 5.5 | 5.5 | 42 | |
| M0016 | 4.5 | 4.5 | 48 | |
| M0017 | 6.5 | 6.5 | 48 | |

## FOLD-DOWN STEEL BOLLARDS

- Unique fold-down design ideal for use in parking control and security
- 42" high when in upright position and 4" high when collapsed
- Can be locked in raised position with the use of a padlock (Not included)
- Base plate must be anchored to the ground (Anchors not included)
- Size: 1 3/4" Dia. (Outside) 42"H (Extended)

**Model No. KH818** - Galvanized
**Price/Each $**

**Model No. KH819** - Powder Coat Yellow
**Price/Each $**



## POLYETHYLENE BOLLARD COVERS

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with patented GripperTabs™ included
- Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- 5-year warranty against fading and cracking

| Yellow Model No. | Red Model No. | Fits Bollard Diameter" | Fits Bollard Length" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| KH806 | KH836 | 4.5 | 52 | 7 | |
| KH808 | KH838 | 4.5 | 64 | 9 | |
| KH809 | KH839 | 6.6 | 52 | 8 | |
| KH810 | KH840 | 6.6 | 60 | 9 | |
| KH811 | KH841 | 6.6 | 72 | 10 | |

## SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40 °C to 100 °C

Knuffi




| Style | 1 Metre Model No. | Price /Each | 5 Metres Model No. | Price /Each |
|---|---|---|---|---|
| A | KH866 | | KH865 | |
| B* | KH868 | | KH867 | |
| C | KH870 | | KH869 | |
| D | KH872 | | KH871 | |
| E | KH952 | | KH953 | |
| F | KH954 | | KH955 | |
| G* | KH956 | | KH957 | |
| H | KH958 | | KH959 | |

* Does not have peel-away adhesive. Held by pressure fit.

### CORNER ACCESSORIES

Makes a neat corner where two foam bumper guards protection profiles meet.

MN379

MN380

Knuffi

MN381

MN382

| Model No. | Description | Price /Each |
|---|---|---|
| MN379 | 2 Way - Use with Profile A | |
| MN380 | 3 Way - Use with Profile A | |
| MN381 | 2 Way - Use with Profile E | |
| MN382 | 3 Way - Use with Profile E | |
| MN383 | 2 Way - Use with Profile H | |
| MN384 | 3 Way - Use with Profile H | |

# PORTABLE STRUCTURES & ENCLOSURES



Rugged Kleton wire mesh partitions and enclosures provide maximum security at a minimal cost. It is ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required.

Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable Kleton blue or safety yellow finish (Other colours available)

K CUSTOM KLETON

## WIRE MESH PARTITION COMPONENTS

**Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.**

## 1. UNIVERSAL POSTS

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

**Universal Posts**

| Blue Model No. | Yellow Model No. | Height | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| KD053 | KH860 | 8' 3" | 22 | |
| KD046 | KH922 | 10' 3" | 27 | |
| KD050 | KH923 | 12' 3" | 32 | |

**Safety Yellow**

## 2. PANELS

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

**Examples:**

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally



**Panels**

| Blue Model No. | Yellow Model No. | Frame Dimensions W' | x | H' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| KD121 | KH926 | 4 | x | 1 | 10 | |
| KD120 | KH927 | 8 | x | 1 | 21 | |
| KD030 | KH928 | 2 | x | 2 | 10 | |
| KD031 | KH929 | 3 | x | 2 | 11 | |
| KD032 | KH914 | 4 | x | 2 | 12 | |
| KD033 | KH915 | 8 | x | 2 | 31 | |
| KD034 | KH916 | 8 | x | 3 | 40 | |
| KD035 | KH930 | 3 | x | 4 | 20 | |
| KD036 | KD130 | 4 | x | 4 | 23 | |
| KD037 | KD131 | 8 | x | 4 | 45 | |

## 3. ADJUSTABLE FILLER PANELS

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.



**Adjustable Filler Panels**

| Blue Model No. | Yellow Model No. | Dimensions W' | x | H' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| KD119 | KH924 | 4 | x | 1 | 5 | |
| KD118 | KH925 | 8 | x | 1 | 10 | |

# WIRE MESH PARTITION COMPONENTS (CONTINUED)

**Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.**

KLETON

**CUSTOMIZE IT TO YOUR SPECIFICATIONS.**

## 4. SWING DOORS

### HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the **KD112** and **KH937** heavy swing door with wicket which swings open to the left only)
- Fasteners are included

### STANDARD-DUTY

- Frame constructed with 1 1/4" x 1 1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included




| Blue Model No. | Yellow Model No. | Description | Dimensions W' | x | H' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| KD110 | KH933 | Heavy-Duty Swing Door | 3 | x | 7 | 65 | |
| KH853 | KH934 | Standard-Duty Swing Door | 3 | x | 7 | 54 | |
| KD111 | KH935 | Heavy-Duty Swing Door | 4 | x | 7 | 74 | |
| KH854 | KH936 | Standard-Duty Swing Door | 4 | x | 7 | 62 | |
| KD112 | KH937 | Heavy-Duty Swing Door w/Wicket | 4 | x | 7 | 85 | |

## 5. SLIDING DOORS

### HEAVY-DUTY

- Frame constructed with 1 1/4" x 1 1/4" square tube and 1" x 1" angle iron
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

### STANDARD-DUTY

- Frame constructed with 1 1/2" x 1 1/2" angle iron frame
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width




| Blue Model No. | Yellow Model No. | Description | Dimensions W' | x | H' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| KH852 | KH938 | Standard-Duty Sliding Door | 4 | x | 8 | 71 | |
| KD106 | KH939 | Heavy-Duty Sliding Door | 4 | x | 8 | 85 | |
| KD108 | KH940 | Heavy-Duty Sliding Door | 8 | x | 8 | 122 | |
| KD107 | KH941 | Heavy-Duty Sliding Door | 8 | x | 10 | 148 | |

## 6. HARDWARE REQUIRED

**For Each Stacked Panel Add:**

- 4 x **MMH254**, 4 x **MMB721** for each 8' stacked panel
- 2 x **MMH254**, 2 x **MMB721** for each stacked panel under 8' long

**For Each Post Add:**

- 8 x **MMH262**, 8 x **MMB721**, 2 x **KD001** for each **KD053** and **KH860**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD046** and **KH922**
- 12 x **MMH262**, 12 x **MMB721**, 2 x **KD001** for each **KD050** and **KH923**

**For Each Sliding Door Add:**

- 1 x **KD028**, 1 x **KD029** door track for each **KD106** and **KH852** 4' wide sliding door
- 1 x **KD028**, 2 x **KD029** door track for each **KD108** and **KD107** 8' wide sliding door

| Blue Model No. | Yellow Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| KD029 | KH942 | 8' Door Track | 16 | |
| KD028 | KH943 | Sliding Door Hardware Kit | 6 | |
| KD115 | KH944 | Wall Bracket Kit | 0.1 | |
| MMH254* | - | 5/16" x 1" Carriage Bolt | 0.01 | |
| MMH262* | - | 5/16" x 3" Carriage Bolt | 0.01 | |
| MMM966 | - | Nut 5/16" Hex | 0.01 | |
| KD001 | - | 3/8" Anchor Bolt | 0.01 | |

* 1 x **MMB721** is required for each **MMH254** and **MMH262**.

## WIRE MESH PARTITION KITS

**Rugged Kleton wire mesh partitions and enclosures** provide maximum security at low cost for tools, valuable inventory, hazardous materials, and any area of your plant where restricted access is required. Bolt-down posts and reinforced panels provide the strength that your application demands. Standard **STOCK SIZES** include all basic bolt-together hardware required for fast and easy installation of modular wall and roof panels, and a standard 4' x 8' or 8' x 8' sliding door which may be located on any side, opening left-to-right or right-to-left. This system provides the versatility needed to expand or modify your enclosure quickly and at minimum cost. Order an enclosure with a roof for maximum security. **CUSTOM SIZES** can be designed to suit your special application regardless of the size required.

Colour: Kleton blue.

KLETON

### TYPE A - 2 SIDES




| Unit Height | Overall Wall Size W x D | Standard Sliding Door Size W' x H' | Without Roof Model No. | Wt. lbs. | Price /Each | With Roof Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| 8'3" | 12'8" x 8'4" | 4 x 8 | **KD069** | 417 | | **KD070** | 670 | |
| 8'3" | 16'8" x 12'6" | 4 x 8 | **KD057** | 535 | | **KD058** | 1009 | |
| 8'3" | 24'8" x 16'6" | 8 x 8 | **KD061** | 682 | | **KD062** | 1485 | |
| 12'3" | 12'8" x 8'4" | 4 x 8 | **KD067** | 583 | | **KD068** | 836 | |
| 12'3" | 16'8" x 12'6" | 4 x 8 | **KD055** | 758 | | **KD056** | 1232 | |
| 12'3" | 24'8" x 16'6" | 8 x 8 | **KD059** | 977 | | **KD060** | 1780 | |

### TYPE B - 3 SIDES




| Unit Height | Overall Wall Size W x D | Standard Sliding Door Size W' x H' | Without Roof Model No. | Wt. lbs. | Price /Each | With Roof Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| 8'3" | 12'8" x 8'4" | 4 x 8 | **KD085** | 511 | | **KD086** | 758 | |
| 8'3" | 16'8" x 12'6" | 4 x 8 | **KD073** | 690 | | **KD074** | 1158 | |
| 8'3" | 24'8" x 16'6" | 8 x 8 | **KD077** | 878 | | **KD078** | 1677 | |
| 12'3" | 12'8" x 8'4" | 4 x 8 | **KD083** | 730 | | **KD084** | 977 | |
| 12'3" | 16'8" x 12'6" | 4 x 8 | **KD071** | 997 | | **KD072** | 1465 | |
| 12'3" | 24'8" x 16'6" | 8 x 8 | **KD075** | 1273 | | **KD076** | 2072 | |

### TYPE C - 4 SIDES




| Unit Height | Overall Wall Size W x D | Standard Sliding Door Size W' x H' | Without Roof Model No. | Wt. lbs. | Price /Each | With Roof Model No. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| 8'3" | 12'8" x 8'4" | 4 x 8 | **KD101** | 688 | | **KD102** | 923 | |
| 8'3" | 16'8" x 12'6" | 4 x 8 | **KD089** | 912 | | **KD090** | 1368 | |
| 8'3" | 24'8" x 16'6" | 8 x 8 | **KD093** | 1190 | | **KD094** | 1975 | |
| 12'3" | 12'8" x 8'4" | 4 x 8 | **KD099** | 996 | | **KD100** | 1231 | |
| 12'3" | 16'8" x 12'6" | 4 x 8 | **KD087** | 1330 | | **KD088** | 1786 | |
| 12'3" | 24'8" x 16'6" | 8 x 8 | **KD091** | 1740 | | **KD092** | 2525 | |

- Curtain partitions screen, isolate, enclose and protect any area of any size
- Commonly used in welding and paint shops, but can be used anywhere
- Brackets made of 16-gauge steel and designed for wall or ceiling mount but can be self supported by floor stands
- Large selection of drape material can be utilized with any curtain

## DESIGN YOUR OWN CURTAIN

**Curtains** - Take exact length of area of enclosure and add 10% fullness for proper draping. Then multiply length and height to obtain square footage. Curtains hemmed on top and two sides 2" pocket on bottom side. Brass grommets spaced every 12". Refer to model number for square footage cost of fabric required.

**Track** - Straight and curved. Straight track available in 5' and 10' lengths. Curved corners are 3' long with 2' radius welded splicer on each end included. When using a curved track, length is increased by 2', e.g. 8' straight track with a curve at each end overall = 12'.

**Carriers** - Since curtains are made to any length be sure to add one additional carrier to actual length of curtain ordered. For example every 10' of curtain is fabricated with 11 grommets on top side. Therefore 11 carriers are required. A double carrier should be used at the beginning of each curtain. Steel roller carriers are permanently lubricated enclosed bearings.

**Clamps** - Available for flush ceiling/beam mounting and floor mounting. Clamps can also be used as track splicers. All fasten with supplied Allen bolts. Order sufficient clamps to support track every 5'.

**Standards** - When free standing uprights are required, be sure to specify clamps for fastening track on posts **KB032** (Posts are required every 8'). Other custom heights on application.

**Note:** All posts should be lagged or welded to floor as required.




## CURTAINS

| Model No. | Description | Price /Each |
|---|---|---|
| KB040 | 10 oz./sq.yd., Before Treatment Cotton Duck, Flame Resistant Army Green | /sq.ft. |
| KB004 | 14 mil Yellow PVC, Flame Resistant | /sq.ft. |
| KB003 | 14 mil Green PVC, Flame Resistant | /sq.ft. |
| KB038 | 20 mil Clear PVC, Flame Resistant | /sq.ft. |

**Note:** Other colours are available.

## TRACKS

| Model No. | Description | Price /Each |
|---|---|---|
| KB017 | 5', 16 ga. Track | |
| KB016 | 10', 16 ga. Track | |
| KB029 | Track Splicer | |
| KB012 | End Stop | |




## ROLLERS

| | | |
|---|---|---|
| KB013 | Single Nylon Roller 25 lbs., Cap. 1" Hook | |
| KB018 | Single Steel Roller 75 lbs., Cap. 1" Hook | |
| KB019 | Double Steel Roller 125 lbs., Cap. 1" Hook | |
| KB014 | Overlap By-Pass Roller 12" Long x 2 3/4" High | |




## WALL MOUNTS

| | | |
|---|---|---|
| KB020 | Wall Connector Bracket, Down | |
| KB021 | Wall Connector Bracket, Up | |
| KB011 | End Connector Fastener, Up | |
| KB010 | End Connector Fastener, Down | |









## FLOOR MOUNTS

| Model No. | Description | Price /Each |
|---|---|---|
| KB009 | 3' 90° Curve Track | |
| KB025 | Track Splicer | |
| KB027 | 90° Corner Connector | |
| KB024 | 3-Way T-Connector | |
| KB032 | 8' Square Post | |
| KB005 | 12" x 12" Base | |







## BEAM MOUNTS/SUSPENSION

| | | |
|---|---|---|
| KB008 | 3' 90° Curve Track | |
| KB031 | Ceiling Clamp | |
| KB028 | 90° Corner Connector | |
| KB023 | 3-Way T-Connector | |




## CEILING MOUNTS

| | | |
|---|---|---|
| KB007 | 3' 90° Curve Track, 3 flush connectors | |
| KB030 | Track Splicer | |
| KB026 | 90° Corner Connector | |
| KB022 | 3-Way T-Connector | |



# STRIP CURTAIN DOORS

**Everything you need in one package to install your own strip curtain door and save money!**

## ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips and universal hardware for mounting strip curtain. Simple to follow installation instructions are included in every package.

1. Determine inside width and height of door opening.
   **Note:** If mounting on door above lintel, measure from floor to mounting height.
2. Select type of PVC material required: STANDARD or LOW TEMP.
   **Standard** recommended for temperatures from -23°C to 66°C.
   **Low Temp.** recommended for interior use only for temperatures from -40°C to 66°C.
3. Select from the standard sizes listed in the chart below.
   **Note:** If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.
4. Special size doors and hanging applications are available upon request.
5. For overhead doors, please call one of our sales representatives for assistance.



KLETON

K CUSTOM

**Every strip curtain door comes complete with PVC strips and universal hardware for door or wall mounting. Simple to follow installation instructions included in every package.**

### INTERIOR DOORS

**Save energy costs**
- The optimal solution to open door heat/cooling loss

**Reduce noise pollution**
- Provides the ideal acoustical barrier around noisy equipment

### CONVEYORS



**Provide extra safe passage**
- People can see and be seen so there's less chance of accidents

**Control smoke, dust and sprays**
- Strip curtains can control in-plant contaminants to improve employee environment

### DOCKS

**Low maintenance**
- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol

K CUSTOM

***Customize it to your specifications.***

## EASY TO ORDER

It's easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings.

**Special sizes are available.**

## IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

### STANDARD DOOR SIZES

| Strip Size | Door Opening W' x H' | Wt. lbs. | Model No. Standard | Price /Each | Model No. Low Temp. | Price /Each |
|---|---|---|---|---|---|---|
| 8" | 4 x 7 | 25 | KF022 | | KF004 | |
| (8" x 0.080) | 5 x 8 | 35 | KF023 | | KF005 | |
| | 6 x 8 | 40 | KF024 | | KF006 | |
| 12" | 8 x 8 | 80 | KF026 | | KF008 | |
| (12" x 0.120) | 8 x 10 | 100 | KF025 | | KF007 | |
| | 10 x 10 | 125 | KF020 | | KF002 | |
| | 12 x 12 | 175 | KF021 | | KF003 | |

**Note:** Doors with 8" strips have 2" standard overlap. Doors with 12" strips have 4" standard overlap.

### REPLACEMENT STRIPS - 5 PER CARTON

| Strip Size | Wt. lbs. | Model No. Standard | Price /Each | Model No. Low Temp. | Price /Each |
|---|---|---|---|---|---|
| 8" x 0.080 x 8' | 15 | KF032 | | KF013 | |
| 12" x 0.120 x 12' | 45 | KF029 | | KF011 | |

### BULK ROLLS

| Strip Size | Colour | Roll' | Wt. lbs. | Model No. Standard | Price /Each | Model No. Low Temp. | Price /Each |
|---|---|---|---|---|---|---|---|
| 8" x 0.080 | Clear | 300 | 99 | KI226 | | KI224 | |
| 12" x 0.120 | Clear | 200 | 150 | KI225 | | KI223 | |
| 8" x 0.080 | Dark Amber | 300 | 99 | ML959* | | - | - |

* For welding applications.




### FIXED MOUNTING SYSTEM

| Model No. | Description | Price/Each |
|---|---|---|
| KF001 | Complete 4' aluminum angle mount | |

# CUSTOM STRIP DOORS

In some applications strip curtain door kits can not be used. However, custom doors can be designed to fit your application. Generally strip curtain material is available in 8" and 12" standard and low temperature versions. Commonly used mounting hardware includes universal mount aluminum angle, straight roller track and hinged roller track. For special applications the "ordering information" provided will help you determine the type of system you will require. Our customer service representatives are also available, should you require any assistance. Please call for special pricing whenever square footage is required.

### ORDERING INFORMATION

1) Determine the type of mounting system required: angle mount or sliding door. Other custom doors can be designed.
2) Choose overlapping requirement based on the location and type of traffic involved.
3) Measure door opening giving proper allowances for the type of mounting system.
4) Calculate approximate amount of square feet required.

### OVERLAPPING METHODS

Overlapping with Kleton custom doors offers three basic overlap methods. With holes on 1" centres, almost any overlap is possible. Our standard doors under 6' x 8' use 1/2 overlap. Doors over 8' x 8' use 2/3 overlap.

1/2, 2/3 overlap are the most common and are recommended for moderate temperature differential and personnel equipment passage. Full overlap is recommended for large temperature differentials and light winds, also ideal for noise control and doors in excess of 12' high.




### FIXED MOUNTING SYSTEM

Universal aluminum angle mount can be used for both wall or lintel mount applications. Measure door opening, for wall mount add 6", lintel mounts use exact dimension. Angle comes in 4' sections, please indicate if a solid one length angle is required. All hardware included.

**Model No. KF001** Aluminum Angle Per 4 ft. Complete
**Price/Each $**

### SLIDING STEEL DOOR MOUNT

Strips are attached to a trolley assembly. The mechanism enables removal of strip material from door opening. Allowing unobstructed traffic movement. The "curtain-like" structure can be parted on either side or in the middle. Allow sufficient wall space on either side of door as needed. Track available in 5' or 10' lengths, cut lengths available. Trolley assembly available in 2' and 3' length with steel wheels, all trolleys interconnect. Also available in hinged roller track for curved door systems.




| Model No. | Description | Price /Each |
|---|---|---|
| KB016 | Roller Track 10' | |
| KB017 | Roller Track 5' | |
| KB034 | Roller Assembly 2' Steel Rollers | |
| KB035 | Roller Assembly 3' Steel Rollers | |

| Model No. | Description | Price /Each |
|---|---|---|
| KB033 | Hinged Trolley 1' Section | |
| KB012 | Track End Stop | |
| KB020 | Track Mounting Bracket/Coupler | |
| KB036 | 4' Pull Rope | |

**Note:** Special sizes available.

LISTA
making workspace work®

## DRAWER CABINETS

### LOCKABLE CABINETS
- Safety, security, reduced shrinkage
- All cabinets come with individual lock and two keys
- Lock cores can be exchanged in the field for both keyed alike and master key systems

### ERGONOMIC HANDLES
- Improved safety, appearance and ergonomics
- When drawers are closed, handles are flush with housing so nothing protrudes
- Drawer handles are full width, and are located at top of drawer

### HINGED LABEL HOLDERS
- Easy labeling of drawer contents
- Drawer handles are covered with clear hinged covers for display of drawer labels

### 100% FULL EXTENSION DRAWERS
- Easy access and full use of the furthest corners of storage
- Continuous smooth extension even with a full load with a 400-lb. capacity

### INSTALLED DRAWER DIVIDERS
- Fast, accurate identification of compartment contents and easier inventory control
- Angled tops allow easy identification of contents and can accommodate most bar code labels

### PREVENTIP® INTERLOCK SYSTEM
- Added safety and security
- Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over

### FORK TRUCK BASE WITH FRONT AND REAR COVERS
- Transport your cabinet easily from one location to another

### EXCLUSIVE SUSPENSION SYSTEM
- Durable, smooth, quiet operation
- Lista's suspension system has been tested against the globally respected RAL-RG 614 standard
- The drawers exceeded the required number of cycles at full load without diminished performance

Overall Dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H
Number of drawers: 5
Number of compartments: 61
**Model No. FI125** Bright blue
**Model No. FI126** Light grey
**Price/Each $**

A

B

C

**DIVIDERS**
A - Drawer 1-3
B - Drawer 4
C - Drawer 5

Overall Dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H
Number of drawers: 7
Number of compartments: 114
**Model No. FI127** Bright blue
**Model No. FI128** Light grey
**Price/Each $**

A

B

C

**DIVIDERS**
A - Drawer 1-4
B - Drawer 5
C - Drawer 6-7

Overall Dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H
Number of drawers: 9
Number of compartments: 154
**Model No. FI129** Bright blue
**Model No. FI130** Light grey
**Price/Each $**


A

B

C

D

**DIVIDERS**
A - Drawer 1-2
B - Drawer 3-4
C - Drawer 5-7
D - Drawer 8-9

Overall Dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H
Number of drawers: 10
Number of compartments: 210
**Model No. FI131** Bright blue
**Model No. FI132** Light grey
**Price/Each $**

A

B

C

D

E

**DIVIDERS**
A - Drawer 1-2 (with red plastic inserts)
B - Drawer 3-4
C - Drawer 5-6
D - Drawer 7-8
E - Drawer 9-10

**Note: Other colours available upon request**

## DRAWER CABINETS

LISTA
making workspace work®

Overall Dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
Number of drawers: 5
Number of compartments: 57
**Model No. FI133** Bright blue
**Model No. FI134** Light grey
**Price/Each $**

**DIVIDERS**
A - Drawer 1-2
B - Drawer 3
C - Drawer 4
D - Drawer 5

Overall Dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
Number of drawers: 7
Number of compartments: 96
**Model No. FI135** Bright blue
**Model No. FI136** Light grey
**Price/Each $**

**DIVIDERS**
A - Drawer 1-2
B - Drawer 3-4
C - Drawer 5-6
D - Drawer 7

Overall Dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H
Number of drawers: 9
Number of compartments: 117
**Model No. FI137** Bright blue
**Model No. FI138** Light grey
**Price/Each $**

**DIVIDERS**
A - Drawer 1-2
B - Drawer 3-5
C - Drawer 6-7
D - Drawer 8-9

Overall Dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 8
Number of compartments: 88
**Model No. FI139** Bright blue
**Model No. FI140** Light grey
**Price/Each $**

**DIVIDERS**
A - Drawer 1-6
B - Drawer 7-8




Overall Dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 9
Number of compartments: 124
**Model No. FI141** Bright blue
**Model No. FI142** Light grey
**Price/Each $**




**DIVIDERS**
A - Drawer 1-4
B - Drawer 5-9

Overall Dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 11
Number of compartments: 172
**Model No. FI143** Bright blue
**Model No. FI144** Light grey
**Price/Each $**




**DIVIDERS**
A - Drawer 1-4
B - Drawer 5-8
C - Drawer 9-10
D - Drawer 11

CALL OUR MATERIAL HANDLING SPECIALISTS TODAY FOR ALL YOUR CABINETS NEEDS!

## DRAWER CABINETS

LISTA
making workspace work®

Overall Dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 12
Number of compartments: 210
**Model No. FI145** Bright blue
**Model No. FI146** Light grey
**Price/Each $**

A

B

C

D

**DIVIDERS**
A - Drawer 1-2, 5-6
B - Drawer 3-4, 7
C - Drawer 8-10
D - Drawer 11-12




Overall Dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H
Number of drawers: 15
Number of compartments: 300
**Model No. FI147** Bright blue
**Model No. FI148** Light grey
**Price/Each $**

A

**DIVIDERS**
A - Drawer 1-15




Overall Dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 7
Number of compartments: 66
**Model No. FI149** Bright blue
**Model No. FI150** Light grey
**Price/Each $**

A

B

**DIVIDERS**
A - Drawer 1-4
B - Drawer 5-7




Overall Dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 9
Number of compartments: 105
**Model No. FI151** Bright blue
**Model No. FI152** Light grey
**Price/Each $**

A

B

C

**DIVIDERS**
A - Drawer 1-3
B - Drawer 4-7
C - Drawer 8-9




Overall Dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H
Number of drawers: 10
Number of compartments: 159
**Model No. FI153** Bright blue
**Model No. FI154** Light grey
**Price/Each $**

A

B

C

D

E

**DIVIDERS**
A - Drawer 1-2
B - Drawer 3-5
C - Drawer 6-8
D - Drawer 9
E - Drawer 10




## BUTCHER BLOCK TOPS

Fits on:
28 1/4" W x 28 1/2" D cabinets
**Model No. FI155**
**Price/Each $**

Fits on:
40 1/4" W x 22 1/2" D cabinets
**Model No. FI156**
**Price/Each $**

## SHELF CABINETS

- One fixed and one adjustable shelf

| Bright Blue Model No. | Light Grey Model No. | Overall Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|
| FI159 | FI160 | 40-1/4 x 22-1/2 x 33-1/2 | |
| FI157 | FI158 | 56-1/2 x 28-1/2 x 33-1/2 | |

FI157

FI159

## WELDED STORAGE CABINETS

- Suitable for office, plant, school or institutional storage needs
- Fully adjustable shelves, recessed handle, cylinder lock, and coat rods (wardrobe and combination types)
- Choose from Hi-Boy, Lo-Boy, wardrobe, and combination cabinets
- Lo-Boy comes with 2 shelves
- Capacity: 150 lbs. evenly distributed

FJ867
Wardrobe Type

FJ863
Lo-Boy Type

FJ856
Hi-Boy Type

FJ861
Combination Type

| Model No. Charcoal | Beige | Black | Description | Dimensions W" | x | D" | x | H" | Wt lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FJ856 | FJ864 | FJ859 | Hi-Boy | 36 | x | 18 | x | 72 | 140 | |
| FJ867 | FJ871 | FJ865 | Wardrobe | 36 | x | 18 | x | 72 | 182 | |
| FJ861 | FJ858 | FJ862 | Combination | 36 | x | 18 | x | 72 | 121 | |
| FJ863 | FJ870 | FJ868 | Lo-Boy | 36 | x | 18 | x | 40 | 112 | |
| FJ873 | FJ875 | FJ876 | Additional Shelf | 36 | x | 16 | - | - | - | |

## HEAVY-DUTY WELDED STORAGE CABINETS

- All-welded 20-gauge steel cabinet features four adjustable 18-gauge shelves, locking handle
- Shelves adjust on 2" centers
- Capacity per shelf: 300 lbs. evenly distributed
- Colour: Light grey

| Model No. | Description | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| FJ857 | Cabinet | 36 x 18 x 72 | 185 | |
| FJ874 | Additional Shelf | 36 x 18 x 1 | 8 | |

## WELDED WALL HUNG CABINETS

- Suitable for areas where floor space is limited
- Dimensions: 36" W x 12" D x 30" H
- Includes: fully adjustable shelf, recessed handle and cylinder lock

| Model No. | Colour | Wt. lbs. | Price /Each |
|---|---|---|---|
| FJ866 | Charcoal | 55 | |
| FJ872 | Beige | 55 | |

## HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 4" rubber casters
- Capacity: 800 lbs. evenly distributed
- Assembly required

| Model No. | Dimensions W" | x | D" | Price /Each |
|---|---|---|---|---|
| FJ292 | 36 | x | 18 | |
| FJ293 | 36 | x | 24 | |
| FJ294 | 48 | x | 18 | |
| FJ295 | 48 | x | 24 | |

## ALL-WELDED DEEP HI-BOY STORAGE CABINET

- Suitable for office, plant, school or institutional storage needs
- Four fully adjustable shelves
- Includes recessed handle and cylinder lock
- Shelf capacity: 150 lbs. evenly distributed

FJ884

| Model No. Black | Beige | Charcoal | Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|---|
| FJ882 | FJ883 | FJ884 | 36 x 24 x 72 | |
| **ADDITIONAL DEEP SHELF** | | | | |
| FJ881 | FJ880 | FJ879 | 36 x 24 x 1 | |

# STORAGE CABINETS

## COUNTER HIGH CABINETS

- Easy to assemble
- Three-point door locking mechanism
- Raised base keeps material safe
- Shelf support tabs allow for easy shelf adjustment
- Handle: 3-1/2" diameter recessed handle
- Sides, Back and Door Gauge: 24 ga.
- Top Gauge: 20 ga.
- Bottom Gauge: 22 ga.
- Shelf Gauge: 20 ga.
- Colour: Light Grey
- No. of Shelves: 2
- Shelf Capacity: 150 lbs.
- Dimensions: 36" W x 18" D x 42" H
- Meets ANSI BIFMA test standards

**Model No. FL643**
**Price/Each $**

**EXTRA CABINET SHELF**
**Model No. FL645**
**Price/Each $**

tennsco Storage Made Easy

## DELUXE COUNTER HIGH CABINET

- Easy to assemble
- Heavy-duty knuckle hinges provided added strength and security
- Features integrated levelers for uneven floors
- Louvered back panel provides cabinet ventilation
- Shelf support tabs allow for easy shelf adjustment
- Handle: 2 brushed chrome handles
- Sides, Back and Top Gauge: 22 ga.
- Doors Gauge: 21 ga.
- Bottom Gauge: 20 ga.
- Shelf Gauge: 20 ga.
- Colour: Light Grey
- No. of Shelves: 2
- Shelf Capacity: 200 lbs.
- Dimensions: 36" W x 24" D x 42" H
- Meets ANSI BIFMA test standards

**Model No. FL644**
**Price/Each $**

**EXTRA CABINET SHELF**
**Model No. FL646**
**Price/Each $**

tennsco Storage Made Easy

## C-THRU COUNTER HIGH CABINET

- C-Thru cabinets are the perfect solution to view content while restricting access
- Shelf support tabs allow for easy shelf adjustment
- Shelf Capacity: 150 lbs.
- Raised base keeps material safe
- Three-point door locking mechanism
- Easy to assemble
- Handles: 2 brushed chrome handles
- Sides, Back and Door Gauge: 24 ga.
- Top Gauge: 20 ga.
- Bottom Gauge: 22 ga.
- Hinges: 3 leaf hinges per door
- Meets ANSI BIFMA test standards

tennsco Storage Made Easy

| Model No. | Dimensions W" x D" x H" | No. of Shelves | Colour | Price /Each |
|---|---|---|---|---|
| FL647 | 36 x 18 x 42 | 2 | Beige | |
| FL648 | 36 x 18 x 42 | 2 | Medium Grey | |

## DELUXE C-THRU STORAGE CABINET

- Ideal for schools, industrial applications, airport and prisons
- Louvered back panel provides cabinet ventilation
- Shelf support tabs allow for easy shelf adjustment
- Shelf Capacity: 200 lbs.
- Easy to assemble
- Sides, Back, Top and Bottom Gauge: 22 ga.
- Doors Gauge: 16 ga.
- Hinges: 4 knuckle hinges
- Handles: 2 brushed chrome handles
- Meets ANSI BIFMA test standards

tennsco Storage Made Easy

| Model No. | Dimensions W" x D" x H" | No. of Shelves | Colour | Price /Each |
|---|---|---|---|---|
| FL649 | 36 x 24 x 78 | 4 | Beige | |
| FL650 | 36 x 24 x 78 | 4 | Medium Grey | |

## COMPACT CABINETS

- Ideal anywhere a full sized cabinet is too large
- Includes adjustable shelves
- Locking doors
- Shipped knocked down

edsal

| Model No. | Dimensions W" x D" x H" | No. of Shelves | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| FH482 | 21 x 15 x 35 | 2 | 33 | |
| FH483 | 30 x 15 x 66 | 4 | 50 | |

## ECONOMICAL QUICK ASSEMBLY STORAGE CABINETS

- Designed for an easy assembly with fewer fasteners
- Shelves are easily adjustable on 2" centres
- One-piece base serves as an additional shelf increasing storage capacity
- Three-point locking system, with locking chrome handle and two keys, adds security
- Capacity per shelf: 100 lbs.
- Tough grey or tan powder coat finish for durability
- Shipped knocked down

edsal

| Model No. Grey | Model No. Tan | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| FH649 | FH650 | 36 x 24 x 78 | 130 | |
| - | FH652 | 48 x 24 x 78 | 130 | |

## HEAVY-DUTY RUBBERMAID® PLASTIC CABINETS

- Durable resin construction is easy to clean, will not rust or crack
- Functional and modular organization
- Doors are lockable (locks not included)
- Quick assembly without tools
- Ventilated shelves hold 180 lbs. each
- Shipped knocked down

MH722

Rubbermaid® Home Products

MH724

| Model No. | Dimensions W" x D" x H" | No. of Shelves | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| MH722 | 36 x 18 x 72 | 3 | 55 | |
| MH724 | 36 x 18 x 37 | 1 | 28 | |

## DEEP DOOR STORAGE CABINETS

- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock sold separately
- Capacity per shelf: 500 lbs evenly distributed

**Special padlock hasp conceals padlocks from bolt cutters**

KLETON

| Model No. | Description | Size W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| FB024 | Cabinet | 38 | x | 24 | x | 72 | 315 | |
| FB025 | Extra shelf for cabinet | 38 | x | 21 1/4 | x | - | 18 | |
| FB026 | Extra shelf for door | 18 | x | 6 | x | - | 2 | |
| SA898 | Padlock keyed different | | | - | | | - | |
| SR892 | Padlock keyed alike | | | - | | | - | |

## DEEP DOOR 96-BIN COMBINATION CABINETS

- All-welded heavy-duty 16-gauge combination bin/shelf cabinet
- 4" deep hinged doors
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Padlock sold separately
- Powder-coated Kleton grey finish
- **Bins included:**
  84 each of 4 1/8" W x 5 3/8" D x 3" H
  12 each of 5 1/2" W x 10 7/8" D x 5" H

CF373

KLETON

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| CF371 | Cabinet w/Blue Plastic Bins | 359 | |
| CF372 | Cabinet w/Red Plastic Bins | 359 | |
| CF373 | Cabinet w/Yellow Plastic Bins | 359 | |
| CF374 | Cabinet w/Green Plastic Bins | 359 | |

## VISIBLE STORAGE WIRE MESH CABINETS

- All-welded mesh storage cabinet provides a secure yet visible area to place your tools and equipment
- Reinforced K-Brace welded to the door frame delivers additional strength
- Diamond shaped 13-gauge steel mesh
- Adjustable shelves bolt into holes
- Door has three point latching system with cam-lock and chrome plated handle
- Dimensions: 24" W x 21" D x 72" H
- Weight: 146 lbs.

**Model No. FB015**
**Price/Each $**

LYON®

## 48" EXTRA-WIDE ALL-WELDED CABINETS

- This cabinet offers plenty of storage space for large and small supplies
- All-welded 20-gauge steel construction
- Overall Dimensions: 48" W x 24" D x 72" H
- Capacity per shelf: 175 lbs. evenly distributed
- Includes four adjustable shelves and locking handle
- Fully assembled

ALB PLUS

| Model No. Charcoal | Beige | Wt. lbs. | Price /Each |
|---|---|---|---|
| FJ860 | FJ869 | 230 | |

**EXTRA SHELVES**

| Model No. Charcoal | Beige | Dimensions W" x D" | Price /Each |
|---|---|---|---|
| FJ921 | FJ920 | 48 x 22 | |

## CLEARVIEW CABINETS

- Clear polycarbonate windows so all your tools and supplies are visible at a glance
- 12-gauge one-piece body design
- 6" sweep space
- Adjustable 14-gauge shelves
- 3-point locking device
- Hinges are 10-gauge

StrongHold 99 YEAR WARRANTY

| Model No. | Dimensions W" | x | D" | x | H" | O. A. Ht" | No. of Shelves | Shelf Cap. lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FG851 | 48 | x | 24 | x | 60 | 66 | 3 | 1200 | 446 | |
| FG852 | 48 | x | 24 | x | 72 | 78 | 4 | 1200 | 536 | |

## EXTRA HEAVY-DUTY STAINLESS STEEL CABINETS

- The strongest storage product available in the market today
- Made of 12-gauge, #304 stainless steel, with a #3 finish
- Corrosion-resistant, acid-resistant, will not rust and will take the everyday abuse in an industrial environment
- Shelves adjust on 2" centers
- 3-point locking system
- 7-gauge welded legs

These units can also be found in medical, pharmaceutical, automotive, electronics, textile, breweries, marine facilities, restaurants, etc.

StrongHold 99 YEAR WARRANTY

| Model No. | Dimensions W" | x | D" | x | H" | O.A. Ht" | No. of Shelves | Shelf Cap. lbs. | Wt. lbs. | Price /Each | Extra Shelf Model No. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FI340 | 36 | x | 24 | x | 60 | 66 | 3 | 1900 | 406 | | FI349 | |
| FI341 | 36 | x | 20 | x | 72 | 78 | 4 | 1600 | 435 | | FI350 | |
| FI342 | 36 | x | 24 | x | 72 | 78 | 4 | 1900 | 475 | | FI349 | |
| FI343 | 48 | x | 24 | x | 60 | 66 | 3 | 1200 | 489 | | FI351 | |
| FI344 | 48 | x | 24 | x | 72 | 78 | 4 | 1200 | 573 | | FI351 | |
| FI345 | 60 | x | 24 | x | 60 | 66 | 3 | 1650 | 595 | | FI352 | |
| FI346 | 60 | x | 24 | x | 72 | 78 | 4 | 1650 | 699 | | FI352 | |
| FI347 | 72 | x | 24 | x | 60 | 66 | 3 | 1525 | 726 | | FI353 | |
| FI348 | 72 | x | 24 | x | 72 | 78 | 4 | 1525 | 856 | | FI353 | |

## DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately

CB446
84 Bins

KLETON

CF373
96 Bins

## 84-BIN CABINETS

- Four reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets doors

### CABINETS ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB442 | Cabinet only | 38 | x | 24 | x | 72 | 324 | |
| FB025 | Extra shelf | 38 | x | 21 1/4 | | - | 18 | |

### CABINET & BIN COMBINATIONS

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| CB446 | CB477 | CB448 | CB693 | Cabinet and plastic bins | 341 | |

### BINS SUPPLIED

| Bin Qty. | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 84 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |

CF354
98 Bins

## 96-BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

### CABINETS ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| FH820 | Cabinet only | 38 | x | 24 | x | 72 | 316 | |
| FB025 | Extra shelf | 38 | x | 21 1/4 | | - | 18 | |

### CABINET & BIN COMBINATIONS

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| CF371 | CF372 | CF373 | CF374 | Cabinet and plastic bins | 359 | |

### BINS SUPPLIED

| Bin Qty. | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 84 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |
| 12 | 5 1/2 | x | 10 7/8 | x | 5 | 30 |

CB445
118 Bins

## 98-BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and door

### CABINETS ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| FH820 | Cabinet Only | 38 | x | 24 | x | 72 | 316 | |
| FB025 | Extra Shelf | 38 | x | 21 1/4 | | - | 18 | |

### CABINET & BIN COMBINATIONS

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| CF355 | CF356 | CF354 | CF357 | Cabinet and plastic bins | 385 | |

### BINS SUPPLIED

| Bin Qty. | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 48 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |
| 36 | 4 1/8 | x | 7 3/8 | x | 3 | 10 |
| 8 | 8 1/4 | x | 14 3/4 | x | 7 | 60 |
| 6 | 16 1/2 | x | 14 3/4 | x | 7 | 75 |

## 118-BIN CABINETS

- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

### CABINETS ONLY

| Model No. | Description | Dimensions W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| CB441 | Cabinet only | 38 | x | 24 | x | 72 | 316 | |

### CABINET & BIN COMBINATIONS

| Model No. Blue | Red | Yellow | Green | Description | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| CB443 | CB444 | CB445 | CB691 | Cabinet and plastic bins | 385 | |

### BINS SUPPLIED

| Bin Qty. | Bin Size W" | x | D" | x | H" | Capacity lbs. |
|---|---|---|---|---|---|---|
| 42 | 4 1/8 | x | 5 3/8 | x | 3 | 10 |
| 42 | 4 1/8 | x | 7 3/8 | x | 3 | 10 |
| 18 | 5 1/2 | x | 10 7/8 | x | 5 | 30 |
| 12 | 8 1/4 | x | 14 3/4 | x | 7 | 60 |
| 4 | 16 1/2 | x | 14 3/4 | x | 7 | 75 |

# SHOP FURNITURE THAT'S BUILT LIKE A TANK!

There are times and environments that demand more than run-of-the-mill shop furniture. This is the time and place for Strong Hold. A line of shop furniture so durable and robust that it is accepted and demanded by industrial heavy weights. Major auto manufacturers use hundreds of these units!

A. FG816

B. FI331

C. FG830

D. FG836

E. FG838

## A. ROUGH & TOUGH STORAGE CABINETS

These heavy-duty 12-gauge steel models provide protection for valuable tools and machine parts.
Built for "rough and tough" industrial use. Shelves are adjustable and more can be added for versatility.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Adjustable Shelves | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FG815 | 36 | 20 | 72 | 78 | 4 | 418 | | FG820 | 1600 | |
| FG816 | 36 | 24 | 72 | 78 | 4 | 459 | | FG821 | 1900 | |
| FG817 | 48 | 24 | 72 | 78 | 4 | 557 | | FG822 | 1200 | |
| FG818 | 60 | 24 | 72 | 78 | 4 | 685 | | FG823 | 1650 | |
| FG819 | 72 | 24 | 72 | 78 | 4 | 733 | | FG824 | 1525 | |

## B. HEAVY-DUTY VENTILATED STORAGE CABINETS

The 12-gauge steel doors are perforated with a diamond shape for easy visibility and ventilation.
Ideal for industry, health clubs or any facility where personal belongings need to be securely locked and ventilated.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Adjustable Shelves | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FI329 | 36 | 24 | 72 | 78 | 4 | 470 | | FG821 | 1900 | |
| FI330 | 48 | 24 | 72 | 78 | 4 | 548 | | FG822 | 1200 | |
| FI331 | 60 | 24 | 72 | 78 | 4 | 666 | | FG823 | 1650 | |

## C. DOUBLE SHIFT STORAGE CABINETS

These space saving cabinets provide two separate storage compartments. Companies with a second shift can secure the first shift's valuables while the second shift is on duty. Also you can use one side for personal belongings and the other to store tools.

| Model No. | Width" | Depth" | Height" | O.A. Shelf Height" | Adj. Shelf Per Each Side | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FG829 | 48 | 24 | 72 | 78" | 4 | 624 | | FG832 | 1275 | |
| FG830 | 60 | 24 | 72 | 78" | 4 | 722 | | FG833 | 1600 | |
| FG831 | 72 | 24 | 72 | 78" | 4 | 813 | | FG834 | 1950 | |

## D. BROOM CLOSET STORAGE CABINETS

Organize your housekeeping needs with our broom closet cabinets. As heavy-duty as the rest of the Strong Hold line, double doors permit full access to all shelves. Closet side stores long handled floor care items. Use side shelves to store paper products, cleaners and brushes. Shelves can be adjusted or removed to accommodate large pails.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Adjustable Shelves | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FG835 | 36 | 24 | 72 | 78 | 4 | 477 | | FG845 | 1025 | |
| FG836 | 48 | 24 | 72 | 78 | 4 | 567 | | FG846 | 1375 | |
| FG837 | 60 | 24 | 72 | 78 | 4 | 669 | | FG847 | 1750 | |

## E. WARDROBE/STORAGE CABINETS

This cabinet fits into the heavy-duty line up as the answer to clothing storage with tools and supplies. 3-point latching mechanism adds extra protection.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Adjustable Shelves | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| FG838 | 36 | 24 | 72 | 78 | 4 | 477 | | FG845 | 1100 | |
| FG839 | 48 | 24 | 72 | 78 | 4 | 567 | | FG846 | 1500 | |
| FG840 | 60 | 24 | 72 | 78 | 4 | 669 | | FG847 | 1900 | |

# STORAGE CABINETS

F. FG844

G. FG852

H. FG850

I. FG827

99 YEAR WARRANTY

StrongHold

J. FG842

## F. CABINET SHOP DESKS

Heavy-duty shop desk, with a 29" W x 20" D and 6" H drawer. Includes a lockable hasp separate from the 3-point locking system in the cabinet doors.

| Model No. | Width" | Depth" | Writing Height" | O.A. Height" | Drawer Cabinet lbs. | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| **FG844** | 36 | 28 | 42 | 54 | 225 | 380 | | **FG849** | 1050 | |

## G. CLEARVIEW CABINETS

Keep a watchful eye on valuable items. Cabinets come equipped with clear polycarbonate windows for viewing items stored inside, without opening the doors.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Adjustable Shelves | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|
| **FG852** | 48 | 24 | 72 | 78" | 4 | 557 | | **FG822** | 1200 | |

## H. CORNER CABINETS

This 12-gauge all-welded corner cabinet eliminates corner clutter. Store those odd shaped tools in this space saving unit which comes with four adjustable 14-gauge shelves and a hasp for padlock. The extra wide door provides access to both sides of the corner shelves.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **FG850** | 48 | 24 | 72 | 78 | 1400 | | **FG854** | 795 | |

## I. COUNTER TOP STORAGE CABINETS

Counter top units provide ample storage for heavy tools and supplies on two adjustable shelves. These space saving units are sold without legs. Most frequently they are placed on a table to bring the storage up to a working height. Drawers or casters can be added as options.

| Model No. | Width" | Depth" | Height" | O.A. Height" | Cabinet Wt. lbs. | Price /Each | Extra Shelf Model No. | Shelf Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **FG825** | 24 | 20 | 36 | 36 | 180 | | **FG828** | 1000 | |
| **FG826** | 36 | 20 | 36 | 36 | 235 | | **FG820** | 1600 | |
| **FG827** | 36 | 20 | 42 | 42 | 260 | | **FG820** | 1600 | |

## J. SHOP TABLES

Tables designed to meet virtually every strength requirement for heavy manufacturing. Tops are 7-gauge steel and legs are from 2" x 2" x 1/4" angle.

| Model No. | Width" | Depth" | O.A. Height" | Capacity lbs | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **FG841** | 48 | 30 | 34 | 5500 | 211 | |
| **FG842** | 72 | 36 | 34 | 10 000 | 350 | |


Ask us about volume prices!

In many cases you will benefit from quantity prices.

## HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 5" poly casters
- Capacity: 800 lbs. evenly distributed
- Assembly required

| Model No. | Dimensions W" | x | D" | Price /Each |
|---|---|---|---|---|
| FI292 | 36 | x | 18 | |
| FI293 | 36 | x | 24 | |

## PROMAXX™ MODULAR STORAGE SYSTEM

- Modular design allows you to combine these durable steel units to fit any workspace and storage need
- Perfect addition to work shops, warehouses, maintenance areas and factories
- Heavy-duty steel construction ensures that these units will provide long lasting service
- Two-tone silvervein and black textured powder coat finish helps to conceal dirt and grease helping to make your work area appear cleaner
- Shipped knocked down

### PROMAXX™ WALL CABINETS

- Mounts easily to any wall in your work area
- Recessed welded steel handle and built-in lock provides for added storage security
- Dimensions: 30" W x 12" D x 30" H
- Includes: Adjustable internal shelf on 2" centers
- Weight: 50 lbs.
- Capacity: 100 lbs. evenly distributed

**Model No. FH731**
**Price/Each $**

### PROMAXX™ INDUSTRIAL STORAGE CABINETS

- Chrome locking handle combined with three-point locking system provides security for your stored items
- Dimensions: 36" W x 18" D x 72" H
- Includes: Four shelves adjustable on 2" centres to store a variety of sized products
- Capacity per shelf: 125 lbs. evenly distributed
- Weight: 115 lbs.
- Shipped knocked down

**Model No. FH734**
**Price/Each $**

## UTILITY CABINET

- These handy Cabinets can be used to store a wide range of maintenance items
- Keyhole slots in back allow wall hanging
- Lock attachment is built in, hasp has diameter of 1/4"
- Colour: Grey
- No. of Shelves: 3
- Shelf Capacity: 35 lbs.
- Assembly Type: Welded (Assembled)
- Sections: 2 Adjustable

**CB636:**

- Includes handle and hasp for padlock (padlock not included)

**CB637:**

- Can be locked for security
- Includes a lock and 2 keys

CB636

| Model No. | Dimensions W" | x | D" | x | H" | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| CB636 | 13-1/4 | x | 12-3/4 | x | 30 | 31 | |
| CB637 | 19-7/8 | x | 14-1/4 | x | 32-3/4 | 41 | |

### PROMAXX™ MOBILE 2-DOOR CABINETS

- Rubber mat on top to protect tools and keep items from rolling off
- Recessed welded steel handle and three-point locking system with built-in lock for secure storage
- Four heavy-duty casters provide for easy mobility
- Dimensions: 28" W x 22" D x 30" H
- Includes: One interior fixed shelf
- Capacity: 400 lbs. evenly distributed
- Weight: 80 lbs.
- Shipped knocked down

**Model No. FH732**
**Price/Each $**

### PROMAXX™ MOBILE TOOL CABINETS

- Protective drawer liners and rubber mat on top protects tools, and prevents them from rolling around
- Three drawers with premium ball-bearing slides for smooth drawer operation
- Single key lock securely locks all drawers at once
- Four heavy-duty casters for increased mobility
- Dimensions: 23" W x 22" D x 30" H
- Capacity: 400 lbs. evenly distributed
- Weight: 90 lbs.
- Shipped knocked down

**Model No. FH733**
**Price/Each $**

## LOCKERS APPLICATION GUIDE

Refer to this chart to find the most suitable lockers for your project. If you require any assistance make sure to contact your material handling specialists today, they can help you through each step from design layout to realization.

**LEGEND**

- ✔ Preferred
- ▲ Suitable
- ◆ Contact your Material Handling Specialist
- ✱ Preferred use with an elevated base

| | Knocked Down Lockers | Standard Lockers | Heavy-Duty Concorde™ | Perforated Locker | Standard Gear Locker | Deluxe Gear Locker | Polyethylene Locker | Plastic Locker |
|---|---|---|---|---|---|---|---|---|
| **SCHOOLS** | | | | | | | | |
| Elementary | ▲ | ▲ | ▲ | ▲ | ▲ | ◆ | ✔ | ▲ |
| Corridor | ▲ | ▲ | ✔ | ▲ | ▲ | ◆ | ✔ | ◆ |
| Gym | ▲ | ▲ | ▲ | ✔ | ✔ | ◆ | ✔ | ▲ |
| Team Room | ▲ | ▲ | ▲ | ✔ | ✔ | ◆ | ✔ | ◆ |
| Employee | ✔ | ✔ | ▲ | ▲ | ◆ | ◆ | ▲ | ◆ |
| **RECREATION** | | | | | | | | |
| Recreation Centre | ▲ | ▲ | ✔ | ▲ | ▲ | ◆ | ✔ | ✔ |
| Health Club | ▲ | ▲ | ✔ | ▲ | ▲ | ◆ | ✔ | ✔ |
| Country Club | ▲ | ▲ | ✔ | ▲ | ▲ | ◆ | ✔ | ◆ |
| **COMMERCIAL/INDUSTRY** | | | | | | | | |
| Employee | ✔ | ✔ | ▲ | ▲ | ▲ | ▲ | ✔ | ◆ |
| Equipuipment/Tools | ▲ | ▲ | ✔ | ◆ | ▲ | ✔ | ◆ | ◆ |
| **PUBLIC SERVICE** | | | | | | | | |
| Police | ◆ | ◆ | ▲ | ▲ | ✔ | ✔ | ▲ | ◆ |
| Fire/Rescue | ▲ | ▲ | ✔ | ✔ | ✔ | ✔ | ▲ | ◆ |
| Military | ◆ | ◆ | ▲ | ▲ | ✔ | ✔ | ▲ | ◆ |
| **HEALTH CARE** | | | | | | | | |
| Changing Room | ✔ | ✔ | ▲ | ▲ | ✔ | ▲ | ✔ | ▲ |
| Employee | ✔ | ✔ | ▲ | ▲ | ✔ | ▲ | ✔ | ▲ |
| **FOOD INDUSTRY** | | | | | | | | |
| Restaurants | ✱ | ✱ | ✱ | ✱ | ◆ | ◆ | ✔ | ✔ |
| Manufacturing Plants | ✱ | ✱ | ✱ | ✱ | ◆ | ◆ | ✔ | ✔ |

## STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighter's equipment or any other application where easy access to uniforms and/or equipment is required
- Open face and perforated sides make these lockers fully accessible and ventilated
- Lockable safety box and foot locker allows for safely storing of valuable goods
- Lower shelf functions as a bench which eliminates the need for locker room benches
- **Base model includes**: Safety box, upper shelf and coat bar

FJ897

| Model No. Light Grey | Beige | Red | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| BASE MODELS | | | | | |
| FJ895 | FJ894 | FJ896 | 24 x 24 x 72 | 240 | |
| FJ901 | FJ900 | FJ902 | 30 x 24 x 72 | 251 | |
| FJ907 | FJ906 | FJ908 | 36 x 24 x 72 | 278 | |
| W/FOOT LOCKER & LOWER SHELF | | | | | |
| FJ898 | FJ897 | FJ899 | 24 x 24 x 72 | 280 | |
| FJ904 | FJ903 | FJ905 | 30 x 24 x 72 | 296 | |
| FJ910 | FJ909 | FJ911 | 36 x 24 x 72 | 328 | |

## DELUXE WELDED GEAR LOCKERS

- Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- **Base model includes:** Three half shelves, one full width shelf, coat bar and lockable doors

FJ914

| Model No. Light Grey | Beige | Red | Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| BASE MODELS | | | | | |
| FJ913 | FJ912 | FJ914 | 36 x 24 x 72 | 407 | |
| W/LATERAL DRAWER | | | | | |
| FJ916 | FJ915 | FJ917 | 36 x 24 x 72 | 527 | |

# READY TO ASSEMBLE STEEL LOCKERS

- Ships knocked down, ready to assemble with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Durable powder-coated grey paint finish
- Number plates available separately
- Single tier dimensions: 12" W x 18" D x 72" H
- Double tier door height: 33 1/4"
- Lockerettes door height: 11"

KLETON

**Three zinc-plated coat hooks and one shelf included with single and double tier lockers**

**Stainless steel recessed padlock handles**

**Magnetic latch ensures door is properly fastened when closed**

**Double pan construction doors, 20-gauge outer and 24-gauge inner pans (single & double tier)**

**16-gauge frames, 24-gauge body and shelves**

## SLOPE TOP

- Helps eliminate dust build up
- Raises top by 10"

## RECESSED BASE

- Prevents liquids from entering the locker
- Raises locker 4" off the ground

## SINGLE TIER

| Model No. | Bank of | Wt. lbs. | Price /Each |
|---|---|---|---|
| **BASIC STYLE** | | | |
| **FL362** | 1 | 52 | |
| **FL363** | 2 | 96 | |
| **FL364** | 3 | 139 | |
| **W/SLOPE TOP** | | | |
| **FL380** | 1 | 56 | |
| **FL381** | 2 | 104 | |
| **FL382** | 3 | 151 | |
| **W/RECESSED BASE** | | | |
| **FL392** | 1 | 56 | |
| **FL393** | 2 | 104 | |
| **FL394** | 3 | 151 | |
| **W/SLOPE TOP & RECESSED BASE** | | | |
| **FL404** | 1 | 60 | |
| **FL405** | 2 | 112 | |
| **FL406** | 3 | 163 | |

## DOUBLE TIER

| Model No. | Bank of | Wt. lbs. | Price /Each |
|---|---|---|---|
| **BASIC STYLE** | | | |
| **FL366** | 1 | 54 | |
| **FL367** | 2 | 98 | |
| **FL368** | 3 | 141 | |
| **W/SLOPE TOP** | | | |
| **FL384** | 1 | 57 | |
| **FL385** | 2 | 106 | |
| **FL386** | 3 | 153 | |
| **W/RECESSED BASE** | | | |
| **FL396** | 1 | 57 | |
| **FL397** | 2 | 106 | |
| **FL398** | 3 | 153 | |
| **W/SLOPE TOP & RECESSED BASE** | | | |
| **FL408** | 1 | 61 | |
| **FL409** | 2 | 114 | |
| **FL410** | 3 | 165 | |

## LOCKERETTES

| Model No. | Bank of | Wt. lbs. | Price /Each |
|---|---|---|---|
| **BASIC STYLE** | | | |
| **FL370** | 1 | 56 | |
| **FL371** | 2 | 112 | |
| **FL372** | 3 | 168 | |
| **W/SLOPE TOP** | | | |
| **FL388** | 1 | 60 | |
| **FL389** | 2 | 120 | |
| **FL390** | 3 | 180 | |
| **W/RECESSED BASE** | | | |
| **FL400** | 1 | 60 | |
| **FL401** | 2 | 120 | |
| **FL402** | 3 | 180 | |
| **W/SLOPE TOP & RECESSED BASE** | | | |
| **FL412** | 1 | 64 | |
| **FL413** | 2 | 128 | |
| **FL414** | 3 | 192 | |

## ACCESSORIES

| Model No. | Description | Price /Each |
|---|---|---|
| **FL375** | 10" Slope Top | |
| **FL374** | 4" Recessed Base | |
| **FL376** | Nuts & Bolts, Set of 1 | |
| **FL518** | Number Plates (Set of 1 to 25) | |
| **FL519** | Number Plates (Set of 26 to 50) | |
| **FL520** | Number Plates (Set of 51 to 75) | |
| **FL521** | Number Plates (Set of 76 to 100) | |

# CLEAN LINE™ ECONOMY LOCKERS

- Fully assembled, prime grade cold rolled steel locker
- All-welded frame with panels and doors assembled with pop rivets
- 20-gauge double pan construction doors, 16-gauge frames, 24-gauge bodies and shelves
- Dimensions: 12" W x 18" D x 72" H
- **Single tier locker includes:** One hat shelf, three coat hooks and aluminum recessed padlock handle
- **Double and Triple lockers include:** Two coat hooks per opening and aluminum recessed padlock handle
- High quality baked on enamel standard pearl grey paint (beige also available)

**SLOPE TOP**

Slope top prevents the collection of debris and is easier to maintain against the accumulation of dust

**RECESSED BASE**

Raises locker 4" off the floor




**Different Lock Options**



## SINGLE TIER

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ151 | 1 | |
| FJ152 | 2 | |
| FJ153 | 3 | |
| FJ154 | 4 | |
| W/SLOPE TOP | | |
| FJ176 | 1 | |
| FJ177 | 2 | |
| FJ178 | 3 | |
| FJ179 | 4 | |
| W/RECESSED BASE | | |
| FJ224 | 1 | |
| FJ225 | 2 | |
| FJ226 | 3 | |
| FJ227 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ200 | 1 | |
| FJ201 | 2 | |
| FJ202 | 3 | |
| FJ203 | 4 | |
| W/PERFORATED DOORS | | |
| FJ478 | 1 | |
| FJ479 | 2 | |
| FJ480 | 3 | |
| FJ481 | 4 | |

## DOUBLE TIER

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ155 | 1 | |
| FJ156 | 2 | |
| FJ157 | 3 | |
| FJ158 | 4 | |
| W/SLOPE TOP | | |
| FJ180 | 1 | |
| FJ181 | 2 | |
| FJ182 | 3 | |
| FJ183 | 4 | |
| W/RECESSED BASE | | |
| FJ228 | 1 | |
| FJ229 | 2 | |
| FJ230 | 3 | |
| FJ231 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ204 | 1 | |
| FJ205 | 2 | |
| FJ206 | 3 | |
| FJ207 | 4 | |
| W/PERFORATED DOORS | | |
| FJ482 | 1 | |
| FJ483 | 2 | |
| FJ484 | 3 | |
| FJ485 | 4 | |

## TRIPLE TIER

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ159 | 1 | |
| FJ160 | 2 | |
| FJ161 | 3 | |
| FJ162 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ208 | 1 | |
| FJ209 | 2 | |
| FJ210 | 3 | |
| FJ211 | 4 | |
| W/PERFORATED DOORS | | |
| FJ486 | 1 | |
| FJ487 | 2 | |
| FJ488 | 3 | |
| FJ489 | 4 | |

## ACCESSORIES

| Model No. | Description | Price /Each |
|---|---|---|
| FJ930 | Cylinder Lock | |
| FJ685 | Coat Rod | |
| FL587 | Number Plates (Set of 1 to 25) | |
| FL588 | Number Plates (Set of 26 to 50) | |
| FL589 | Number Plates (Set of 51 to 75) | |
| FL590 | Number Plates (Set of 76 to 100) | |

## LOCKERETTES

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ171 | 1 | |
| FJ172 | 2 | |
| FJ173 | 3 | |
| FJ174 | 4 | |
| W/PERFORATED DOORS | | |
| FJ490 | 1 | |
| FJ491 | 2 | |
| FJ492 | 3 | |
| FL353 | 4 | |

## FREE STANDING BASE

- Ideal for making the underneath of your lockers accessible for cleaning
- Constructed of 16-gauge steel legs and frame
- Grey

FJ931

| Model No. | For Bank of | Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|
| FJ931 | 1 | 12 x 18 x 6 | |
| FJ932 | 2 | 24 x 18 x 6 | |
| FJ933 | 3 | 36 x 18 x 6 | |
| FJ934 | 4 | 48 x 18 x 6 | |

# ALL-WELDED CONCORDE™ LOCKERS

- All-welded heavy-duty cold-rolled steel construction
- Dimensions: 12" W x 18" D x 72" H
- 16-gauge door frame
- 20-gauge double wall door with ventilation
- 11-gauge hasp with easy padlock accessibility
- **Single tier lockers include:**
  One hat shelf and three coat hangers
- **Double and triple lockers include**
  two coat hooks per opening
- Coat hoots are rounded and polished to avoid damage to clothing
- Magnetic latch for secure door closing
- Contemporary style ventilated louvers
  (12 holes of 1" x 1/4") on each door
- High quality baked on enamel charcoal grey paint
  (light grey and beige also available)






Slope top

Recessed base

Different Lock Options

## SINGLE TIER LOCKERS

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ783 | 1 | |
| FJ784 | 2 | |
| FJ785 | 3 | |
| FJ786 | 4 | |
| W/SLOPE TOP | | |
| FJ787 | 1 | |
| FJ788 | 2 | |
| FJ789 | 3 | |
| FJ790 | 4 | |
| W/RECESSED BASE | | |
| FJ791 | 1 | |
| FJ792 | 2 | |
| FJ793 | 3 | |
| FJ794 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ795 | 1 | |
| FJ796 | 2 | |
| FJ797 | 3 | |
| FJ798 | 4 | |

## DOUBLE TIER LOCKERS

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ799 | 1 | |
| FJ800 | 2 | |
| FJ801 | 3 | |
| FJ802 | 4 | |
| W/SLOPE TOP | | |
| FJ803 | 1 | |
| FJ804 | 2 | |
| FJ805 | 3 | |
| FJ806 | 4 | |
| W/RECESSED BASE | | |
| FJ807 | 1 | |
| FJ808 | 2 | |
| FJ809 | 3 | |
| FJ810 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ811 | 1 | |
| FJ812 | 2 | |
| FJ813 | 3 | |
| FJ814 | 4 | |

## TRIPLE TIER LOCKERS

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FJ815 | 1 | |
| FJ816 | 2 | |
| FJ817 | 3 | |
| FJ818 | 4 | |
| W/SLOPE TOP | | |
| FJ823 | 1 | |
| FJ824 | 2 | |
| FJ825 | 3 | |
| FJ826 | 4 | |
| W/RECESSED BASE | | |
| FJ819 | 1 | |
| FJ820 | 2 | |
| FJ821 | 3 | |
| FJ822 | 4 | |
| W/SLOPE TOP & RECESSED BASE | | |
| FJ827 | 1 | |
| FJ828 | 2 | |
| FJ829 | 3 | |
| FJ830 | 4 | |

## LOCKERETTES

| Model No. | Bank of | Price /Each |
|---|---|---|
| BASIC STYLE | | |
| FK872 | 1 | |
| FK873 | 2 | |
| FK874 | 3 | |
| FK875 | 4 | |

## ACCESSORIES

| Model No. | Description | Price /Each |
|---|---|---|
| FL639 | Number Plates (Set of 1 to 25) | |
| FL640 | Number Plates (Set of 26 to 50) | |
| FL641 | Number Plates (Set of 51 to 75) | |
| FL642 | Number Plates (Set of 76 to 100) | |

## 16-DOOR ARCHETTES

- Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartment dimensions: 12" W x 18" D x 12" H
- Overall dimensions: 72" W x 18" D x 72" H
- Padlock hasp

| Model No. | Description | Colour | Wt.lbs. | Price/Each |
|---|---|---|---|---|
| FJ175 | Pop Rivet Assembled | Light Grey | 165 | |
| FL359 | All-Welded | Grey | 180 | |
| FL360 | All-Welded | Charcoal | 180 | |

## LOCKER ROOM BENCHES

- Necessary for any locker room
- Features black powder coated legs that can be used free-standing, or bolted to the floor (wood-top locker benches)

| Model No. | Dimensions L" x W" x H" | Type | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| FB002 | 72 x 12 x 17 | Steel | 35 | |
| RL871 | 48 x 9 1/2 x 16 1/2 | Wood | 23 | |
| RL872 | 60 x 9 1/2 x 16 1/2 | Wood | 29 | |
| RL873 | 72 x 9 1/2 x 16 1/2 | Wood | 31 | |
| RL874 | 96 x 9 1/2 x 16 1/2 | Wood | 39 | |

## PERSONAL EFFECTS LOCKERS

- Effective security system for storage of uniforms, linens, protective clothing, personal items, etc.
- Up to 16 people can have security of their own individual compartment
- Authorized personnel can open large master door with one key, for uniform replacement/security problems
- Compact design saves space
- All models finished in durable dove grey enamel
- Shipped assembled

FC063

FC064

FC066

| Model No. | No. of Compartments | Overall Dimensions W" x D" x H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| FC063 | 9 | 24 x 15 x 84 | 122 | |
| FC064 | 10 | 18 x 15 x 78 | 91 | |
| FC066 | 16 | 18 x 15 x 78 | 106 | |

## WALL HUNG LOCKERS

- All-in-one storage for clothing and personal effects
- Four compartments measuring 12" W x 18" D x 12" H
- Baked enamel grey finish

| Model No. | Description | Colour | Price/Each |
|---|---|---|---|
| FJ919 | Pop Rivet Assembled | Light Grey | |
| FL357 | All-Welded | Grey | |
| FL358 | All-Welded | Charcoal | |

## LOCKER BASE INSERTS

- Cost-effective corrosion-proof plastic
- Durable and maintenance-free
- Material: Plastic

| Model No. | Colour | Dimensions L" x W" | Height" | Price /Each |
|---|---|---|---|---|
| FL591 | Dark Grey | 12 x 18 | 0.5 | |
| FI720 | Light Grey | 12 x 18 | 0.5 | |
| FI721 | Beige | 12 x 18 | 0.5 | |
| FI722 | Black | 12 x 18 | 0.5 | |
| FL658 | Dark Grey | 12 x 15 | 0.5 | |
| FL659 | Light Grey | 12 x15 | 0.5 | |
| FL660 | Beige | 12 x 15 | 0.5 | |
| FL661 | Black | 12 x 15 | 0.5 | |
| FL662 | Dark Grey | 10 x 18 | 0.5 | |
| FL663 | Light Grey | 10 x 18 | 0.5 | |
| FL664 | Beige | 10 x 18 | 0.5 | |
| FL665 | Black | 10 x 18 | 0.5 | |

FL591

FI720

FI721

FI722

# PLASTIC LOCKERS

## A NEW GENERATION OF LOCKERS

- These plastic lockers are maintenance free
- Drain holes make them easy to clean, just hose them down with soap and water
- Durable plastic construction makes them perfect for wet environments: food processing plants, athletic facilities, etc.
- New optional clear door design allows for easy inspection of locker contents

**Specifications:**

- Rust-proof
- No need for painting
- Easy cleaning
- Durable polyethylene construction
- Each unit is fully assembled
- Easy installation
- Space saving design
- Maintenance free

5 units of FH726 & 1 unit of FH728

Engravable aluminum plate

2 units of FC693

Built-in sloped top for extra storage

1 unit of FC695

FH727

FC689

REMCON PLASTICS INCORPORATED

FC691

FH727

FH728

FH725

FH729

| Model No. | Description | Dimensions W" x D" | Door Colour | Hook | Shelf | Top | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **FH725** | 12" H locker (usually stacked 6 units high) | 12 x 15 | Grey | No | No | Flat | 6 | |
| **FH726** | 12" H locker (usually stacked 6 units high) | 12 x 15 | Clear | No | No | Flat | 6 | |
| **FH727** | 12" H locker (Sloped top) | 12 x 15 | Grey | No | No | Slope | 8 | |
| **FH728** | 12" H locker (Sloped top) | 12 x 15 | Clear | No | No | Slope | 8 | |
| **FC689** | 18" H locker (usually stacked 4 units high) | 15 x 15 | Grey | No | No | Flat | 10 | |
| **FC691** | 18" H locker (Sloped top) | 15 x 15 | Grey | No | No | Slope | 45 | |
| **FC693** | 36" H locker (usually stacked 2 units high) | 12 x 15 | Grey | Yes | No | Flat | 16 | |
| **FH729** | 36" H locker (Sloped top) | 12 x 15 | Grey | Yes | No | Slope | 18 | |
| **FC695** | Full size 60" H locker | 15 x 18 | Grey | Yes | Yes | Slope | 42 | |

**Note:** All dimensions and weight are nominal and may vary due to molding tolerances. Mounting hardware not included. Lockers are individually sold per opening.

# MASTER LOCK COMBINATION PADLOCKS

- World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- Double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Model **SR914** are school standard's in combination padlocks

SR914

Master Lock

BLOCK GUARD Anti-Shim Technology




| Model No. | Mfg. No. | Body Size Width" | Thickness" | Body Material | Shackle Clearance A" | B" | C" | Shipping Weight (lbs.) | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| **SR914** | 1500 | 1 7/8 Dia. | 3/4 | Stainless Steel | 9/32 | 3/4 | 13/16 | 0.50 | |
| **SAL506** | 1500LH | 1 7/8 Dia. | 3/4 | Stainless Steel | 9/32 | 2 | 13/16 | 0.50 | |

# CREATE A WORKBENCH DESIGNED FOR YOUR APPLICATION

- Select from the components below to build the workbench to fit your needs
- All components **required** to make up your workbench are on this page
- **Optional** features for enhanced functionality are on the following page
- All steel components are constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 2500 lbs. evenly distributed
- All steel components are powder coated Kleton grey
- Shipped knocked down

**THINGS TO CONSIDER WHEN ORDERING A WORKBENCH**

1. Determine the size (length, width, height) of the workbench required
2. Select one of each of the required components listed on this page, respecting the determined size of the workbench

REFER TO PAGES 120 AND 121 FOR YOUR ABOVE-WORKBENCH WORKSTATION

KLETON

### A - LEGS

- Legs static or mobile
- Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" w/top

| Model No. | Description | Dimensions D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| **ML264** | Single leg for use w/ 24" D top | 22 | x | 32 | 14 | |
| **ML265** | Single leg for use w/ 30" D or 36" D top | 28 | x | 32 | 15 | |
| **ML266*** | Pair of legs for use w/24" D top, includes Stringer **FF979** | 22 | x | 32 | 38 | |
| **ML268*** | Pair of legs for use w/30" D or 36" D top, includes Stringer **FF979** | 28 | x | 32 | 45 | |
| **ML267*** | Mobile Kit for use w/24" D top (pair), includes Stringer **FF979** | 22 | x | 32 | 40 | |
| **ML269*** | Mobile Kit for use w/30" D or 36" D top (pair), includes Stringer **FF979** | 28 | x | 32 | 40 | |
| **FG732** | Leg extensions to make height adjustable from 34"-39" in 1" increments (set of 4) | | | 8 | | |

*For 84" L & 96" L tops, see the Universal Stringers listed below

### B - TOPS

A variety of tops are available: 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

**Our complete list of tops can be found on page 117**

**Wood Top - Square Edge**

**Wood Top - Bullnose**

**Shop Top**

**Plastic Laminate**

**Steel Wood-Filled**

**Stainless Steel Wood-Filled**

### C - UNIVERSAL STRINGERS

- Adds stability to the workbench
- Prevents legs from shifting
- Weight: 11lbs.

**Model No. FF979** For 48", 60" or 72" bench (included in kits **ML266** to **ML269**)
**Price/Each $**

**Model No. FH925** For 84" bench
**Price/Each $**

**Model No. FH926** For 96" bench
**Price/Each $**

# CUSTOMIZE YOUR WORKBENCH WITH ANY OF THE FOLLOWING OPTIONS:

KLETON

## D - DRAWERS

- Add storage to any workbench
- All-welded heavy-gauge steel
- 100% full extension with ball bearing slide mechanism
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps
- Overall Dimensions: 18" W x 21" D x 9" H

### SINGLE DRAWER UNITS

- (1) 15 3/8" W x 20" D x 5 5/8" H

**Model No. FH673**
**Price/Each $**

### DOUBLE DRAWER UNITS

- (2) 15 3/8" W x 20" D x 2 3/4" H

**Model No. FH674**
**Price/Each $**

## E - BENCH RISER SHELVES

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H
- One per workbench

| Model No. | Overall Width" | Wt. lbs. | Price/Each |
|---|---|---|---|
| FF956 | 48 | 19 | |
| FF957 | 60 | 24 | |
| FF958 | 72 | 29 | |
| FI319 | 84 | 35 | |
| FI320 | 96 | 42 | |

## F - LOWER SHELVES

- Add extra storage to any workbench
- 9" D
- One or two 9" deep shelves can be used per workbench

| Model No. | Overall Width" | Wt. lbs. | Price/Each |
|---|---|---|---|
| FF934 | 44 (for use with 48" top) | 14 | |
| FF935 | 56 (for use with 60" top) | 16 | |
| FF936 | 68 (for use with 72" top) | 18 | |
| RL866 | 80 (for use with 84" top) | 21 | |
| RL867 | 92 (for use with 96" top) | 24 | |

## G - BACK STOPS

- Add a 3" edge to the back of any workbench
- One per bench top

| Model No. | Overall Width" | Wt. lbs. | Price/Each |
|---|---|---|---|
| FF704 | 48 | 8 | |
| FF705 | 60 | 10 | |
| FF708 | 72 | 12 | |
| FI317 | 84 | 14 | |
| FI318 | 96 | 16 | |

## H - END STOPS

- Add 3" sides to any workbench
- One per side desired to enclose

| Model No. | Overall Width" | Wt. lbs. | Price/Each |
|---|---|---|---|
| FF792 | 24 | 4 | |
| FF793 | 30 | 5 | |
| FF794 | 36 | 6 | |

**We try to make it easy... look at our pre-designed layout options on pages 118 and 119**

Customize to your specifications. If you need specific sizes or requirements not available on this page, call us today with your specs!

# WORKBENCHES

**Customize your own workbench... simply select any two cabinets listed and add a top.**

## CABINETS

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Powder coat finish with grey shell and Kleton blue on doors and drawers

REFER TO PAGES 120 AND 121 FOR YOUR ABOVE-WORKBENCH WORKSTATION

### FULL DOOR CABINETS
- 16 3/4" W x 21" D x 24" H
- Internal adjustable shelf included
- Weight: 48 lbs.

**Model No. FH666**
**Price/Each $**

### 2-DOOR CABINETS
- (2) 16 3/4 " W x 21" D x 12" H
- Weight: 48 lbs.

**Model No. FH667**
**Price/Each $**

### 2-DRAWER W/1-DOOR CABINETS
- (2) 15 3/8" W x 20" D x 5 5/8" H
- (1) 16 3/4" W x 21" D x 12" H
- Weight: 59 lbs.

**Model No. FH668**
**Price/Each $**

### 2-DRAWER CABINETS
- (2) 15 3/8" W x 20" D x 11 5/8" H
- Weight: 66 lbs.

**Model No. FI166**
**Price/Each $**

### 3-DRAWER CABINETS
- (2) 15 3/8" W x 20" D x 5 5/8" H
- (1) 15 3/8" W x 20" D x 11 5/8" H
- Weight: 78 lbs.

**Model No. FI167**
**Price/Each $**

### 4-DRAWER CABINETS
- (4) 15 3/8" W x 20" D x 5 5/8" H
- Weight: 68 lbs.

**Model No. FH669**
**Price/Each $**

### 4-DRAWER W/1-DOOR CABINETS
- (4) 15 3/8" W x 20" D x 2 5/8" H
- (1) 16 3/4" W x 21" D x 12" H
- Weight: 63 lbs.

**Model No. FH670**
**Price/Each $**

### 6-DRAWER CABINETS
- (4) 15 3/8" W x 20" D x 2 5/8" H
- (2) 15 3/8" W x 20" D x 5 5/8" H
- Weight: 94 lbs.

**Model No. FH671**
**Price/Each $**



### OPTIONAL PEDESTAL BASES
- (1) 4" high - 34" high with top
- Weight: 5 lbs.

**Model No. FH672**
**Price/Each $**

KLETON

## LEG & PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coat Kleton grey finish

| Model No. | Description | Dimensions D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| ML264 | Single leg for use w/ 24" D top | 22 | x | 32 | 14 | |
| ML265 | Single leg for use w/ 30" D or 36" D top | 28 | x | 32 | 15 | |
| FH672 | Pedestal Base (Max 1) | | 4" H | | 5 | |
| FF920 | Bench Leg Gussets (Pkg. of 2) | | | | 3 | |

Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations

**We try to make it easy...**
**look at our pre-designed layout options on pages 118 and 119**

### HOW TO ORDER

**1.** Choose the pedestal desired
**2.** Determine the depth of the workbench
**3.** Add the appropriate leg configuration

**See our selection of workbench tops on page 117.**

# WORKBENCH TOPS

**SELECT ONE OF THESE SIX TOPS TO CUSTOMIZE YOUR WORKBENCH.**

## LAMINATED HARDWOOD TOPS SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- 1/8" radius edge

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FI730 | 24 x 48 | 56 | |
| FL592 | 24 x 60 | 70 | |
| FL593 | 24 x 72 | 84 | |
| FI731 | 24 x 84 | 98 | |
| FL594 | 24 x 96 | 112 | |
| FI732 | 24 x 120 | 140 | |
| FL595 | 30 x 48 | 70 | |
| FI733 | 30 x 60 | 88 | |
| FI734 | 30 x 72 | 105 | |
| FI735 | 30 x 84 | 123 | |
| FI736 | 30 x 96 | 140 | |
| FI737 | 30 x 120 | 175 | |
| FL596 | 36 x 48 | 84 | |
| FL597 | 36 x 60 | 105 | |
| FI738 | 36 x 72 | 126 | |
| FL598 | 36 x 84 | 147 | |
| FI739 | 36 x 96 | 168 | |
| FL599 | 36 x 120 | 210 | |
| FI740 | 48 x 48 | 112 | |
| FL600 | 48 x 60 | 140 | |
| FL601 | 48 x 72 | 168 | |
| FL602 | 48 x 84 | 196 | |
| FL603 | 48 x 96 | 224 | |
| FL604 | 48 x 120 | 280 | |

**Note:** Tops over 36" W are shipped in two pieces of hardwood, hardware is included.

## LAMINATED HARDWOOD TOPS BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- 3/8" radius edge

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FI522 | 24 x 48 | 56 | |
| FI523 | 24 x 60 | 70 | |
| FI524 | 24 x 72 | 84 | |
| FL605 | 24 x 84 | 98 | |
| FI525 | 24 x 96 | 112 | |
| FI526 | 24 x 120 | 140 | |
| FI527 | 30 x 48 | 70 | |
| FI528 | 30 x 60 | 88 | |
| FI529 | 30 x 72 | 105 | |
| FI530 | 30 x 84 | 123 | |
| FI531 | 30 x 96 | 140 | |
| FL606 | 30 x 120 | 175 | |
| FL607 | 36 x 48 | 84 | |
| FI532 | 36 x 60 | 105 | |
| FI533 | 36 x 72 | 126 | |
| FL608 | 36 x 84 | 147 | |
| FI534 | 36 x 96 | 168 | |
| FL609 | 36 x 120 | 210 | |
| FL610 | 48 x 48 | 112 | |
| FL611 | 48 x 60 | 140 | |
| FL612 | 48 x 72 | 168 | |
| FL613 | 48 x 84 | 196 | |
| FL614 | 48 x 96 | 224 | |
| FL615 | 48 x 120 | 280 | |

**Note:** Tops over 36" W are shipped in two pieces of hardwood, hardware is included.

## SHOP TOPS

- Great top for medium-duty applications
- 3/8" double sealed resin boards laminated over 1 1/8" MDF core
- Overall thickness: 1 3/4"

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FD001 | 24 x 48 | 60 | |
| FD002 | 24 x 60 | 75 | |
| FH764 | 30 x 48 | 75 | |
| FD004 | 30 x 60 | 94 | |
| FD005 | 30 x 72 | 113 | |
| FH765 | 30 x 84 | 131 | |
| FH766 | 30 x 96 | 150 | |
| FH767 | 36 x 48 | 90 | |
| FD006 | 36 x 60 | 113 | |
| FD007 | 36 x 72 | 135 | |
| FH768 | 36 x 84 | 158 | |
| FH769 | 36 x 96 | 180 | |

## PLASTIC LAMINATE TOPS

- Light-duty top with smooth white plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- Colour: White

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FD008 | 24 x 48 | 65 | |
| FD009 | 24 x 60 | 72 | |
| FH771 | 30 x 48 | 72 | |
| FD011 | 30 x 60 | 90 | |
| FD012 | 30 x 72 | 108 | |
| FH772 | 30 x 84 | 126 | |
| FH773 | 30 x 96 | 144 | |
| FH774 | 36 x 48 | 86 | |
| FD013 | 36 x 60 | 108 | |
| FD014 | 36 x 72 | 130 | |
| FH776 | 36 x 84 | 151 | |
| FH777 | 36 x 96 | 173 | |

## STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Colour: Powder coat Kleton grey

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FD030 | 24 x 48 | 59 | |
| FD031 | 24 x 60 | 74 | |
| FH871 | 30 x 48 | 74 | |
| FD033 | 30 x 60 | 92 | |
| FD034 | 30 x 72 | 110 | |
| FH872 | 30 x 84 | 129 | |
| FH873 | 30 x 96 | 147 | |
| FH874 | 36 x 48 | 89 | |
| FD035 | 36 x 60 | 110 | |
| FD036 | 36 x 72 | 132 | |
| FH875 | 36 x 84 | 154 | |
| FH876 | 36 x 96 | 176 | |

## 304 STAINLESS STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"



| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| FI268* | 24 x 48 | 59 | |
| FI269* | 24 x 60 | 74 | |
| FI270* | 30 x 48 | 74 | |
| FI271* | 30 x 60 | 92 | |
| FI272* | 30 x 72 | 110 | |
| FI273* | 30 x 84 | 129 | |
| FI274* | 30 x 96 | 147 | |
| FI275* | 36 x 48 | 89 | |
| FI276* | 36 x 60 | 110 | |
| FI277* | 36 x 72 | 132 | |
| FI278* | 36 x 84 | 154 | |
| FI279* | 36 x 96 | 176 | |

* Stainless Steel finish may vary

# PRE-DESIGNED WORKBENCHES

**Also available in 304 stainless steel wood filled top**

**SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS. 34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.**

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FF672 | 36 x 72 | 164 | |
| | FF671 | 36 x 60 | 156 | |
| | FF670 | 30 x 72 | 166 | |
| | FF669 | 30 x 60 | 146 | |
| | FF667 | 24 x 60 | 110 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FF658 | 36 x 72 | 171 | |
| | FF657 | 36 x 60 | 149 | |
| | FF656 | 30 x 72 | 150 | |
| | FF655 | 30 x 60 | 130 | |
| | FF653 | 24 x 60 | 106 | |
| **SHOP TOPS** | | | | |
| | FF679 | 36 x 72 | 171 | |
| | FH877 | 36 x 60 | 157 | |
| | FF677 | 30 x 72 | 150 | |
| | FF676 | 30 x 60 | 133 | |
| | FH878 | 24 x 60 | 111 | |
| **PLASTIC LAMINATE** | | | | |
| | FF665 | 36 x 72 | 171 | |
| | FH879 | 36 x 60 | 152 | |
| | FF663 | 30 x 72 | 150 | |
| | FF662 | 30 x 60 | 133 | |
| | FH880 | 24 x 60 | 108 | |

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FF707 | 36 x 72 | 201 | |
| | FF706 | 36 x 60 | 188 | |
| | FF703 | 30 x 72 | 203 | |
| | FF702 | 30 x 60 | 178 | |
| | FF700 | 24 x 60 | 142 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FF691 | 36 x 72 | 208 | |
| | FF690 | 36 x 60 | 181 | |
| | FF689 | 30 x 72 | 187 | |
| | FF688 | 30 x 60 | 162 | |
| | FF686 | 24 x 60 | 138 | |
| **SHOP TOPS** | | | | |
| | FF715 | 36 x 72 | 208 | |
| | FH881 | 36 x 60 | 189 | |
| | FF713 | 30 x 72 | 187 | |
| | FF712 | 30 x 60 | 165 | |
| | FH882 | 24 x 60 | 143 | |
| **PLASTIC LAMINATE** | | | | |
| | FF698 | 36 x 72 | 208 | |
| | FH883 | 36 x 60 | 184 | |
| | FF696 | 30 x 72 | 187 | |
| | FF695 | 30 x 60 | 165 | |
| | FH884 | 24 x 60 | 140 | |

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FG293 | 36 x 72 | 228 | |
| | FG292 | 36 x 60 | 215 | |
| | FG291 | 30 x 72 | 230 | |
| | FG290 | 30 x 60 | 205 | |
| | FG289 | 24 x 60 | 169 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FG285 | 36 x 72 | 235 | |
| | FG284 | 36 x 60 | 208 | |
| | FG283 | 30 x 72 | 214 | |
| | FG282 | 30 x 60 | 189 | |
| | FG281 | 24 x 60 | 165 | |
| **SHOP TOPS** | | | | |
| | FG296 | 36 x 72 | 235 | |
| | FH885 | 36 x 60 | 216 | |
| | FG295 | 30 x 72 | 214 | |
| | FG294 | 30 x 60 | 192 | |
| | FH886 | 24 x 60 | 170 | |
| **PLASTIC LAMINATE** | | | | |
| | FG288 | 36 x 72 | 235 | |
| | FH887 | 36 x 60 | 211 | |
| | FG287 | 30 x 72 | 214 | |
| | FG286 | 30 x 60 | 192 | |
| | FH888 | 24 x 60 | 167 | |

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FG109 | 36 x 72 | 209 | |
| | FG108 | 36 x 60 | 201 | |
| | FG107 | 30 x 72 | 211 | |
| | FG106 | 30 x 60 | 191 | |
| | FG104 | 24 x 60 | 161 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FG095 | 36 x 72 | 216 | |
| | FG094 | 36 x 60 | 194 | |
| | FG093 | 30 x 72 | 195 | |
| | FG092 | 30 x 60 | 175 | |
| | FG090 | 24 x 60 | 158 | |
| **SHOP TOPS** | | | | |
| | FG116 | 36 x 72 | 216 | |
| | FH889 | 36 x 60 | 202 | |
| | FG114 | 30 x 72 | 195 | |
| | FG113 | 30 x 60 | 178 | |
| | FH890 | 24 x 60 | 163 | |
| **PLASTIC LAMINATE** | | | | |
| | FG102 | 36 x 72 | 216 | |
| | FH891 | 36 x 60 | 197 | |
| | FG100 | 30 x 72 | 195 | |
| | FG099 | 30 x 60 | 178 | |
| | FH892 | 24 x 60 | 161 | |

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FG277 | 36 x 72 | 208 | |
| | FG276 | 36 x 60 | 200 | |
| | FG275 | 30 x 72 | 210 | |
| | FG274 | 30 x 60 | 190 | |
| | FG273 | 24 x 60 | 160 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FG269 | 36 x 72 | 215 | |
| | FG268 | 36 x 60 | 193 | |
| | FG267 | 30 x 72 | 194 | |
| | FG266 | 30 x 60 | 174 | |
| | FG265 | 24 x 60 | 156 | |
| **SHOP TOPS** | | | | |
| | FG280 | 36 x 72 | 215 | |
| | FH893 | 36 x 60 | 201 | |
| | FG279 | 30 x 72 | 194 | |
| | FG278 | 30 x 60 | 177 | |
| | FH894 | 24 x 60 | 165 | |
| **PLASTIC LAMINATE** | | | | |
| | FG272 | 36 x 72 | 215 | |
| | FH895 | 36 x 60 | 198 | |
| | FG271 | 30 x 72 | 194 | |
| | FG270 | 30 x 60 | 177 | |
| | FH896 | 24 x 60 | 158 | |

| | Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FG640 | 36 x 72 | 213 | |
| | FG641 | 36 x 60 | 205 | |
| | FG642 | 30 x 72 | 215 | |
| | FG444 | 30 x 60 | 195 | |
| | FG443 | 24 x 60 | 165 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FG635 | 36 x 72 | 220 | |
| | FG636 | 36 x 60 | 198 | |
| | FG637 | 30 x 72 | 199 | |
| | FG638 | 30 x 60 | 179 | |
| | FG639 | 24 x 60 | 162 | |
| **SHOP TOPS** | | | | |
| | FG645 | 36 x 72 | 220 | |
| | FH897 | 36 x 60 | 205 | |
| | FG646 | 30 x 72 | 199 | |
| | FG647 | 30 x 60 | 182 | |
| | FH898 | 24 x 60 | 167 | |
| **PLASTIC LAMINATE** | | | | |
| | FG648 | 36 x 72 | 220 | |
| | FH899 | 36 x 60 | 202 | |
| | FG649 | 30 x 72 | 199 | |
| | FG650 | 30 x 60 | 182 | |
| | FH900 | 24 x 60 | 164 | |

**If you need specific sizes or requirements not available on this page, see pages 114 to 118 to customize your own workbench or call us today with your specs!**

**Refer to pages 120 and 121 for your above-workbench workstation**

# PRE-DESIGNED WORKBENCHES

**Also available in 304 stainless steel wood filled top**

**SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS. 34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.**

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG137 | 36 x 72 | 304 | |
| FG136 | 36 x 60 | 296 | |
| FG135 | 30 x 72 | 306 | |
| FG134 | 30 x 60 | 286 | |
| FG132 | 24 x 60 | 257 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG123 | 36 x 72 | 311 | |
| FG122 | 36 x 60 | 289 | |
| FG121 | 30 x 72 | 290 | |
| FG120 | 30 x 60 | 270 | |
| FG118 | 24 x 60 | 254 | |
| **SHOP TOPS** | | | |
| FG144 | 36 x 72 | 311 | |
| FH901 | 36 x 60 | 297 | |
| FG142 | 30 x 72 | 290 | |
| FG141 | 30 x 60 | 273 | |
| FH902 | 24 x 60 | 258 | |
| **PLASTIC LAMINATE** | | | |
| FG130 | 36 x 72 | 311 | |
| FH903 | 36 x 60 | 292 | |
| FG128 | 30 x 72 | 290 | |
| FG127 | 30 x 60 | 273 | |
| FH904 | 24 x 60 | 256 | |

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG245 | 36 x 72 | 263 | |
| FG244 | 36 x 60 | 255 | |
| FG243 | 30 x 72 | 265 | |
| FG242 | 30 x 60 | 245 | |
| FG241 | 24 x 60 | 246 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG237 | 36 x 72 | 270 | |
| FG236 | 36 x 60 | 248 | |
| FG235 | 30 x 72 | 249 | |
| FG234 | 30 x 60 | 229 | |
| FG233 | 24 x 60 | 213 | |
| **SHOP TOPS** | | | |
| FG248 | 36 x 72 | 270 | |
| FH905 | 36 x 60 | 256 | |
| FG247 | 30 x 72 | 249 | |
| FG246 | 30 x 60 | 232 | |
| FH906 | 24 x 60 | 218 | |
| **PLASTIC LAMINATE** | | | |
| FG240 | 36 x 72 | 270 | |
| FH907 | 36 x 60 | 251 | |
| FG239 | 30 x 72 | 249 | |
| FG238 | 30 x 60 | 232 | |
| FH908 | 24 x 60 | 215 | |

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG624 | 36 x 72 | 266 | |
| FG625 | 36 x 60 | 258 | |
| FG626 | 30 x 72 | 268 | |
| FG627 | 30 x 60 | 248 | |
| FG628 | 24 x 60 | 219 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG619 | 36 x 72 | 273 | |
| FG620 | 36 x 60 | 251 | |
| FG621 | 30 x 72 | 252 | |
| FG622 | 30 x 60 | 232 | |
| FG623 | 24 x 60 | 216 | |
| **SHOP TOPS** | | | |
| FG629 | 36 x 72 | 271 | |
| FH909 | 36 x 60 | 259 | |
| FG630 | 30 x 72 | 252 | |
| FG631 | 30 x 60 | 235 | |
| FH910 | 24 x 60 | 221 | |
| **PLASTIC LAMINATE** | | | |
| FG632 | 36 x 72 | 273 | |
| FH911 | 36 x 60 | 254 | |
| FG633 | 30 x 72 | 252 | |
| FG634 | 30 x 60 | 235 | |
| FH912 | 24 x 60 | 218 | |

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG464 | 36 x 72 | 247 | |
| FG465 | 36 x 60 | 239 | |
| FG466 | 30 x 72 | 249 | |
| FG467 | 30 x 60 | 229 | |
| FG468 | 24 x 60 | 200 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG459 | 36 x 72 | 254 | |
| FG460 | 36 x 60 | 232 | |
| FG461 | 30 x 72 | 233 | |
| FG462 | 30 x 60 | 213 | |
| FG463 | 24 x 60 | 197 | |
| **SHOP TOPS** | | | |
| FG469 | 36 x 72 | 254 | |
| FH913 | 36 x 60 | 240 | |
| FG470 | 30 x 72 | 233 | |
| FG471 | 30 x 60 | 216 | |
| FH914 | 24 x 60 | 202 | |
| **PLASTIC LAMINATE** | | | |
| FG472 | 36 x 72 | 254 | |
| FH915 | 36 x 60 | 235 | |
| FG473 | 30 x 72 | 233 | |
| FG474 | 30 x 60 | 216 | |
| FH916 | 24 x 60 | 199 | |

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG229 | 36 x 72 | 261 | |
| FG228 | 36 x 60 | 253 | |
| FG227 | 30 x 72 | 263 | |
| FG226 | 30 x 60 | 243 | |
| FG225 | 24 x 60 | 214 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG221 | 36 x 72 | 268 | |
| FG220 | 36 x 60 | 246 | |
| FG219 | 30 x 72 | 247 | |
| FG218 | 30 x 60 | 227 | |
| FG217 | 24 x 60 | 211 | |
| **SHOP TOPS** | | | |
| FG232 | 36 x 72 | 268 | |
| FH917 | 36 x 60 | 254 | |
| FG231 | 30 x 72 | 247 | |
| FG230 | 30 x 60 | 230 | |
| FH918 | 24 x 60 | 216 | |
| **PLASTIC LAMINATE** | | | |
| FG224 | 36 x 72 | 267 | |
| FH919 | 36 x 60 | 249 | |
| FG223 | 30 x 72 | 247 | |
| FG222 | 30 x 60 | 230 | |
| FH920 | 24 x 60 | 213 | |

| Model No. | Size D" x W" | Wt. lbs. | Price /Each |
|---|---|---|---|
| **STEEL - WOOD FILL** | | | |
| FG415 | 36 x 72 | 271 | |
| FG414 | 36 x 60 | 263 | |
| FG413 | 30 x 72 | 273 | |
| FG412 | 30 x 60 | 253 | |
| FG411 | 24 x 60 | 224 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | |
| FG420 | 36 x 72 | 278 | |
| FG419 | 36 x 60 | 256 | |
| FG418 | 30 x 72 | 257 | |
| FG417 | 30 x 60 | 237 | |
| FG416 | 24 x 60 | 221 | |
| **SHOP TOPS** | | | |
| FG423 | 36 x 72 | 278 | |
| FH921 | 36 x 60 | 264 | |
| FG422 | 30 x 72 | 257 | |
| FG421 | 30 x 60 | 240 | |
| FH922 | 24 x 60 | 226 | |
| **PLASTIC LAMINATE** | | | |
| FG426 | 36 x 72 | 278 | |
| FH923 | 36 x 60 | 259 | |
| FG425 | 30 x 72 | 257 | |
| FG424 | 30 x 60 | 240 | |
| FH924 | 24 x 60 | 223 | |

**If you need specific sizes or requirements not available on this page, see pages 114 to 118 to customize your own workbench or call us today with your specs!**

**Refer to pages 120 and 121 for your above-workbench workstation**

## ERGONOMIC WORKSTATIONS

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration

**Workstation benefits include:**

- Greater productivity and efficiency
- Reduced strain and increased ergonomic ease
- Equipped to exactly suit your needs
- Properly illuminated work areas




### TO PICK THE RIGHT FRAME FOR YOUR NEEDS YOU MUST DETERMINE THE FOLLOWING MEASUREMENTS:

**Section Width (A):** Is measured from the centre of one upright to the other.

**Overall Width (B):** Is measured from the outside of one foot plate to the other.

Then determine if you require a single frame or double frame unit.

### SURFACE MOUNT FRAMES

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot plate is 2 3/4" x 4"




LISTA
making workspace work®

### SINGLE FRAME SECTIONS

| Model No. | Height" | Section Width" (A) | Min Work Surface Width" Required | Price /Each |
|---|---|---|---|---|
| FI368 | 30 | 24 | 30 | |
| FI370 | 30 | 30 | 36 | |
| FH992 | 30 | 36 | 42 | |
| FI372 | 30 | 42 | 48 | |
| FH993 | 30 | 48 | 54 | |
| FI374 | 30 | 60 | 66 | |
| FI369 | 48 | 24 | 30 | |
| FI371 | 48 | 30 | 36 | |
| FH994 | 48 | 36 | 42 | |
| FI373 | 48 | 42 | 48 | |
| FH995 | 48 | 48 | 54 | |
| FI375 | 48 | 60 | 66 | |

### ADDER FRAME SECTION

| Model No. | Height" | Section Width" (A) | Min Work Surface Width" Required | Price /Each |
|---|---|---|---|---|
| FI376 | 30 | 24 | 54 | |
| FI378 | 30 | 30 | 60 | |
| FI380 | 30 | 36 | 66 | |
| FI382 | 30 | 42 | 72 | |
| FI384 | 30 | 48 | 78 | |
| FI386 | 30 | 60 | 90 | |
| FI377 | 48 | 24 | 54 | |
| FI379 | 48 | 30 | 60 | |
| FI381 | 48 | 36 | 66 | |
| FI383 | 48 | 42 | 72 | |
| FI385 | 48 | 48 | 78 | |
| FI387 | 48 | 60 | 90 | |

### DOUBLE FRAME SECTIONS

| Model No. | Height" | Section Width" | Min Work Surface Width" Required | Price /Each |
|---|---|---|---|---|
| FI747 | 30 | 24 + 24 | 54 | |
| FI749 | 30 | 24 + 30 | 60 | |
| FL525 | 30 | 24 + 36 | 66 | |
| FL526 | 30 | 24 + 42 | 72 | |
| FL527 | 30 | 24 + 48 | 78 | |
| FL528 | 30 | 24 + 60 | 90 | |
| FL529 | 30 | 30 + 30 | 66 | |
| FL530 | 30 | 30 + 36 | 72 | |
| FL531 | 30 | 30 + 42 | 78 | |
| FL532 | 30 | 30 + 48 | 84 | |
| FL533 | 30 | 30 + 60 | 96 | |
| FL534 | 30 | 36 + 36 | 78 | |
| FL535 | 30 | 36 + 42 | 84 | |
| FL536 | 30 | 36 + 48 | 90 | |
| FL537 | 30 | 36 + 60 | 102 | |
| FL538 | 30 | 42 + 42 | 90 | |
| FL539 | 30 | 42 + 48 | 96 | |
| FL540 | 30 | 42 + 60 | 108 | |
| FL541 | 30 | 48 + 48 | 102 | |
| FL542 | 30 | 48 + 60 | 114 | |
| FL543 | 30 | 60 + 60 | 126 | |
| FI748 | 48 | 24 + 24 | 54 | |
| FI750 | 48 | 24 + 30 | 60 | |
| FL544 | 48 | 24 + 36 | 66 | |
| FL545 | 48 | 24 + 42 | 72 | |
| FL546 | 48 | 24 + 48 | 78 | |
| FL547 | 48 | 24 + 60 | 90 | |
| FL548 | 48 | 30 + 30 | 66 | |
| FL549 | 48 | 30 + 36 | 72 | |
| FL550 | 48 | 30 + 42 | 78 | |
| FL551 | 48 | 30 + 48 | 84 | |
| FL552 | 48 | 30 + 60 | 96 | |
| FL553 | 48 | 36 + 36 | 78 | |
| FL554 | 48 | 36 + 42 | 84 | |
| FL555 | 48 | 36 + 48 | 90 | |
| FL556 | 48 | 36 + 60 | 102 | |
| FL557 | 48 | 42 + 42 | 90 | |
| FL558 | 48 | 42 + 48 | 96 | |
| FL559 | 48 | 42 + 60 | 108 | |
| FL560 | 48 | 48 + 48 | 102 | |
| FL561 | 48 | 48 + 60 | 114 | |
| FL562 | 48 | 60 + 60 | 126 | |

# NEXUS SYSTEM WORKBENCH ACCESSORIES

LISTA
making workspace work®

## OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items

| Model No. | Overall Dimensions W" x D" x H" | Price /Each |
|---|---|---|
| FI364 | 24 x 15 x 16 | |
| FI365 | 30 x 15 x 16 | |
| FI366 | 36 x 15 x 16 | |
| FI367 | 48 x 15 x 16 | |

**REPLACEMENT PARTS**

| | |
|---|---|
| FI362 | Support Brackets for 16" Overall Height |

## OVERHEAD LIGHT FIXTURES

- Tilts up or down 10°
- Kit includes a switch, 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs
- Support bracket sold separately

| Model No. | Use with Frame Overall Width" | Price /Each |
|---|---|---|
| FI019 | 48 | |
| FI020 | 60 | |

**SUPPORT BRACKETS**

| Model No. | Use with Frame Overall Depth" | Price /Each |
|---|---|---|
| FI327 | Less than 30 | |
| FI328 | Greater than or equal to 30 | |

## HORIZONTAL POWER BOARDS

- 15 Amps with six plugs
- Pivots on axis providing full horizontal adjustability

| Model No. | Overall Width" | Price /Each |
|---|---|---|
| FI022 | 24 | |
| FI023 | 30 | |
| FI024 | 36 | |
| FI025 | 48 | |

## VERTICAL POWER BOARDS

- 15 Amps with six outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

**Model No. FI021**
**Price/Each $**

## PLASTIC BOX RAILS

- Easily adjustable for ergonomic access
- Can be mounted either parallel or a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included

| Model No. | Overall Width" | Price /Each |
|---|---|---|
| FI030 | 24 | |
| FI031 | 30 | |
| FI032 | 36 | |
| FI033 | 48 | |

## ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed

| Model No. | Overall Dimensions W" x D" | Price /Each |
|---|---|---|
| FI001 | 24 x 12 | |
| FI002 | 30 x 12 | |
| FI003 | 36 x 12 | |
| FI004 | 48 x 12 | |
| FI005 | 24 x 15 | |
| FI006 | 30 x 15 | |
| FI007 | 36 x 15 | |
| FI008 | 48 x 15 | |
| FI009 | 24 x 18 | |
| FI010 | 30 x 18 | |
| FI011 | 36 x 18 | |
| FI012 | 48 x 18 | |

## SHELF DIVIDERS

- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface

| Model No. | Overall Dimensions D" x H" | Price /Each |
|---|---|---|
| FI013 | 12 x 4 | |
| FI014 | 12 x 6 | |
| FI015 | 12 x 8 | |
| FI016 | 15 x 4 | |
| FI017 | 15 x 6 | |
| FI018 | 15 x 8 | |

## STEEL LOUVERED BACK PANELS

- Designed to accommodate industry standard plastic bins that featured louvered edge or lip

| Model No. | Overall Dim. W" x H" | Price /Each |
|---|---|---|
| FI034 | 24 x 18 | |
| FI035 | 30 x 18 | |
| FI036 | 36 x 18 | |
| FI037 | 48 x 18 | |

| Model No. | Overall Dim. W" x H" | Price /Each |
|---|---|---|
| FI038 | 24 x 30 | |
| FI039 | 30 x 30 | |
| FI040 | 36 x 30 | |
| FI041 | 48 x 30 | |

## REVERSIBLE MARKERBOARDS/TACKBOARDS

- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other

| Model No. | Overall Dimensions W" x H" | Price /Each |
|---|---|---|
| FI050 | 24 x 30 | |
| FI051 | 30 x 30 | |
| FI052 | 36 x 30 | |
| FI053 | 48 x 30 | |

## STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter

| Model No. | Overall Dim. W" x H" | Price /Each |
|---|---|---|
| FI042 | 24 x 18 | |
| FI043 | 30 x 18 | |
| FI044 | 36 x 18 | |
| FI045 | 48 x 18 | |

| Model No. | Overall Dim. W" x H" | Price /Each |
|---|---|---|
| FI046 | 24 x 30 | |
| FI047 | 30 x 30 | |
| FI048 | 36 x 30 | |
| FI049 | 48 x 30 | |

**OTHER SIZES AVAILABLE UPON REQUEST**

## EXTRA HEAVY-DUTY WORKBENCHES

### ALL-WELDED BENCHES

- All-welded construction features a wood-filled 3/16" steel top with 11 gauge steel legs and stringers
- Standard bolt-down footplates
- Mobile units come w/6" polyurethane casters, two swivel w/brakes, and two rigid
- Overall height is 34"
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish

| Model No. | Style | Dimensions W" | x | D" | x | H" | Cap. lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| FF494 | Static | 72 | x | 30 | x | 34 | 5000 | 290 | |
| FF495 | Static | 72 | x | 36 | x | 34 | 5000 | 360 | |
| FH465 | Mobile | 72 | x | 30 | x | 34 | 3500 | 290 | |
| FH466 | Mobile | 72 | x | 36 | x | 34 | 3500 | 360 | |

### PEDESTAL BENCHES

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on two all-welded pedestals with two shelves each
- Pedestals are 18" W x 24" D x 32" H
- Overall height: 34"
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish
- Shipped knocked down

| Model No. | Dimensions W" | x | D" | x | H" | Cap. lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| FF120 | 60 | x | 30 | x | 34 | 2500 | 158 | |
| FF121 | 72 | x | 30 | x | 34 | 2500 | 175 | |
| FF122 | 84 | x | 30 | x | 34 | 2500 | 192 | |
| FF119 | 120 | x | 30 | x | 34 | 2500 | 245 | |

## HEAVY-DUTY STAINLESS STEEL WORKBENCHES

- Work surface is constructed of 14-gauge stainless steel with an 11-gauge support structure
- 1 5/8" diameter posts with tapered sleeves and corners
- Standard units are stationary with leveling foot on each post
- 30" models can be fitted with 5" polyurethane swivel casters, two with wheel brake
- Capacity is based on evenly distributed weight
- Shipped knocked down

FI388

FI391

| Model No. | Description | Overall Dimensions W" | x | D" | x | H" | Cap. lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|
| FI388 | 3-Sided Frame | 60 | x | 30 | x | 34 | 625 | 104 | |
| FI389 | 3-Sided Frame | 72 | x | 30 | x | 34 | 750 | 121 | |
| FI390 | 3-Sided Frame | 96 | x | 30 | x | 34 | 1000 | 150 | |
| FI391 | H-Frame | 60 | x | 30 | x | 34 | 625 | 104 | |
| FI392 | H-Frame | 72 | x | 30 | x | 34 | 750 | 120 | |
| FI393 | H-Frame | 96 | x | 30 | x | 34 | 1000 | 150 | |

Models are also available in 36" and 44" depths

## ECONOMY GRADE OPEN WORKBENCHES

- Meet any strength requirement for light manufacturing, assembly operations, maintenance service, etc.
- Heavy gauge adjustable legs from 29" to 34"
- Front and back electrical knockouts
- 12" deep lower shelf
- Choose between 1" presswood top, or plastic top (1 1/4" grey laminated plastic surface) widely used in electronics, laboratories, and institutions
- Optional drawer, model **FH271** can be added to all models
- Capacity: 200 lbs./sq. ft.
- Shipped knocked down

FH214

| Model No. | Description | Dimensions W" | x | D" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|
| FH213 | 1" Presswood Top | 48 | x | 24 | 70 | |
| FH214 | 1" Presswood Top | 60 | x | 24 | 76 | |
| FH216 | 1" Presswood Top | 60 | x | 30 | 83 | |
| FH217 | 1" Presswood Top | 72 | x | 30 | 92 | |
| FF649 | 1 1/4" Plastic Top | 48 | x | 24 | 77 | |
| FF650 | 1 1/4" Plastic Top | 60 | x | 24 | 83 | |
| FF651 | 1 1/4" Plastic Top | 72 | x | 30 | 122 | |

## POLY-TOP WORKBENCH

- All the strength and durability of stainless steel at the cost of aluminum
- Easy to clean top and frame
- Units have removable full 5/8" thick HDPE tops
- Easily adjustable safety feet provide added stability and easy levelling
- All models are shipped knocked down to reduce freight and damages
- Lifetime Guarantee against rust and corrosion
- NSF Approved
- Capacity is based on uniformly distributed weight
- Accepted for use in Canadian food processing facilities

MO487

| Model No. | Dimensions W" | x | D" | x | H" | Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| MO487 | 36 | x | 24 | x | 35-1/2 | 2000 | |
| MO488 | 48 | x | 24 | x | 35-1/2 | 2000 | |
| MO489 | 60 | x | 24 | x | 35-1/2 | 1800 | |
| MO490 | 72 | x | 24 | x | 35-1/2 | 1600 | |
| MO491 | 84 | x | 24 | x | 35-1/2 | 1200 | |
| MO492 | 96 | x | 24 | x | 35-1/2 | 1000 | |
| MO493 | 36 | x | 30 | x | 35-1/2 | 2000 | |
| MO494 | 48 | x | 30 | x | 35-1/2 | 2000 | |
| MO495 | 60 | x | 30 | x | 35-1/2 | 1800 | |
| MO496 | 72 | x | 30 | x | 35-1/2 | 1600 | |
| MO497 | 84 | x | 30 | x | 35-1/2 | 1200 | |
| MO498 | 96 | x | 30 | x | 35-1/2 | 1000 | |

## VARI-TUFF™ ERGONOMIC WORKBENCHES

- Knocked-down, folding leg style
- Assembles in minutes
- Two brace supports and hardware supplied with each leg
- Eliminates stringers
- One package contains entire bench
- Choice of steel tops or tempered hardwood over steel (THS)
- Adjustable height from 28" to 42"
- Legs made of 13 gauge steel
- Channel formed on all four sides
- All four corners are welded and ground smooth
- 120" W unit comes with three sets of legs, all others come with two
- Capacity: 2000 lbs. evenly distributed
- Grey finish

FG750

FG753

| Width" | Depth" | Steel Top Model No. | Price /Each | THS Top Model No. | Price /Each |
|---|---|---|---|---|---|
| 84 | 28 | **FG746** | | **FG755** | |
| 84 | 34 | **FG747** | | **FG756** | |
| 84 | 48 | **FG748** | | **FG757** | |
| 96 | 28 | **FG749** | | **FG758** | |
| 96 | 34 | **FG750** | | **FG759** | |
| 120 | 28 | **FG752** | | **FG761** | |
| 120 | 34 | **FG753** | | **FG762** | |
| 120 | 48 | **FG754** | | **FG763** | |

## MAXI-BENCH WORKSTATIONS

- Roll your workstation to your work area
- Sturdy 30" x 60" steel wood-filled top and all-welded 14-gauge frame
- Includes: 42" H peg board panel, double drawers, swivel-out stool, lower shelf, end stops
- Mobile units come with 5" nylon non-marking casters,two rigid and two swivel with brakes
- Models **FF068** and **FF071** include fluorescent lamp, 25' incandescent drop light, and 4-outlet power bar
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

FF068

| Model No. | Description | Overall Height" | Wt. lbs. | Price /Each |
|---|---|---|---|---|
| **FF068** | Mobile, complete | 76 | 435 | |
| **FF069** | Mobile, no electrical | 76 | 415 | |
| **FF071** | Static, Complete | 70 | 425 | |
| **FF072** | Static, no electrical | 70 | 405 | |

## HEAVY-DUTY MACHINE STANDS

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- 14" shelf clearance
- All-welded construction
- 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish

FH269

| Model No. | Dimensions W" | x | D" | x | H" | Cap. lbs. | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **FH268** | 30 | x | 18 | x | 32 | 1200 | 60 | |
| **FH269** | 36 | x | 24 | x | 32 | 1200 | 70 | |
| **FH270** | 48 | x | 24 | x | 32 | 1200 | 85 | |

## 72" LOUVERED BENCH RACKS

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1 1/4" square tube frame
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish

### RACKS ONLY

| Model No. | Description | Cabinet Size W" | x | D" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|
| **CB364** | Bolt-on bench rack | 72 | x | 15 | x | 40 | 95 | |

### RACK & BINS COMBINATIONS

| Model No. Red | Blue | Yellow | Green | Overall Bin Dimensions L" | x | W" | x | H" | Bin Qty. | Capacity lbs. | Price /Each |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **CB173** | **CB172** | **CB174** | **CF365** | 7 3/8 | x | 4 1/8 | x | 3 | 144 | 1440 | |
| **CB176** | **CB175** | **CB177** | **CF367** | 10 7/8 | x | 5 1/2 | x | 5 | 72 | 2160 | |
| **CB185** | **CB184** | **CB186** | **CF369** | 14 3/8 | x | 8 1/4 | x | 7 | 36 | 2160 | |

CB176

Workbench not included

# BUILD YOUR OWN CABINET WORKBENCH

- Versatile cabinet workbench suited for any industrial application that requires work surface and secure tool and parts storage
- Steel-wood fill tops available in grey or blue
- Capacity: 3000 lbs. evenly distributed
- Durable Kleton blue enamel finish
- Shipped knocked down

## A - CABINET SHELLS ONLY

- Made of heavy gauge all-welded 14-gauge steel

| Model No. | Dimensions L" | x | W" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| FH165 | 28 | x | 59 | x | 32 | 105 | |

## B - TOPS

- Our complete list of tops can be found on page 117

| | Model No. Grey Tops | Blue Tops | Size" | Price /Each |
|---|---|---|---|---|
| **STEEL - WOOD FILL** | | | | |
| | FD033 | FH183 | 30 x 60 | |
| | FD034 | FH184 | 30 x 72 | |
| | FD035 | FH185 | 36 x 60 | |
| | FD036 | FH186 | 36 x 72 | |
| **LAMINATED WOOD - BULLNOSE EDGE** | | | | |
| | FI528 | - | 30 x 60 | |
| | FI529 | - | 30 x 72 | |
| | FI532 | - | 36 x 60 | |
| | FI533 | - | 36 x 72 | |
| **LAMINATED WOOD - SQUARE EDGE** | | | | |
| | FI733 | - | 30 x 60 | |
| | FI734 | - | 30 x 72 | |
| | FL597 | - | 36 x 60 | |
| | FI738 | - | 36 x 72 | |
| **SHOP TOPS** | | | | |
|  | FD004 | - | 30 x 60 | |
| | FD005 | - | 30 x 72 | |
| | FD006 | - | 36 x 60 | |
| | FD007 | - | 36 x 72 | |
| **PLASTIC LAMINATE** | | | | |
| | FD011 | - | 30 x 60 | |
| | FD012 | - | 30 x 72 | |
| | FD013 | - | 36 x 60 | |
| | FD014 | - | 36 x 72 | |
| **STAINLESS STEEL** | | | | |
| | FI271 | - | 30 x 60 | |
| | FI272 | - | 30 x 72 | |
| | FI276 | - | 36 x 60 | |
| | FI277 | - | 36 x 72 | |



## C - SHELVES

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs. evenly distributed

| Model No. | Dimensions L" | x | W" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| FH164 | 27 3/4 | x | 58 3/4 | 15 | |

## D - DOOR

- Made of 18-gauge steel on rollers
- Recessed handles
- Includes: Plunger lock and two keys

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| FH163 | Door Set, Lock Included | 40 | |

## E - DRAWERS

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Includes: locks and two keys
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed



FH938

FH939

| Model No. | Dimensions L" | x | W" | x | H" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| FH938 | 15 3/8 | x | 20 | x | 5 5/8 | 30 | |
| FH939 | 15 3/8 | x | 20 | x | 2 3/4 | 35 | |

# BUILD YOUR OWN MOBILE CABINET BENCHES

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top, and a push handle
- Four 5" non-marking casters with brakes for smooth, easy rolling
- Doors are reversible, can be opened either left or right side
- All locks keyed alike by pedestal model
- Capacity: 1200 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Shipped knocked down

FH666

FH667

FH668

FI166

FI167

FH669

FH670

FH671

**CONFIGURE YOUR OWN UNIT BY CHOOSING:**

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s)
2. Add to that the assembly kit, whether it be single, double or triple. Assembly kit includes casters, base and 1 1/4" laminated hardwood top

Assembly Kit

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **1 - PEDESTAL STYLES COMPLETE WITH LOCK & 2 KEYS** | | | |
| **FH666** | One door | 51 | |
| **FH667** | Two half doors | 52 | |
| **FH668** | Two small drawers and one half door | 75 | |
| **FH669** | Four large drawers | 97 | |
| **FI166** | Two large drawers | 66 | |
| **FI167** | One large drawer and two small drawers | 78 | |
| **FH670** | Four small drawers and one half door | 84 | |
| **FH671** | Four small drawers and two large drawers | 98 | |
| **2 - ASSEMBLY KITS** | | | |
| **FH407** | Single | 35 | |
| **FH408** | Double | 65 | |
| **FH409** | Triple | 95 | |

# SINGLE PEDESTAL BENCHES

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Comes complete with locks and two keys
- Overall dimensions 20" W x 21" D x 37" H
- Capacity: 800 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **FF984** | 4-drawer cabinet | 120 | |
| **MH801** | Single door cabinet | 75 | |

FF984

MH801

## INDUSTRIAL DUTY MOBILE SERVICE BENCHES

- Designed for moving heavy parts and tools to the job site
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- 16-gauge all-welded steel construction
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37"H
- Shell durable Kleton blue enamel finish
- Cabinets are powder paint grey and Kleton blue
- Shipped assembled
- Capacity: 1200 lbs. evenly distributed

KLETON

ML325

ML326

ML327

ML328

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| ML325 | 2 Doors | 235 | |
| ML326 | 1 Drawer/1 Door | 190 | |
| ML327 | 4 Drawers/1 Door | 275 | |
| ML328 | 8 Drawers | 300 | |

* Review cabinet models on page 116 to create your own mobile service bench.

## TOOL TOTER CARTS

**For safe convenient storage of tools and equipment. An excellent addition to any tool centre.**

- Do not waste time looking for your tools and jigs
- Each drawer is 15 1/4" x 23 3/4" x 4 3/4" with padlocking hasp
- Carrier is 18" W x 24" D x 34 1/2" H with 3" hard rubber swivel casters
- Drawer capacity: 50 lbs.
- Shipped knocked down

edsal

FH210

FH211

FH212

| Model No. | Description | Wt. lbs. | Price/Each |
|---|---|---|---|
| FH210 | 2 Drawers | 55 | |
| FH211 | 4 Drawers | 85 | |
| FH212 | 2 Drawers and Cabinet | 93 | |

## MOBILE BENCH CABINET

- Heavy duty 16 ga. all-welded steel construction
- Convenient sturdy work surface
- Back and end stops on work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2 swivel, 2 ridged)
- Durable, textured, grey powder coat finish
- Tubular handle for ease of mobility
- Cabinet door has a 3 point locking handle with 2 keys
- 1200 lbs. capacity (based on evenly distributed weight)
- Full piano hinge on door prevents door sag
- Note: Handle adds 6" to overall width

FL634

FL637

FL635

DURHAM MFG® Est. 1922

| Model No. | Workbench Type | Overall Dimensions W" x D" x H" | Cabinet Size W" x D" x H" | Drawer Dimensions W" x D" x H" | Price /Each |
|---|---|---|---|---|---|
| FL634 | Drawer & Cabinet | 24 x 18 x 38-3/8 | 23-7/8 x 17-7/8 x 21-3/4 | 20-7/16 x 14-11/16 x 5-7/8 | |
| FL638 | Drawer & Cabinet | 36 x 18 x 38-3/8 | 36 x 18 x 16-3/8 | 16-1/16 x 14-11/16 x 5-7/8 | |
| FL637 | Drawers & Cabinet | 36 x 18 x 38-3/8 | 11-18 x 18 x 24-1/4 | 20-7/16 x 14-11/16 x 5-7/8 | |
| FL635 | Shelf, Drawer & Cabinet | 36 x 18 x 38-3/8 | 11-18 x 18 x 24-1/4 | 20-7/16 x 14-11/16 x 5-7/8 | |
| FL636 | Shelf, Drawer & Cabinet w/Bins | 36 x 18 x 38-3/8 | 11-18 x 18 x 24-1/4 | 20-7/16 x 14-11/16 x 5-7/8 | |

## MOBILE TOOL BOX BENCHES

- A versatile unit combining tool/storage area with a work surface
- Heavy-duty 11-gauge steel top and base
- Four 5" non-marking casters: two rigid and two swivel with brake
- Overall dimensions: 60" W x 22" D x 37" H
- Durable Kleton blue enamel finish
- Capacity: 1200 lbs. evenly distributed

| Model No. | Description | Wt. lbs. | Price /Each |
|---|---|---|---|
| **FF993** | 5 Drawers/3 Drawers | 285 | |
| **FF994** | 3 Drawers and Side Shelves | 220 | |
| **FF995** | 5 Drawers and Side Shelves | 235 | |

FF993

FF994

FF995

### 3-DRAWER CABINETS WITH FLIP TOP COMPARTMENT

One 22 1/8" W x 16 3/4" D x 2" H drawer
Two 22 1/8" W x 16 3/4" D x 4" H drawers
One 26 1/2" W x 18" D x 12 3/8" H flip top compartment
Colour: Red

### 5-DRAWER CABINETS

One 22 1/8" W x 16 3/4" D x 2" H drawer
Two 22 1/8" W x 16 3/4" D x 4" H drawers
Two 22 1/8" W x 16 3/4" D x 6 1/8" H drawers
Colour: Red

## MOBILE WORK CENTRES

- Keeps tools and supplies close at hand
- Drawers can be locked with a padlock (not included)
- Integrated tool carrier in push handle and four plastic bins to hold hand tools and small parts
- Drawer dimension: 22 7/8" W x 11 3/4" D x 1 5/8" H and have a full extension capacity of 75 lbs. evenly distributed
- 5" x 1" casters (two rigid, two swivel with brakes) for easy transportation
- Finish: Grey powder coat
- Shipped knocked down
- Total capacity: 500 lbs. evenly distributed

**Model No. FH675**
**Price/Each $**

## EX STANDARD SERIES DELUXE TOOL CART

- Drawer slide type: Ball bearing
- Slide drawer capacity: 100 lbs.
- Convenient access to tools by opening the top drawer or opening the lid (patent-pending)
- Secure tubular coded lock and keys
- Sturdy, heavy duty steel construction
- High density foam drawer liners included
- Drawer dimensions: (1) 26.75" W x 20.125" D x 3.75" H, (1) 26.75" W x 20.125" D x 1.75" H, 1) 26.75" W x 20.125" D x 2.75" H (1)26.75" W x 20.125" D x 3.75" H
- Bottom Shelf Size: 32" W x 21.75" D x 3" H
- Weight: 159 lbs.

TEP605

TEP606

TEP607

## HEAVY DUTY MOBILE WORK STATIONS

- Capacity: 1200 lbs.
- Weight: 226 lbs.
- 16-gauge all welded steel construction
- Includes (9) yellow bins: 4" W x 5" L x 3" H
- Includes (6) drawers: (2) 20-7/16" L x 14-11/16" D x 4-7/8" H and (4) 20-7/16" L x 14-11/16" D x 2-7/8" H
- Durable, textured powder coat finish
- Top surface has a 3" back stop
- Conveniently carry a 6' ladder on back side of cart
- Ergonomic tubular handle has provision to hold two boxes of florescent light bulbs

| Model No. | Overall Height" | Overall Width" | Overal Depth | No. of Shelves | Colour | Price /Each |
|---|---|---|---|---|---|---|
| **FL417** | 40 1/4 | 18 1/8 | 52 5/8 | 1 | Grey | |

| Model No. | Mfg. No. | No. of Drawers | Colour | Dimensions L" x W" x H" | Price /Each |
|---|---|---|---|---|---|
| **TEP605** | EX3204TCBK | 4 | Black | 32-1/4 x 22-1/4 x 40-1/2 | |
| **TEP606** | EX3204TCBL | 4 | Blue | 32-1/4 x 22-1/4 x 40-1/2 | |
| **TEP607** | EX3204TCRD | 4 | Red | 32-1/4 x 22-1/4 x 40-1/2 | |

# WORKBENCHES

## WALL-MOUNTED SHOP DESK

- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 28" D x 31" H
- Weight: 74 lbs.
- Grey enamel finish

**Model No. FI518**
**Price/Each $**

KLETON

## OPEN FLOOR STYLE SHOP DESK

- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish

**Model No. FI519**
**Price/Each $**

### OPTIONAL CASTER KIT

**Model No. FI521**
**Price/Each $**

KLETON

## CABINET STYLE SHOP DESK

- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

**Model No. FI520**
**Price/Each $**

KLETON

## SHOP DESK

- Heavy duty 16 ga. all-welded steel construction
- 18 gauge steel file drawers (2) and storage drawers (2)
- Drawers included recessed handles, ball bearing slides & cylinder locks
- Straight writing surface, 42" table top height
- An 18"D x 23"W X 7"H shelf welded on top of work surface
- Durable, textured, gray powder coat finish
- Dimensions: 39" W x 29" D x 53" H
- Colour: Grey

**Model No. FL633**
**Price/Each $**

DURHAM MFG Est. 1922

## SHOP DESK

FG790

FG789

- Heavy duty 16 ga. all-welded steel construction
- Provides an organized work area that easily moves anywhere
- Sloped work surface has a pencil rest lip
- Drawer has ball bearing slides
- (4) 3" swivel rubber casters
- 500 lbs. overall capacity
- Dimensions: 23" W x 20" D x 51" H
- Material: Steel
- Colour: Grey

DURHAM MFG Est. 1922

| Model No. | Type | Price/Each |
|---|---|---|
| FG789 | Cabinet Style | |
| FG790 | Open Style | |

## SERVICE WRITERS

FH386

FH385

- 25 3/8" W x 16 1/2" D x 3 1/4" H locking drawer on smooth slides
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Top and bottom section are fully welded
- Powder coat tan finish
- Capacity: 200 lbs. evenly distributed

edsal

| Model No. | Type | Price/Each |
|---|---|---|
| FH386 | Open Style | |
| FH385 | Closed Style | |

## WHAT HEIGHT?

### STEPLADDER

| Max. Height You Want to Reach* | Buy This Size |
|---|---|
| 7' | 4' |
| 8' | 5' |
| 9' | 6' |
| 10' | 7' |
| 11' | 8' |
| 12' | 10' |
| 14' | 12' |
| 16' | 14' |
| 18' | 16' |
| 20' | 18' |
| 22', 24' | 20' |

*Assumes a 5' 6" person with a vertical 12" reach.

### EXTENSION/STRAIGHT LADDERS

| Height of Top Support Point | Buy This Size* |
|---|---|
| 9' max. | 16' |
| 9' to 13' | 20' |
| 13' to 17' | 24' |
| 17' to 21' | 28' |
| 21' to 25' | 32' |
| 25' to 28' | 36' |
| 28' to 31' | 40' |

*Reflects section overlap, ladder angle.

## WHAT LOAD CAPACITY?

**Formula:**

**Your Weight** + = **Load Capacity**

**Material Weight**
Typically Add:

**75 lbs.** For Heavy-Duty Projects

**50 lbs.** For Light-Duty Projects

| | |
|---|---|
| 200 lbs. | **CSA grade 3** Household |
| 225 lbs. | **CSA grade 2** Tradesman and Farm |
| 250 lbs. | **CSA grade 1** Construction and Industrial |
| 300 lbs. | **CSA grade 1A** Construction and Industrial meets ANSI Type1A, Industrial Heavy Duty |
| 375 lbs. | **CSA grade 1AA** Construction and Industrial meets ANSI Type1AA, Industrial Heavy Duty |

## COMMERCIAL DUTY ALUMINUM STEPLADDERS (2400 SERIES)

**CSA grade 2,**
**ANSI type 2 – 225-lb. Load Rating**

- Super tough molded copolymer utility top
- Durable yet light-weight extruded side rails
- 3" slip-resistant serrated steps
- Heavy-duty rubber safety shoes

MF064

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| MF063 | 4 | 45 | 24 | 18 | 31 | 9 | |
| MF064 | 6 | 67 | 45 | 21 | 44 | 13 | |
| MF065 | 8 | 90 | 67 | 23 | 56 | 19 | |
| VC458 | 7 | 79 | 57 | 24 | 56 | 18 | |
| VC459 | 10 | 114 | 92 | 28 | 69 | 26 | |

## INDUSTRIAL HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

**CSA grade 1A,**
**ANSI type 1A – 300-lb. load rating**

**High strength to weight ratio provides an economical alternative for general contract work**

- Super tough copolymer top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc coated steel spreader arms
- 10" x 10" heavy-duty hinged utility tray for holding tools and paint accessories
- Heavy-duty slip-resistant safety shoes

FEATHERLITE INDUSTRIAL LADDERS

VC243

| Model No. | Nominal Height' | Open Height" | Highest Standing Point" | Base Width" | Base Depth" | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC241 | 4 | 46 | 24 | 19 | 29 | 12 | |
| VC242 | 5 | 57 | 34 | 20 | 35 | 14 | |
| VC243 | 6 | 68 | 46 | 21 | 41 | 17 | |
| VC244 | 8 | 91 | 68 | 24 | 54 | 22 | |
| VC245 | 10 | 114 | 91 | 26 | 66 | 28 | |
| VC315 | 12 | 135 | 114 | 32 | 78 | 40 | |
| VC316 | 14 | 158 | 134 | 35 | 88 | 51 | |
| VC317 | 16 | 181 | 160 | 38 | 102 | 59 | |

## INDUSTRIAL HEAVY-DUTY ALUMINUM PLATFORM STEPLADDERS (3500 SERIES)

**CSA grade 1A,**
**ANSI type 1A – 300-lb. load rating**

**Ideal for general fixed height work**

- Large comfortable slip-resistant platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Outside J spreader arms
- Heavy-duty slip-resistant safety shoes

FEATHERLITE INDUSTRIAL LADDERS

VC246

| Model No. | Nominal Height' | Open Height" | Platform Height" | Base Width" | Base Depth | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| MF069 | 4 | 46 | 23 | 21 | 28 | 13 | |
| VC460 | 5 | 56 | 34 | 22 | 33 | 17 | |
| VC246 | 6 | 68 | 46 | 24 | 42 | 19 | |
| VC247 | 8 | 90 | 68 | 26 | 54 | 24 | |
| VC248 | 10 | 114 | 92 | 29 | 66 | 30 | |
| VC312 | 12 | 135 | 115 | 34 | 78 | 43 | |
| VC313 | 14 | 157 | 136 | 36 | 87 | 52 | |
| VC314 | 16 | 180 | 158 | 39 | 102 | 60 | |

## SAFETY DO'S

- Keep your body centered on the ladder. Hold the ladder with one hand while working with the other hand whenever possible. Never let your belt buckle pass beyond either ladder rail

- Move materials with extreme caution. Be careful pushing or pulling anything while on a ladder. You may lose your balance or tip the ladder

## SAFETY DONT'S

- DON'T stand above the highest **safe standing level**
- DON'T stand above the second step from the top of a stepladder and the 4th rung from the top of an extension ladder. A person standing higher may lose their balance and fall.

## INDUSTRIAL DUTY ALUMINUM MULTI-WAY LADDERS (2700 SERIES)

**CSA grade 1,**
**ANSI type 1 - 250-lb. Load Rating**

- Easily converts and locks securely and safely into all positions
- Durable extruded aluminum rails and slip resistant serrated steps and rungs
- Fixed rubber safety shoes on front section
- Swivel rubber shoes on rear section
- ABS, high impact, non-marring end caps

MF402

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Extension Ladder Height' | Maximum Extension Open Length' | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| MF402 | 6 | 12 | 9 | 22 | |
| MF403 | 7 | 14 | 11 | 25 | |
| MF404 | 8 | 16 | 13 | 28 | |

## INDUSTRIAL HEAVY-DUTY 2 WAY STEPLADDERS (3600 SERIES)

**CSA grade 1A,**
**ANSI type 1A - 300-lb. Load Rating**

- Double-front construction allows access from either side
- 3" serrated steps and side rails
- Features extra thick top brackets for greater stability; "J" shape spreader arms and heavy-duty rubber safety shoes

VC319

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Base Width" | Spread" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|
| VC318 | 4 | 19 | 39 | 14 | |
| VC319 | 6 | 21 | 57 | 20 | |
| VC320 | 8 | 24 | 72 | 28 | |
| VC321 | 10 | 26 | 89 | 36 | |

## INDUSTRIAL HEAVY-DUTY ALUMINUM 2-WAY PLATFORM STEPLADDERS (AMP1500 SERIES)

**CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating**

- Durable "C" channel side rails
- Large, safe and comfortable slip-resistant platform, 14 2/5" x 17 1/10"
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Double-rivet step construction
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms

VD422

Louisville LADDER

| Model No. | Nominal Height' | Open Height" | Platform Height" | Base Width" | Base Depth" | Wt. lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VD422 | 6 | 69 5/8 | 48 | 25 3/8 | 53 3/8 | 35 | |
| VD423 | 8 | 92 1/2 | 72 | 28 3/8 | 69 1/2 | 56 | |
| VD424 | 10 | 114 7/8 | 96 | 31 3/8 | 85 | 77 | |
| VD425 | 12 | 136 1/4 | 120 | 34 3/8 | 100 1/4 | 98 | |

## EXTRA WIDE HEAVY-DUTY INDUSTRIAL ALUMINUM PLATFORM STEPLADDERS (3500-XW SERIES)

**CSA grade 1A,**
**ANSI type 1A, 300-lb. load rating**

- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty slip-resistant safety boots

VC711

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Platform Height" | Base Width" | Base Depth" | Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC709 | 4 | 46 | 23 | 25 | 35 | 16 | |
| VC710 | 5 | 56 | 34 | 27 | 39 | 20 | |
| VC711 | 6 | 68 | 46 | 28 | 48 | 24 | |
| VC712 | 8 | 90 | 68 | 30 | 53 | 29 | |

## SAFETY TIPS

- Fully open the stepladder and firmly lock both spreaders
- Position the ladder so you can face your work and do not have to lean sideways



- Be sure that all ladder feet are on firm, level ground. Don't place a ladder on slippery surfaces or place loose materials underneath a ladder. Solid footing is necessary for safe ladder use



## SAFETY DO'S

**Care & Maintenance**

- Inspect the rails of Fibreglass Ladders for weathering due to UV (ultraviolet) exposure.
- Keep the ladder protected from heat, weather, and corrosive materials.

**Safety Before You Climb**

- Use fibreglass ladders if there is even a remote possibility of working near electricity or overhead power lines. Fibreglass is electrically non-conductive.
- NEVER use metal, water logged or dirty wood ladders near electricity!



## INDUSTRIAL DUTY FIBREGLASS STEPLADDERS (6300 SERIES)

**CSA grade 1 ,**
**ANSI type 1, 250-lb. load rating**

- Durable non-conductive "C" channel front rails in high visibility safety orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc coated steel spreader arms
- Rear horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Heavy-duty slip-resistant safety shoes

VC025

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC023 | 4 | 46 | 23 | 20 | 30 | 17 | |
| VC024 | 5 | 57 | 34 | 21 | 34 | 18 | |
| VC025 | 6 | 68 | 45 | 23 | 43 | 20 | |
| VC026 | 7 | 79 | 56 | 24 | 44 | 23 | |
| VC027 | 8 | 90 | 67 | 26 | 55 | 26 | |

## INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

**CSA grade 1A ,**
**ANSI type 1A, 300-lb. load rating**

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves
- Rear "L" horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF609

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| MF606 | 3 | 34 | 11 | 17 | 23 | 12 | |
| MF607 | 4 | 45 | 23 | 19 | 28 | 14 | |
| MF608 | 5 | 56 | 34 | 20 | 34 | 17 | |
| MF609 | 6 | 68 | 45 | 21 | 39 | 20 | |
| MF610 | 7 | 79 | 56 | 22 | 44 | 23 | |
| MF611 | 8 | 90 | 67 | 24 | 51 | 26 | |
| MF612 | 10 | 113 | 90 | 26 | 61 | 37 | |
| MF613 | 12 | 135 | 112 | 29 | 74 | 48 | |

## INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6400 SERIES)

FEATHERLITE INDUSTRIAL LADDERS

**CSA grade 1A ,**
**ANSI type 1A, 300-lb. load rating**

- Durable non-conductive "C" Channel side rails in high visibility safety yellow
- Super tough copolymer utility top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wrap-around" brackets to strengthen spreader to rail connection
- Rear horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Full rear "L" horizontal struts reinforced with zinc coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

MD490

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC211 | 2 | 24 | 11 | 17 | 17 | 8 | |
| MD487 | 3 | 34 | 11 | 19 | 23 | 12 | |
| MD488 | 4 | 46 | 23 | 20 | 28 | 15 | |
| MD489 | 5 | 57 | 34 | 21 | 34 | 19 | |
| MD490 | 6 | 68 | 45 | 23 | 39 | 23 | |
| MF516 | 7 | 79 | 56 | 24 | 44 | 27 | |
| MD491 | 8 | 90 | 67 | 26 | 50 | 30 | |
| MD492 | 10 | 113 | 90 | 29 | 61 | 38 | |
| MD493 | 12 | 137 | 114 | 32 | 74 | 52 | |

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS STEPLADDERS (6800 AA SERIES)

FEATHERLITE INDUSTRIAL LADDERS

**CSA grade 1AA ,**
**ANSI type 1AA, 375-lb. load rating**

- Extra strong non-conductive "C" channel side rails in high visibility orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is double braced with zinc coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with zinc coated steel diagonal braces offer maximum rigidity
- Heavy-duty aluminum "wrap-around" sleeves at base of rails for maximum protection

VC256

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC254 | 4 | 46 | 23 | 20 | 28 | 15 | |
| VC255 | 5 | 57 | 34 | 21 | 34 | 19 | |
| VC256 | 6 | 68 | 45 | 23 | 39 | 27 | |
| VC257 | 7 | 79 | 56 | 24 | 45 | 31 | |
| VC258 | 8 | 90 | 67 | 25 | 50 | 35 | |
| VC259 | 10 | 113 | 90 | 29 | 61 | 44 | |
| VC260 | 12 | 136 | 113 | 31 | 72 | 59 | |

## INDUSTRIAL HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 SERIES)

**CSA grade 1A ,**
**ANSI type 1A, 300-lb. load rating**

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc coated steel spreader arms
- Each step reinforced with zinc coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc coated steel brace offer maximum rigidity
- Heavy-duty slip-resistant safety shoes

MF411

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Platform Height" | Base Width" | Base Depth" | Approx. Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC205 | 4 | 46 | 24 | 21 | 30 | 17 | |
| VC206 | 5 | 57 | 35 | 23 | 36 | 22 | |
| MF411 | 6 | 68 | 46 | 24 | 42 | 25 | |
| MF412 | 8 | 90 | 68 | 26 | 53 | 33 | |
| MF413 | 10 | 113 | 92 | 29 | 67 | 41 | |
| VC207 | 12 | 135 | 115 | 31 | 75 | 50 | |

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDER (6500 AA SERIES)

**CSA grade 1AA ,**
**ANSI type 1AA, 375-lb load rating**

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty aluminum 'wrap-around' sleeves at base of rails
- Rugged outside zinc coated steel spreader arms
- Each step reinforced with zinc coated steel diagonal braces providing strength and stiffness

VC225

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Platform Height" | Base Width" | Base Depth" | Approx. Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC223 | 4 | 46 | 24 | 20 | 38 | 24 | |
| VC224 | 5 | 57 | 35 | 22 | 47 | 28 | |
| VC225 | 6 | 68 | 46 | 23 | 56 | 32 | |
| VC226 | 8 | 90 | 68 | 26 | 72 | 48 | |
| VC227 | 10 | 113 | 92 | 29 | 91 | 57 | |
| VC228 | 12 | 135 | 115 | 32 | 109 | 66 | |

## INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 SERIES)

**CSA grade 1A ,**
**ANSI type 1A, 300-lb. load rating**

Double front construction allows two climbers to access the ladder from opposite sides

- Durable non-conductive C channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Every other step is reinforced with zinc coated steel diagonal braces providing extra rigidity
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF414

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx. Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC214 | 4 | 45 | 23 | 20 | 38 | 19 | |
| VC461 | 5 | 57 | 34 | 22 | 49 | 25 | |
| MF414 | 6 | 67 | 45 | 23 | 56 | 26 | |
| VC462 | 7 | 79 | 56 | 25 | 65 | 36 | |
| MF415 | 8 | 90 | 67 | 26 | 72 | 36 | |
| MF416 | 10 | 112 | 89 | 29 | 91 | 46 | |
| VC215 | 12 | 135 | 112 | 32 | 109 | 58 | |

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 AA SERIES)

**CSA grade 1AA ,**
**ANSI type 1AA, 375-lb. load rating**

- Extra strong non-conductive C channel side rails in high visibility safety orange
- Double front construction allows access from either side
- Extra strength fibreglass side rails in high visibility safety orange
- Redesigned super-tough top bracket system for even greater stability
- Slip-resistant 3" aluminum steps
- Heavy-duty aluminum "wrap-around" sleeves at base of rails

VC219

FEATHERLITE INDUSTRIAL LADDERS

| Model No. | Nominal Height' | Open Height" | Highest Standing Height" | Base Width" | Base Depth" | Approx. Weight lbs. | Price /Each |
|---|---|---|---|---|---|---|---|
| VC218 | 4 | 45 | 23 | 20 | 38 | 19 | |
| VC219 | 6 | 67 | 45 | 23 | 56 | 26 | |
| VC220 | 8 | 90 | 67 | 26 | 72 | 36 | |
| VC221 | 10 | 112 | 89 | 29 | 91 | 46 | |
| VC222 | 12 | 135 | 112 | 32 | 109 | 58 | |